Original Title Page 1

## **ACCESS SERVICE**

Regulations, Rates and Charges applying to the provision of Access Service for connection to interstate communications facilities for Interstate Customers within the operating territory of the Issuing Carrier listed on Title Page 2.

GCI retains the option of provisioning services within the tariff in the most efficient manner, which meets the service requirement of the customer.

Issued: March 5, 2001 Effective: March 6, 2001

Original Title Page 2

## **ACCESS SERVICE**

**Issuing Carrier** 

GCI Communication Corp. F. W. Hitz, III Director, Rates and Tariffs 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503

Issued: October 20, 1997 Effective: October 21, 1997

73rd Revised Page 1 Replaces 72nd Revised Page 1

# ACCESS SERVICE CHECK SHEET

This tariff contains pages 1 to 326, inclusive, each of which is effective on the date shown thereon. Original and revised pages as named below contain all changes from the original tariff that are in effect on the date hereof:

Page	Number of	Page	Number of	Page	Number of	Page	Number of
Number	Revisions	Number	Revisions	Number	Revisions	Number	Revisions
1	73rd	30	Original	57	1st	83	Original Original
2	24th	31	Original	58	1st	84	Original
3	76th	32	Original	59	Original	85	1st
3.01	1st	33	Original	60	Original	86	Original
3.1	1st	34	Original	61	Original	87	Original
4	Original	35	Original	62	Original	88	1st
5	Original	36	Original	63	1st	89	1st
6	Original	37	Original	64	Original	90	1st
7	2nd	38	Original	65	Original	91	1st
8	Original	39	Original	66	1st	92	1st
9	Original	40	Original	67	Original	93	Original
10	Original	41	Original	68	3rd	94	1st
11	Original	42	Original	68.1	1st	95	1st
12	Original	42.1	Original	69	2nd	96	1st
13	Original	43	$1^{st}$	69.1	2nd	97	Original
14	Original	44	1 <sup>st</sup>	69.2	Original	98	Original
15	Original	45	Original	70	1 <sup>st</sup>	99	1st
16	Original	46	Original	70.1	Original	100	Original
17	Original	47	Original	71	1st	101	Original
18	Original	48	Original	72	Original	102	1st
19	Original	48.1	Original	73	Original	103	1st
20	Original	49	1 <sup>st</sup>	74	1st	104	Original
21	Original	50	1 <sup>st</sup>	75	Original	105	1st
22	1 <sup>st</sup>	51	1 <sup>st</sup>	76	Original	106	1st
23	Original	51.1	Original	77	2nd	107	Original
24	Original	52	Original	77.1	Original	108	1st
25	Original	53	1 <sup>st</sup>	78	Original	109	1st
26	Original	54	Original	79	1st	110	1st
27	Original	55	Original	80	1st	111	Original
28	Original	56	1st	81	1st	112	1st
29	Original			82	1st		
Current Fi	ling		-		-		

Issued: March 16, 2020 Effective: April 01, 2020

24th Revised Page 2 Replaces 23rd Revised Page 2

# ACCESS SERVICE TABLE OF CONTENTS

Page	Number of	Page	Number of	Page	Number of	Page	Number of
<u>Number</u>	Revisions	<u>Number</u>	Revisions	<u>Number</u>	Revisions	Number	Revisions
113	Original	146.1	1st	170.1	Original	198.2	Original
114	1st	146.2	Original	171	1st	198.3	3rd
115	Original	147	1st	172	Original	198.4	2nd
116	Original	148	1st	173	Original	199	Original
117	Original	149	1st	174	Original	200	Original
118	Original	150	Original	175	Original	201	Original
119	Original	151	Original	176	Original	202	1st
120	Original	152	1st	177	2nd	202.1	Original
121	Original	153	$1^{st}$	178	1st	203	Original
122	Original	153.1	Original	179	1st	204	Original
123	Original	153.2	Original	179.1	Original	205	Original
124	Original	153.3	Original	179.2	1st	206	Original
125	Original	153.4	Original	180	Original	207	Original
126	Original	154	Original	181	Original	208	Original
127	Original	155	Original	182	Original	209	Original
128	Original	156	Original	183	1st	210	Original
129	1st	157	1st	184	1st	211	Original
130	Original	158	1st	185	1st	212	Original
131	Original	159	1st	186	1st	213	Original
132	Original	160	Original	187	1st	214	Original
133	Original	161	1st	188	1st	215	Original
134	Original	162	1st	189	Original	216	Original
135	Original	163	1st	190	1st	217	Original
136	Original	164	Original	190.1	Original	218	Original
137	1st	165	1 <sup>st</sup>	191	Original	219	1st
138	1st	165.1	Original	192	1st	220	Original
139	1st	165.2	Original	193	1 <sup>st</sup>	221	Original
140	Original	165.3	Original	193.1	Original	222	Original
141	Original	165.4	Original	194	1st	223	Original
142	Original	166	Original	195	1st	224	Original
143	Original	167	Original	196	Original	225	Original
144	Original	168	Original	197	1st	226	Original
145	1 <sup>st</sup>	169	Original	198	Original	227	Original
146	1 <sup>st</sup>	170	1 <sup>st</sup>	198.1	2nd	228	Original

Issued: December 2, 2008 Effective: December 3, 2008

76th Revised Page 3 Replaces 75th Revised Page 3

# ACCESS SERVICE TABLE OF CONTENTS

Page	Number of	Page	Number of	Page	Number of	Page	Number of
Number	Revisions	<u>Number</u>	Revisions	Number	Revisions	Number	Revisions
229	Original	258	66th	263.2.1	14th	272	4th
230	Original	259	18th	263.3	17th	273	1st
231	Original	259.01	10th	263.3.1	14th	274	2nd
232	2nd	259.02	9th	263.4	17th	275	24th
233	1st	259.03	7th	263.5	11th	276	6th
234	Original	259.1	20th	264	23rd	277	6th
235	Original	259.1.01	10th	264.01	11th	278	9th
236	Original	259.1.02	9th	264.1	17th	279	5th
237	Original	259.1.03	7th	264.2	$17^{\rm th}$	280	4th
238	Original	259.1.1	16th	264.3	Original	281	5th
239	Original	259.2	20th	265	25th	282	5th
240	Original	260	21st	265.01	14th	283	7th
241	Original	260.00	9th	265.1	17th	283.1	1st
242.0	10th	260.01	15th	265.1.1	11th	284	6th
242.1	1st	260.01.00	10th	265.2	14th	284.1	2nd
242	27th	260.01.01	6th	266	34th	285	5th
243	10th	260.01.1	11th	266.001	12th	286	4th
244	14th	260.02	12th	266.01	24th	287	1st
245	14th	260.03	9th	266.02	11th	288	1st
245.1	3rd	260.1	20th	266.1	27th	289	1st
246	13th	261	19th	266.2	11th	290	1st
247	12th	261.01	$3^{\rm rd}$	267	24th	291	2nd
248	12th	261.1	Original	267.001	11th	292	12th
249	10th	261.2	Original	267.00	14th	293	5th
250	12th	262	25th	267.01	17th	294	5th
251	11th	262.01	14th	267.02	14th	295	5th
251.1	4th	262.1	17th	267.1	9th	296	6th
252	7th	262.1.1	14th	267.2	2nd	297	4th
253	4th	262.2	17th	268	8th	298	5th
254	3rd	262.3	11th	269	7th	299	5th
255	3rd	263	24th	269.1	1st	300	5th
255.1	5th	263.1	17th	270	3rd	301	6th
256	5th	263.1.1	14th	270.1	1st	301.1	2nd
257	5th	263.2	17th	271	$3^{\rm rd}$		

**Current filing** 

Issued: March 16, 2020 Effective: April 01, 2020

1<sup>st</sup> Revised Page 3.01 Replaces Original Page 3.01

# ACCESS SERVICE TABLE OF CONTENTS

Page	Number of	Page	Number of	Page	Number of	Page	Number of
Number	Revisions	Number	Revisions		Revisions	Number	Revisions
302	5th						
303	4th						
304	2nd						
305	2nd						
306	3rd						
307	2nd						
308	2nd						
309	1st						
310	1st						
311	1st						
312	1st						
313	1st						
314	1st						
315	1st						
316	1st						
317	1st						
318	1st						
319	1st						
320	1st						
321	1st						
322	1st						
323	1st						
324	1st						
325	1st						
326	$1^{st}$						

**Current filing** 

Issued: June 30, 2010 Effective: July 1, 2010

1st Revised Page 3.1 Replaces This Original Page 3

## **ACCESS SERVICE**

## **CONCURRING, CONNECTING OR OTHER PARTICIPATING CARRIERS**

**Concurring Carriers** 

No Common Carriers

**Connecting Carriers** 

No Connecting Carriers

Other Participating Carriers

No Other Participating Carriers

Issued: July 9, 2001 Effective: July 10, 2001

## **ACCESS SERVICE**

## **EXPLANATION OF SYMBOLS**

- C To signify changed regulation.
- D To signify discontinued rate or regulation.
- I To signify increase.
- M To signify matter relocated without change.
- N To signify new rate or regulation.
- R To signify reduction.
- S To signify reissued matter.
- T To signify a change in text but no change in rate or regulation.
- Z To signify correction.

## **EXPLANATION OF ABBREVIATIONS**

AC - Alternating Current AML - Actual Measured Loss

ANI - Automatic Number Identification

AP - Program Audio

AT&T - American Telephone & Telegraph Company

CCS - Common Channel SignalingCDP - Customer Designated Premises

CI - Channel Interface

CNP - Charge Number Parameter

CO - Central Office Cont'd - Continued

CPE - Customer Premises Equipment

CPN - Calling Party NumberCSP - Carrier Selection Parameter

DA - Directory Assistance

dB - Decibel

dBrnC - Decibel Reference Noise C-Message WeightingdBrnCO - Decibel Reference Noise C-Message Weighted O

dc - Direct current

DDD - Direct Distance Dialing

Issued: October 20, 1997 Effective: October 21, 1997

## ACCESS SERVICE

## **EXPLANATION OF ABBREVIATIONS**

EAS - Extended Area ServiceEDD - Envelope Delay DistortionEML - Expected Measured Loss

EPL - Echo Path LossERL - Echo Return Loss

ESS - Electronic Switching System

ESSX - Electronic Switching System Exchange

f - Frequency

FCC - Federal Communications Commission

FX - Foreign Exchange HC - High Capacity

Hz - Hertz

IC - Interexchange Carrier
 ICB - Individual Case Basis
 ICL - Inserted Connection Loss
 kbps - Kilobits per second

kHz - Kilohertz

LATA - Local Access and Transport Area

ma - millamperes

Mbps - Megabits per second

Mhz - Megahertz

MRC - Monthly Recurring Charge

MT - Metallic

MTS - Message Telephone Service

MTSO - Mobile Telephone Switching Office

NPA - Numbering Plan AreaNRC - Non-recurring ChargeNTS - Non-Traffic Sensitive

NXX - Three-Digit Central Office Prefix

PBX - Private Branch Exchange

PIC - Presubscribed Interexchange Carrier

PCM - Pulse Code Modulation POT - Point of Termination

Issued: October 20, 1997 Effective: October 21, 1997

## ACCESS SERVICE

## **EXPLANATION OF ABBREVIATIONS**

SAC - Service Access Code

SNAL - Signaling Network Access Line

SP - Signaling Point

SPOI - Signaling Point of Interface

SRL - Singing Return Loss
 SSP - Service Switching Point
 SS7 - Signaling System 7
 STP - Signal Transfer Point
 SWC - Serving Wire Center
 TG - Telegraph Grade

TLP - Transmission Level Point

TS - Traffic Sensitive

TSPS - Traffic Service Position System

TV - Television VG - Voice Grace

V&H - Vertical & Horizontal

WATS - Wide Area Telecommunications Service(s)

WSO - WATS Serving Office

Issued: October 20, 1997 Effective: October 21, 1997

2nd Revised Page 7 Replaces 1st Revised Page 7

## ACCESS SERVICE REFERENCE TO OTHER TARIFFS

Whenever reference is made in this tariff to other tariffs of the Company, the reference is to the tariffs in force as of the effective date of this tariff, and to amendments thereto and successive issues thereof.

## **USE OF THE TARIFF**

This tariff contains the regulations, rates and charges applicable to the provision of Access Service by the Issuing Carrier.

The regulations applicable to the provision of Access Service are contained in Sections 1 through T 15. Rates and charges for all Access Services are shown in the Rate Sections, beginning in Section T 16.

#### REFERENCE TO TECHNICAL PUBLICATION

The following technical publications are referenced in this tariff and may be obtained from Bell Communications Research, Inc., Customer Services, 60 New England Ave., Piscataway, NJ 08854-4196.

#### **Technical Reference:**

Multiple Exchange Carrier Access Billing (MECAB) Guidelines

Issued: December 1990

Multiple Exchange Carrier Ordering and Design (MECOD) Guidelines

Issued: September 10, 1990

PUB 41004 Data Communications Using Voiceband Private Line Channels

Issued: October 1973

PUB 62411 High Capacity Digital Service Channel Interface Specification

Issued: October 1985

TR-NPL-000258 Compatibility Information for Feature Group D Switched Access

Service

Issued: October 1985

TR-NWT-000334 Issue 2 Voice Grade Switched Access Service - Transmission

Parameter Limits and Interface Combinations

Issued: September 1990

Issued: March 30, 2007 Effective: April 1, 2007

## **ACCESS SERVICE**

## REFERENCE TO TECHNICAL PUBLICATION

Technical Reference:

TR-TSY-000335 Issue 2 Voice Grade Special Access Service - Transmission

Parameter Limits and Interface Combinations

Issued: May 1990

TRN-NPL-000337 Program Audio Special Access Service Local Channel Services

Issued: July 1987

TR-NPL-000341 Digital Data Special Access Service - Transmission Parameter and

Interface Combinations Issued: March 1989

TR-NPL-000342 High Capacity Digital Special Access Service

Issued: February 1991

SR-STS-000307 Issue 2 NC/NCI Code Dictionary

Issued: December 1990

TR-TSY-000506 LATA Switching Systems Generic Requirements (LSSGR)

Section 6

Issued: October 1987, Revised December 1988, Revised June 1990

TR-NPL-000054 High Capacity Digital Service (1.544 Mbps) Interface Generic

Requirements for End Users

Issued: April 1989 Available: April 1989

TR-TSV-000905 Common Channel Signaling Network Interface Specification

Supplemental 1

Available: August 1989

The following technical publication is referenced in this tariff and may be obtained from the Bell Communications Technical Education Center, Room B02, 6200 Route 53, Lisle, IL 60532.

Telecommunications Transmission Engineering

Volume 3 - Networks and Services (Chapters 6 and 7)

Second Edition, 1980 Issued: June 1980

Issued: October 20, 1997 Effective: October 21, 1997

## **ACCESS SERVICE**

## REFERENCE TO TECHNICAL PUBLICATION

The following technical publication is referenced in this tariff and may be obtained from the National Exchange Carrier Association, Inc., Executive Director - Tariff and Regulatory Matters, 100 So. Jefferson Road, Whippany, NJ 07981, and the Federal Communication Commission's commercial contractor.

PUB AS No. 1, Issue II Access Service

Issued: May 1984 Addendum: March 1987

The following publications are referenced in this tariff and may be obtained from the government Printing Office, Superintendent of Documents, Document Control Branch, 941 N. Capital St., N.E., Washington, D.C., 20401.

Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service Vendor Handbook, National Communications System (NCSH 3-1-2).

Issued: July 1990 Available: August 1990

Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service User Manual, National Communications

August 1990

System (NCSH 3-1-1).
Issued: July 1990 Available:

The following publication is referenced in this tariff and may be obtained from Director-Sales Operations, Integrated Network Corporation, P.O. Box 6875, Bridgewater, NJ 08807.

**Integrated Network Corporation** 

Document CB-INC-100 Available: June 1990

The following publication is referenced in this tariff and may be obtained from AT&T, 26 Parsippany Road, Whippany, NJ 07981.

AT&T PUB 62310

(and its Addendum 2 and Addendum 3)

Available: October 1989

Issued: October 20, 1997 Effective: October 21, 1997

## **ACCESS SERVICE**

## 1. APPLICATION OF TARIFF

This tariff contains rates and charges applicable to the provision of Switched Access and Special Access Services and other miscellaneous services, hereinafter referred to collectively as services, provided by GCI Communication Corp., hereinafter referred to as the Company, GCI, or GCICC, to customers. This tariff also contains Access Ordering charges that are applicable when these services are ordered or modified by the customer.

Issued: October 20, 1997 Effective: October 21, 1997

## 2. GENERAL REGULATIONS

#### 2.1 Undertaking of the Company

## 2.1.1 <u>Scope</u>

- (A) The Company does not undertake to transmit messages under this tariff.
- (B) The Company shall be responsible only for the installation, operation and maintenance of the services it provides.
- (C) The Company will, for maintenance purposes, test its service only to the extent necessary to detect and/or clear troubles.
- (D) Services are provided 24 hours daily, seven days per week, except as set forth in other applicable sections of this tariff.
- (E) The Company does not warrant that its facilities and services meet standards other than those set forth in this tariff.

#### 2.1.2 Limitations

## (A) Assignment or Transfer of Service

The customer may assign or transfer the use of services provided under this tariff only where there is no interruption of use or relocation of the services. Such assignment or transfer may be made to:

- (1) another customer, whether an individual, partnership, association or corporation provided the assignee or transferee assumes all outstanding indebtedness for such services, and the unexpired portion of the minimum period and the termination liability applicable to such services, if any; or
- (2) a court-appointed receiver, trustee or other person acting pursuant to law in bankruptcy, receivership, reorganization, insolvency, liquidation or other similar proceedings, provided the assignee or transferee assumes the unexpired portion of the minimum period and the termination liability applicable to such services, if any.

In all cases of assignment or transfer, the written acknowledgment of the Company is required prior to such assignment or transfer. This acknowledgment shall be made within 15 days from the receipt of notification. All regulations and conditions contained in this tariff shall apply to such assignee or transferee.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

- 2.1 <u>Undertaking of the Company</u> (Cont'd)
  - 2.1.2 Limitations (Cont'd)
    - (A) Assignment or Transfer of Service (Cont'd)

The assignment or transfer of services does not relieve or discharge the assignor or transferor from remaining jointly or severally liable with the assignee or transferee for any obligations existing at the time of the assignment or transfer.

#### (B) Use and Restoration of Services

The use and restoration of services shall be in accordance with Part 64, Subpart D, Appendix A, of the Federal Communications Commission's Rules and Regulations, which specifies the priority system for such activities.

## (C) Sequence of Provisioning

Subject to compliance with the rules mentioned in (B) preceding, the services offered herein will be provided to customers on a first-come, first-served bases.

The first-come, first-served sequence shall be based upon the received time and date recorded, by stamp or other notation, by the Company on customer access orders. These orders must contain all the information as required for each respective service as delineated in other sections of this tariff. Customer orders shall not be deemed to have been received until such information is provided. Should questions arise which preclude order issuance due to missing information or the needed for clarification, the Company will attempt to seek such missing information or clarification on a verbal basis.

## 2.1.3 <u>Liability</u>

#### (A) Limits of Liability

The Company's liability, if any, for its willful misconduct is not limited by the tariff. With respect to any other claim or suit, by a customer or by any others, for damages associated with the installation, provision, termination, maintenance, repair or restoration of service, and subject to the provisions of (B) through (G) following, the Company's liability, if any, shall not exceed an amount equal to the proportionate charge for the service for the period during which the service was affected. This liability for damages shall be in addition to any amounts that may otherwise be due the customer under this tariff as a Credit Allowance for a Service Interruption.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

- 2.1 <u>Undertaking of the Company</u> (Cont'd)
  - 2.1.3 Liability (Cont'd)

## (B) Acts or Omissions

The Company shall not be liable for any act or omission of any other carrier or customer providing a portion of a service, nor shall the Company for its own act or omission hold liable any other carrier or customer providing a portion of a service.

## (C) <u>Damages to Customer Premises</u>

The Company is not liable for damages to the customer premises resulting from the furnishing of a service, including the installation and removal of equipment and associated wiring, unless the damage is caused by the Company's negligence.

## (D) <u>Indemnification of Company</u>

## (1) By the End User

The Company shall be indemnified, defended and held harmless by the end user against any claim, loss or damage arising from the end user's use of services offered under this tariff, involving:

- (a) Claims for libel, slander, invasion of privacy, or infringement of copyright arising from the end user's own communications;
- (b) Claims for patent infringement arising from the end user's acts combining or using the service furnished by the Company in connection with facilities or equipment furnished by the end users or;
- (c) All other claims arising out of any act or omission of the end user in the course of using services provided pursuant to this tariff.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

- 2.1 <u>Undertaking of the Company</u> (Cont'd)
  - 2.1.3 Liability (Cont'd)
    - (D) Indemnification of Company (Cont'd)

## (2) By the Customer

The Company shall be indemnified, defended and held harmless by the customer against any claim, loss or damage arising from the customer's use of services offered under this tariff, involving:

- (a) Claims for libel, slander, invasion of privacy, or infringement of copyright arising from the customer's own communications;
- (b) Claims for patent infringement arising from the customer's acts combining or using the service furnished by the Company in connection with facilities or equipment furnished by the customer or;
- (c) All other claims arising out of any act or omission of the customer in the course of using services provided pursuant to this tariff.

#### (E) Explosive Atmospheres

The Company does not guarantee or make any warranty with respect to its services when used in an explosive atmosphere. The Company shall be indemnified, defended and held harmless by the customer from any and all claims by any person relating such customer's use of services so provided.

#### (F) No License Granted

No license under patents (other than the limited license to use) is granted by the Company or shall be implied or arise by estoppel, with respect to any service offered under this tariff. The Company will defend the customer against claims of patent infringement arising solely from the use by the customer of services offered under this tariff and will indemnify such customer for any damages awarded based solely on such claims.

## (G) Circumstances Beyond the Company's Control

The Company's failure to provide or maintain services under this tariff shall be excused by labor difficulties, governmental orders, civil commotions, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control, subject to the Credit Allowance for a Service Interruption as set for in 2.4.4 following.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

2.1 <u>Undertaking of the Company</u> (Cont'd)

## 2.1.4 Provisions of Services

The Company will provide to the customer, upon reasonable notice, services offered in other applicable sections of this tariff at rates and charges specified therein. Services will be made available to the extent that such services are or can be made available with reasonable effort, and after provision has been made for the Company's telephone exchange services.

## 2.1.5 Facility Terminations

The services provided under this tariff will include any entrance cable or drop wiring and wire or intrabuilding cable to that point where provision is made for termination of the Company's outside distribution network facilities at a suitable location inside a customer-designated premises. Such wiring or cable will be installed by the Company to the Point of Termination. Moves of the Point of Termination at the customer designated premises will be as set forth in 6.4.4 and 7.2.3 following.

#### 2.1.6 Service Maintenance

The services provided under this tariff shall be maintained by the Company. The customer or others may not rearrange, move, disconnect, remove or attempt to repair any facilities provided by the Company, other than by connection or disconnection to any interface means used, except with the written consent of the Company.

## 2.1.7 Changes and Substitutions

Except as provided for equipment and systems subject to FCC Part 68 Regulations at 47 C.F.R. Section 68.110(b), the Company may, where such action is reasonably required in the operation of its business, substitute, change or rearrange any facilities used in providing service under this tariff. Such actions may include, without limitation:

- Substitution of different metallic facilities,
- substitution of carrier or derived facilities for metallic facilities used to provide other than metallic facilities.
- change of minimum protection criteria,
- change of operating or maintenance characteristics of facilities, or
- change of operations or procedures of the Company.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.1 <u>Undertaking of the Company</u> (Cont'd)
    - 2.1.7 <u>Changes and Substitutions</u> (Cont'd)

In case of any such substitution, change or rearrangement, the transmission parameters will be within the range as set forth in Section 14 following. The Company shall not be responsible if any such substitution, change or rearrangement renders any customer furnished services obsolete or required modification or alteration thereof or otherwise affects their use or performance. If such substitution, change or rearrangement materially affects the operating characteristics of the facility, the Company will provide reasonable notification to the customer in writing. Reasonable time will be allowed for any redesign and implementation required by the change in operating characteristics. The Company will work cooperatively with the customer to determine reasonable notification procedures.

## 2.1.8 Refusal and Discontinuance of Service

- (A) If a customer fails to comply with 2.1.6 preceding (Service Maintenance) or 2.3.1, 2.3.4, 2.3.6, 2.4.1 or 2.5 following (respectively, Damages, Availability for Testing, Balance, Payment Arrangements, Connections) including any customers failure to make payments on the date and times therein specified, the Company may on fifteen days (15) written notice to the customer by Certified U.S. Mail, take the following actions:
- refuse additional applications for service and/or refuse to complete any pending orders for service, and/or
- discontinue the provision of service to the customer.

In the case of discontinuance, all applicable charges, including termination charges, shall become due.

(B) If a customer fails to comply with 2.2.2 following (Unlawful and Abusive Use), the Company may, upon written request from a customer, or another exchange carrier, terminate service to any subscriber or customer identified as having utilized service provided under this tariff in the completion of abusive or unlawful telephone calls. Service shall be terminated by the Company as provided for in its general and/or local exchange service tariffs.

In such instances when termination occurs, the Company shall be indemnified, defended and held harmless by any customer or Exchange Carrier requesting termination of service against any claim, loss or damage arising from the Company's actions in terminating such service, unless caused by the Company's negligence.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.1 <u>Undertaking of the Company</u> (Cont'd)
    - 2.1.8 Refusal and Discontinuance of Service (Cont'd)
      - (C) Except as provided for equipment or systems subject to the FCC Part 68 Rules in 47 C.F.R. Section 68.108, if the customer fails to comply with 2.2.1 following (Interference or Impairment), the Company will, where practicable, notify the customer that temporary discontinuance of the use of a service may be required; however, where prior notice is not practicable, the Company may temporarily discontinue service forthwith if such action is reasonable in the circumstances. In case of such temporary discontinuance, the customer will be notified promptly and afforded the opportunity to correct the condition which gave raise to the temporary discontinuance. During such period of temporary discontinuance, credit allowance for service interruptions as set forth in 2.4.4 following is not applicable.
      - (D) When access service is provided by more than one telephone company, the companies involved in providing the joint service may individually or collectively deny service to a customer for nonpayment. Where the telephone company(s) affected by the nonpayment is incapable of effecting discontinuance of service without cooperation from the other joint providers of Switched Access Service, such other telephone company(s) will, if technically feasible, assist in denying the joint service to the customer. Service denial for such joint service will only include calls originating or terminating within, or transiting, the operating territory of the telephone companies initiating the service denial for nonpayment. When more than one of the joint providers must deny service to effectuate termination for nonpayment, in cases where a conflict exists in the applicable tariff provisions, the tariff regulations of the end office telephone company shall apply for joint service discontinuance.
      - (E) If the Company does not refuse additional applications for service and/or does not discontinue the provision of the services as specified for herein, and the customer's noncompliance continues, nothing contained herein shall preclude the Company's right to refuse additional applications for service and/or to discontinue the provision of the services to the non-complying customer without further notice.

#### 2.1.9 Notification of Service-Affecting Activities

The Company will provide the customer reasonable notification of service-affecting activities that may occur in the normal operation of its business. Such activities may include, but are not limited to the following:

- equipment or facilities addition,
- removals or rearrangements,
- routine preventative maintenance, and
- major switching machine change-out.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

- 2.1 <u>Undertaking of the Company</u> (Cont'd)
  - 2.1.9 <u>Notification of Service-Affecting Activities</u> (Cont'd)

Generally, such activities are not individual customer service specific, but may affect many customer services. No specific advance notification period is applicable to all service activities. The Company will work cooperatively with the customer to determine reasonable notification requirements.

## 2.1.10 <u>Coordination with Respect to Network Contingencies</u>

The Company intends to work cooperatively with the customer to develop network contingency plans in order to maintain maximum network capability following natural or man-made disasters which affect telecommunications services.

## 2.1.11 <u>Provision and Ownership of Telephone Numbers</u>

The Company reserves the reasonable right to assign, designate or change telephone numbers, any other call number designations associated with Access Services, or the Company serving central office prefixes associated with such number, when necessary in the conduct of its business. Should it become necessary to make a change in such number(s), the Company will furnish to the customer six (6) months notice, by Certified U.S. Mail, of the effective date and an explanation of the reason(s) for such change(s).

Issued: October 20, 1997 Effective: October 21, 1997

## 2. <u>GENERAL REGULATIONS</u> (Cont'd)

#### 2.2 Use

## 2.2.1 <u>Interference or Impairment</u>

The characteristics and methods of operation of any circuits, facilities or equipment provided by other than the Company and associated with the facilities utilized to provide services under this tariff shall not:

- interfere with or impair service over any facilities of the Company, its affiliated companies, or its connecting and concurring carriers involved in its services,
- cause damage to their plant,
- impair the privacy of any communications carried over their facilities, or
- create hazards to the employees of any of them or the public.

## 2.2.2 <u>Unlawful and Abusive Use</u>

(A) The service provided under this tariff shall not be used for an unlawful purpose or used in an abusive manner.

#### Abusive use includes:

- (1) The use of the service of the Company for a call or calls, anonymous or otherwise, in a manner reasonably expected to frighten, abuse, torment, or harass another;
- (2) The use of the service in such a manner as to interfere unreasonably with the use of the service by one or more other customers.

## 2.3 Obligations of the Customer

## 2.3.1 <u>Damages</u>

The Customer shall reimburse the Company for damages to Company facilities utilized to provide services under this tariff caused by the negligence or willful act of the customer or resulting from the customer's improper use of the Company facilities, or due to malfunction of any facilities or equipment provided by other than the Company. Nothing in the foregoing provision shall be interpreted to hold one customer liable for another customer's actions. The Company will, upon reimbursement for damages, cooperate with the customer in prosecuting a claim against the person causing such damage and the customer shall be subrogated to the right of recovery by the Company for the damages to the extent of such payment.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

2.3 Obligations of the Customer (Cont'd)

## 2.3.2 Ownership of Facilities and Theft

Facilities utilized by the Company to provide service under the provisions of this tariff shall remain the property of the Company. Such facilities shall be returned to the Company by the customer, whenever requested, within a reasonable period. The equipment shall be returned in as good condition as reasonable wear will permit.

## 2.3.3 Equipment Space and Power

The customer shall furnish or arrange to have furnished to the Company, at no charge, equipment space and electrical power required by the Company to provide services under this tariff at the points of termination of such services. The selection of ac or dc power shall be mutually agreed to by the customer and the Company. The customer shall also make necessary arrangements in order that the Company will have access to such spaces at reasonable times for installing, testing, repairing or removing Company facilities used to provide service.

## 2.3.4 Availability for Testing

Access to facilities used to provide services under this tariff shall be available to the Company at times mutually agreed upon in order to permit the Company to make tests and adjustments appropriate for maintaining the services in satisfactory operating condition. Such tests and adjustments shall be completed within a reasonable time. As set forth in 2.4.4 following, no credit will be allowed for any interruptions involved during such tests and adjustments.

#### 2.3.5 Limitation of Use of Metallic Facilities

Signals applied to a metallic facility shall conform to the limitations set forth in Technical Reference Publication AS No. 1. In the case of application of dc telegraph signaling systems, the customer shall be responsible, at its expense, for the provision of current limiting devices to protect the Company facilities from excessive current due to abnormal conditions and for the provision of noise mitigation networks when required to reduce excessive noise.

#### 2.3.6 Balance

All signals for transmission over the facilities used to provide services under this tariff shall be delivered by the customer balanced to ground except for ground start, duplex (DX) and McCulloch-Loop (Alarm System) type signaling and dc telegraph transmission at speeds of 75 baud or less.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

2.3 Obligations of the Customer (Cont'd)

## 2.3.7 Design of Customer Services

Subject to the provisions of 2.1.7 preceding (Changes and Substitutions), the customer shall be solely responsible, at its own expense, for the overall design of its services and for any redesigning or rearrangement of its services which may be required because of changes in facilities, operations or procedures of the Company, minimum protection criteria or operating or maintenance characteristics of the facilities.

## 2.3.8 Reference to the Company

The customer may advise end users that certain services are provided by the Company in connection with the service the customer furnishes to end users; however, the customer shall not represent that the Company jointly participates in the customer's services.

## 2.3.9 <u>Claims and Demands for Damages</u>

- (A) With respect to claims of patent infringement made by third persons, the customer shall defend, indemnify, protect and save harmless the Company from and against all claims arising out of the combining with, or use in connection with, the services provided under this tariff, any circuit, apparatus, system or method provided by the customer.
- (B) The customer shall defend, indemnify and save harmless the Company from and against any suits, claims, losses and damages, including punitive damages, attorney fees and court costs by third persons arising out of the construction, installation, operation, maintenance, or removal of the customer's circuits, facilities, or equipment connected to the Company's services provided under this tariff including, without limitation, Worker's Compensation claims, actions for infringement of copyright and/or unauthorized use of program material, libel and slander actions based on the content of communications transmitted over the customer's circuits, facilities or equipment, and proceedings to recover taxes, fines, or penalties for failure of the customer to obtain or maintain in effect any necessary certificates, permits, licenses, or other authority to acquire or operate the services provided under this tariff; provided, however, the foregoing indemnification shall not apply to suits, claims, and demands to recover damages for damage to property, death, or personal injury unless such suits, claims or demands are based on the tortuous conduct of the customer, its officers, agents or employees.

Issued: October 20, 1997 Effective: October 21, 1997

N

1<sup>st</sup> Revised Page 22 Replaces Original Page 22

## **ACCESS SERVICE**

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.3 Obligations of the Customer (Cont'd)
    - 2.3.9 Claims and Demands for Damages (Cont'd)
      - (C) The customer shall defend, indemnify and save harmless the Company from and against any suits, claims, losses or damages, including punitive damages, attorney fees and court costs by the customer or third parties arising out of any act of omission of the customer in the course of using services provided under this tariff.

## 2.3.10 Coordination with Respect to Network Contingencies

The customer shall, in cooperation with the Company, coordinate in planning the actions to be taken to maintain maximum network capability following natural or man-made disasters which affect telecommunications services.

## 2.3.11 <u>Jurisdictional Report and Certification Requirements</u>

## (A) <u>Certification Requirements – Special Access</u>

When the customer orders Special Access Service, and the customer certifies to the Company in writing that more than ten percent of the traffic is interstate, the service is considered to be interstate and is provided under this tariff.

## (B) <u>Disputes Involving Jurisdictional Certification - Special Access</u>

If a dispute arises concerning the certification of projected interstate traffic as described in (A) above, the Company will ask the customer to provide the data the customer used to determine the percentage interstate traffic. The customer shall supply the data within thirty (30) days of the Company request.

## (C) <u>Jurisdictional Reports - Switched Access</u>

For Switched Access Service, the Company cannot in all cases determine the jurisdictional nature of customer traffic and its related access minutes. In such cases the customer may be called upon to provide a projected estimate of its traffic, split between the interstate and intrastate jurisdictions. The following regulations govern such estimates, their reporting by the customer and cases where the Company will develop jurisdictional percentages.

## (D) Jurisdictional Reports – Local Number Portability (LNP)

LNP Query Service, as set forth in Section 13.8.1, and End User Charge, as set forth in Section 13.8.2, are considered to be 100% interstate and therefore are not subject to PIU requirements.

Issued: June 19, 2000 Effective: June 20, 2000

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.3 Obligations of the Customer (Cont'd)
    - 2.3.11 <u>Jurisdictional Report and Certification Requirements</u> (Cont'd)
      - (C) Jurisdictional Reports Switched Access (Cont'd)

#### (1) General

Except where Company measured access minutes are used as set forth following, the customer shall report the percentage of interstate use as set forth in (2), (3), or (4) following and such report will be used for billing purposes until the customer reports a different projected interstate percentage for an inservice end office group. When the customer adds lines or trunks to an existing end office group, the customer shall furnish a revised projected interstate percentage that applies to the total lines or trunks.

When the customer discontinues lines or trunks from an existing group, the customer shall furnish a revised projected interstate percentage for the remaining lines or trunks in the end office group. The revised report will serve as the basis for future billing and will be effective on the next bill date. No prorating or back billing will be done based on the report.

Effective on the first of January, April, July and October of each year the customer shall update the interstate and intrastate jurisdictional report. The customer shall forward to the Company, to be received no later than fifteen (15) days after the first of each such month, a revised report showing the interstate and intrastate percentage of use for the past three months ending the last day of December, March, June and September, respectively, for each service arranged for interstate use.

Except where the Company is billing according to actuals by jurisdiction, the revised report will serve as the basis for the next three months billing and will be effective on the bill date for that service. No prorating or back billing will be done based on the report.

If the customer does not supply the reports, the Company will assume the percentages to be the same as those provided in the last quarterly report. For those cases in which a quarterly report has never been received from the customer, the Company will assume the percentages to be the same as those provided in the order for service as set forth in (2) following.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.3 Obligations of the Customer (Cont'd)
    - 2.3.11 <u>Jurisdictional Report and Certification Requirements</u> (Cont'd)
      - (C) Jurisdictional Reports Switched Access (Cont'd)
        - (2) Feature Group A and B
          - (a) Pursuant to Federal Communications Commission Order FCC 85-145, released April 16, 1985, interstate usage is to be developed as though every call that enters a customer network at a point within the same state as that in which the called station (as designated by the called station telephone number) is situated is an intrastate communication and every call for which the point of entry is a state other that that where the called station (as designated by the called station telephone number) is situated as an interstate communication.

The PIUs described in (2) through (4) following are applied to usage rated Carrier Common Line, Information Surcharge, Local Switching, Tandem Switched Transport and Residual Interconnection charges. Separate PIUs are required for flat rated Entrance Facilities, Direct Trunked Transport and Multiplexers.

- (b) When a customer orders Feature Group A or Feature Group B Switched Access Service, the customer shall, in its order, state the projected interstate percentage for interstate usage for each Feature Group A or Feature Group B Switched Access Service group ordered. The term group shall be construed to mean single lines or trunks as well. If the customer discontinues some but not all of the Feature Group A or Feature Group B Switched Access Services in a group, it shall provide the projected interstate percentage for such services which are remaining.
- (c) For multiline hunt group or trunk group arrangements where either the interstate or the intrastate charges are based on measured usage, the interstate Feature Group A or Feature Group B Switched Access Services information will be used to determine the charges.

For all groups the number of access minutes for a group will be multiplied by the projected interstate percentage to develop the interstate access minutes. The number of access minutes for the group minus the developed interstate access minutes for the group will be the developed intrastate access minutes.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.3 Obligations of the Customer (Cont'd)
    - 2.3.11 <u>Jurisdictional Report and Certification Requirements</u> (Cont'd)
      - (C) <u>Jurisdictional Reports Switched Access</u> (Cont'd)

## (3) Feature Group D

When a customer orders Feature Group D Switched Access Services, the customer may provide the projected interstate usage for each end office in its order. Alternatively the Company, where the jurisdiction can be determined from the call detail, will determine the projected interstate percentage as follows:

- For originating access minutes, the projected interstate percentage will be developed on a monthly basis by end office where the Feature Group D Switched Access Service access minutes are measured by dividing the measured interstate originating access minutes (the access minutes where the calling number is in one state and the called number is in another state) by the total originating access minutes, when the call detail is adequate to determine the appropriate jurisdiction.
- For terminating access minutes, the data used by the Company to develop the projected interstate percentage for originating access minutes will be used to develop the projected interstate percentage for such terminating access minutes.

When originating call details are insufficient to determine the jurisdiction for the call, the customer shall supply the projected interstate percentage or authorize the Company to use the Company developed percentage. This percentage shall be used by the Company as the projected interstate percentage for originating and terminating access minutes. The projected interstate percentage of use will be obtained by subtracting the projected interstate percentage for originating and terminating minutes from 100 (intrastate percentage = 100 - interstate percentage).

#### (4) <u>Directory Assistance Service</u>

When a customer orders Directory Assistance Service, the customer shall in its order, provide the projected interstate percentage for terminating use in a while number (a number of 0 through 100) for each Directory Access Service group ordered. (A method the customer may wish to adopt could be to use its terminating traffic from its premises to the involved Directory Assistance Location and calculate the projected interstate percentage as set forth in (3) preceding.) The projected intrastate percentage of use will be obtained by subtracting the projected interstate percentage furnished by the customer from 100 (intrastate percentage = 100 - customer percentage).

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

- 2.3 Obligations of the Customer (Cont'd)
  - 2.3.11 <u>Jurisdictional Report and Certification Requirements</u> (Cont'd)

## (D) <u>Billing Disputes Involving Jurisdictional Reports - Switched Access</u>

For Switched Access, if a billing dispute arises concerning the projected interstate percentage, the Company will ask the customer to provide the data the customer uses to determine the projected interstate percentage. The Company will not request such data more than once a year. The customer shall supply the date within thirty (30) days of the Company request.

## 2.3.12 <u>Determination of Interstate Charges for Mixed Interstate and Intrastate</u> Switched

## Access Service

When mixed interstate and intrastate Switched Access Service is provided, all charges (i.e., nonrecurring, monthly and/or usage) including optional features charges, will be prorated between interstate and intrastate. The percentage determined as set forth in 2.3.11 preceding will serve as the basis for prorating the charges unless the Company is billing according to actuals by jurisdiction. The percentage of an Access Service to be charged as interstate is applied in the following manner:

## (A) Monthly and Nonrecurring Charges

For monthly and nonrecurring chargeable rate elements, multiply the percent interstate use times the quantity of chargeable elements times the stated tariff rate.

## (B) <u>Usage Sensitive Charges</u>

For usage sensitive (i.e., access minutes and calls) chargeable rate elements, multiply the percent interstate use times actual use (i.e., measured or Company assumed average use) times the stated tariff rate.

The Interstate percentage may change as revised usage reports are submitted as set forth in 2.3.11 preceding.

Issued: October 20, 1997 Effective: October 21, 1997

## 2. <u>GENERAL REGULATIONS</u> (Cont'd)

#### 2.4 Payment Arrangements and Credit Allowance

## 2.4.1 Payment of Rates, Charges and Deposits

## (A) Deposits

The Company will only require a customer which has a proven history of late payments to the Company or does not have established credit, to make a deposit prior to or at any time after the provision of a service to the customer. No such deposit will be required of a customer which is a successor of a company which has established credit and has no history of late payments to the Company. Such deposit will not exceed the actual or estimated rates and charges for the service for a two-month period. The fact that a deposit has been made in no way relieves the customer from complying with the Company's regulations as to the prompt payment of bills. At such time as the provision of the service to the customer is terminated, the amount of the deposit will be credited to the customer's account and any credit balance which may remain will be refunded.

Such a deposit will be refunded or credited to the account when the customer has established credit or, in any event, after the customer has established a one-year prompt payment record at any time prior to the termination of the provision of the service to the customer. In case of a cash deposit, for the period the deposit is held by the Company, the customer will receive interest at the same percentage rate as that set forth in (C)(2)(a) or in (C)(2)(b) following, whichever is lower.

The rate will be compounded daily for the number of days from the date the customer deposit is received by the Company to and including the date such deposit is credited to the customer's account or the date the deposit is refunded by the Company. Should a deposit be credited to the customer's account, as indicated above, no interest will accrue on the deposit from the date such deposit is credited to the customer's account.

#### (B) <u>Bill Dates</u>

The Company shall bill on a current basis all charges incurred by and credits due to the customer under this tariff attributable to services established or discontinued during the preceding billing period. In addition, the Company shall bill in advance charges for all services to be provided during the ensuing billing period except for charges associated with service usage and for the Federal Government which will be billed in arrears. The bill day (i.e., the billing date of a bill for a customer for Access Service under this tariff), the period of service each bill covers and the payment date will be as follows:

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (B) Bill Dates (Cont'd)

## (1) End User Access Service and Presubscription

For End User Access Service and Presubscription Service, the Company will establish a bill day each month for each end user account or advise the customer in writing of an alternate billing schedule. Alternate billing schedules shall not be established on less than 60 days notice or initiated by the Company more than twice in any consecutive 12-month period. The bill will cover End User Access Service charges for the ensuing billing period except for End User Access Service for the Federal Government which will be billed in arrears. Any applicable Presubscription Charges, any known unbilled charges for prior periods and any known unbilled adjustments for prior periods for End User Access Service and Presubscription Service will be applied to this bill. Such bills are due when rendered.

## (2) Access Services Other Than End User and Presubscription

For Service other than End User Access Service and Presubscription Service, the Company will establish a bill day each month for each customer account or advise the customer in writing of an alternate billing schedule. Alternate billing schedules shall not be established on less than 60-day's notice or initiated by the Company more than twice in any consecutive 12-month period.

The bill will cover nonusage sensitive service charges for the ensuing billing period for which the bill is rendered, any known unbilled nonusage sensitive charges for prior periods and unbilled usage charges for the period after the last bill day through the current bill day. Any known unbilled usage charges for prior periods and any known unbilled adjustments will be applied to this bill. Payment for such bills is due in immediately available funds by the payment date, as set forth in (C) following. If payment is not received by the payment date, a sate payment penalty will apply as set forth in (C) following.

## (C) Payment Dates and Late Payment Penalties

(1) All bills dated as set forth in (B)(2) preceding for service, other than End User Service and Presubscription Service, provided to the customer by the Company are due 30 days (payment date) after the bill day or by the next bill date (i.e., same date in the following month as the bill date), whichever is the shortest

Issued: October 20, 1997 Effective: October 21, 1997

- 2. <u>GENERAL REGULATIONS</u> (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (C) Payment Dates and Late Payment Penalties (Cont'd)
        - (1) (Cont'd)

interval, except as provided herein, and are payable in immediately available funds. If the customer does not receive a bill at least 20 days prior to the 30-day payment due date, then the bill shall be considered delayed. When the bill has been delayed, upon request of the customer, the due date will be extended by the number of days the bill was delayed. Such Request of the customer must be accompanied with proof of late bill receipt.

If such payment date would cause payment to be due on a Saturday, Sunday or Legal Holiday, payment for such bills will be due from the customer as follows:

- If the payment date falls on a Sunday or on a Legal Holiday which is observed on a Monday, the payment date shall be the first non-Holiday day following such Sunday or Legal Holiday.
- If the payment date falls on a Saturday or on a Legal Holiday which is observed on Tuesday, Wednesday, Thursday or Friday, the payment date shall be the last non-Holiday preceding such Saturday or Legal Holiday.
- (2) Further if no payment is received by the payment date or if a payment or any portion of a payment is received by the Company after the payment date as set for in (1) preceding, or if a payment or any portion of a payment is received by the Company in funds which are not immediately available to the Company, then a late payment penalty shall be due to the Company. The late payment penalty shall be the payment or the portion of the payment not received by the payment date times a late factor. The late factor shall be the lesser of:
  - (a) the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days from the payment date to and including the date that the customer actually makes the payment to the Company, or
  - (b) 0.000288 per day, compounded daily for the number of days from the payment date to and including the date that the customer actually makes the payment to the Company.

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

- 2.4 Payment Arrangements and Credit Allowance (Cont'd)
  - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)

## (D) Billing Disputes Resolved in Favor of the Company

Late payment charges will apply to amounts withheld pending settlement of the dispute. Late payment charges are calculated as set forth in (C)(2) preceding except that when the customer disputes the bill on or before the payment date and pays the undisputed amount on or before the payment date, the penalty interest period shall not begin until 10 days following the payment date.

## (E) Billing Disputes Resolved in Favor of the Customer

If the customer pays the total billed amount and disputes all or part of the amount, the Company will refund any overpayment. In addition, the Company will pay to the customer penalty interest on the overpayment. When a claim is filed within 90 days of the due date, the penalty interest period shall begin on the payment date. When a claim is filed more than 90 days after the due date, the penalty interest period shall being from the date of the claim or the date of overpayment, whichever is later.

The penalty interest period shall end on the date that the Company actually refunds the overpayment to the customer. The penalty interest rate shall be the lesser of:

- (1) the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days from the first date to and including the last date of the period involved, or
- (2) 0.000288 per day, compounded daily for the number of days from the first date to and including the last date of the period involved.

## (F) <u>Proration of Charges</u>

Adjustments for the quantities of services established or discontinued in any billing period beyond the minimum period set forth for services in other sections of this tariff will be prorated to the number of days based on a 30-day month. The Company will, upon request, furnish within 30 days of a request and at no charge to the customer such detailed information as may reasonably be required for verification of any bill.

#### (G) Rounding of Charges

When a rate as set forth in this tariff is shown to more than two decimal places, the charges will be determined using the rate shown. The resulting amount will then be rounded to the nearest penny (i.e., rounded to two decimal places).

Issued: October 20, 1997 Effective: October 21, 1997

#### 2. GENERAL REGULATIONS (Cont'd)

2.4 Payment Arrangements and Credit Allowance (Cont'd)

## 2.4.2 Minimum Periods

The minimum period for which services are provided and for which rates and charges are applicable is one month except for those usage rate services set forth in Section 6 (Switched Access Service) and Section 9 (Directory Assistance Service) and those services set forth in Section 7.2.4 (Part-time Video and Program Audio) and Section 7.2.7 (High Capacity DS1 and DS3 Service), or as otherwise specified.

The minimum period for which service is provided and for which rates and charges are applicable for a Specialized Service or Arrangement provided on an individual case basis as set forth in Section 12, following, is one month unless a different minimum period is established with the individual case filing.

When a service is discontinued prior to the expiration of the minimum period, charges are applicable, whether the service is used or not, as follows:

- (A) When a service with a one-month minimum period is discontinued prior to the expiration of the minimum period, a one-month charge will apply at the rate level in effect at the time service is discontinued.
- (B) When a service with a minimum period greater than one month is discontinued prior to the expiration of the minimum period, the applicable charge will be the lesser of (1) the Company's total nonrecoverable costs less the net salvage value for the discontinued service or (2) the total monthly charges, at the rate level in effect at the time service is discontinued, for the remainder of the minimum period.

## 2.4.3 <u>Cancellation of an Order for Service</u>

Provisions for the cancellation of an order for service are set forth in other applicable sections of this tariff.

## 2.4.4 <u>Credit Allowance for Service Interruptions</u>

## (A) General

A service is interrupted when it becomes unusable to the customer because of a failure of a facility component used to furnish service under this tariff or in the event that the protective controls applied by the Company result in the complete loss of service to the customer as set forth in 6.2.1 following. An interruption period starts when an inoperative service is reported to the Company, and ends when the service is operative.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (B) When a Credit Allowance Applies

In case of an interruption to any service, allowance for the period of interruption, if not due to the negligence of the customer, shall be provided.

For Digital Data Access, D1 through D4 and High Capacity, HC1, Special Access Service, any period during which the error performance is below that specified for the service will be considered as an interruption.

Service interruptions for Specialized Service or Arrangements provided under Section 12 following shall be administered in the same manner as those set forth in this section (2.4.4) unless other regulations are specified with the individual case filing.

Credit allowances are computed as follows:

(1) Special Access Service other than Program Audio and Video and flat rated

Switched Access Service rate elements

For Special Access Services other than Program Audio and Video Services, and for flat rated Switched Access Service rate elements (i.e., Entrance Facility, Direct Trunked Transport and Multiplexing), no credit shall be allowed for an interruption of less than 30 minutes. The customer shall be credited for an interruption of 30 minutes or more at the rate of 1/1440 of the monthly charges for the facility or service for each period of 30 minutes or major fraction thereof that the interruption continues.

The monthly charges used to determine the credit shall be as follows:

- (a) For two-point services, the monthly charge shall be the total of all the monthly rate element charges associated with the service (i.e., two channel terminations, channel mileage and optional features and functions.
- (b) For multipoint services, the monthly charge shall be only the total of all the monthly rate element charges associated with that portion of the service that is inoperative (i.e., a channel termination per customer designated premises, channel mileage and optional features and functions.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (B) When a Credit Allowance Applies (Cont'd)
        - (1) Special Access Service other than Program Audio and Video and flat rated

Switched Access Service rate elements (Cont'd)

- (c) For multiplexed services, the monthly charge shall be the total of all the monthly rate element charges associated with that portion of the service that is inoperative. When the facility which is multiplexed or the multiplexer itself is inoperative, the monthly charge shall be the total of all the monthly rate element charges associated with the service (i.e., the channel termination, channel mileage, Entrance Facility, Direct Trunked Transport and optional features and functions, including the multiplexer on the facility to the hub, and the channel terminations, channel mileage and optional features and functions on the individual services from the hub). When the service which rides a channel of the multiplexed facility is inoperative, the monthly charge shall be the total of all the monthly rate element charges associated with that portion of the service from the hub to a customer premises (i.e., channel termination, channel mileage, Direct Trunked Transport, and optional features and functions).
- (d) For flat rated Switched Access Service rate elements, the monthly charge shall be the total of all the monthly rate element charges associated with the service (i.e., Entrance Facility, Direct Trunked Transport and Multiplexing).
- (2) Program Audio and Video Special Access Service

For Program Audio and Video Special Access Services, no credit shall be allowed for an interruption of less than 30 seconds. The customer shall be credited for an interruption of 30 seconds or more as follows:

- (a) For two-point services, when monthly rates are applicable, the credit shall be at the rate of 1/8640 of the monthly charges for the service for each period of 5 minutes or fraction thereof that the interruption continues.
- (b) For two-point services, when daily rates are applicable, the credit shall be at the rate of 1/288 of the daily charges for the service for each period of 5 minutes or fraction thereof that the interruption continues.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (B) When a Credit Allowance Applies (Cont'd)
        - (2) Program Audio and Video Special Access Service (Cont'd)
          - (c) For multipoint services, when monthly rates are applicable, the credit shall be at the rate of 1/8640 of the monthly charges for the service for each channel termination, channel mileage and optional features and functions that are inoperative for each period of 5 minutes or fraction thereof that the interruption continues.
          - (d) For multipoint services, when daily rates are applicable, the credit shall be at the rate of 1/288 of the daily charges for the service for each channel termination, channel mileage and optional features and functions that are inoperative for each period of 5 minutes or fraction thereof that the interruption continues.
          - (e) For multipoint services, the credit for the monthly or daily charges includes the charges for the distribution amplifier only when the distribution amplifier is inoperative.
          - (f) When two or more interruptions occur during a period of 5 consecutive minutes, such multiple interruptions shall be considered as one interruption.
        - (3) Switched Access and Directory Assistance Service Usage Rated Elements

For Switched Access Service and Directory Assistance Service Usage Rated Elements, no credit shall be allowed for an interruption of less than 24 hours. The customer shall be credited for an interruption of 24 hours or more at the rate of 1/30 of any applicable monthly rate or assumed minutes of use charge for each period of 24 hours or major fraction thereof that the interruption continues.

(4) Credit Allowances Cannot Exceed Monthly Rate

The credit allowance(s) for an interruption or for a series of interruptions shall not exceed any monthly rate for the service interrupted in any one monthly billing period.

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.4 <u>Credit Allowance for Service Interruptions</u> (Cont'd)
      - (C) When a Credit Allowance Does Not Apply

No Credit allowance will be made for:

- (1) Interruptions caused by the negligence of the customer.
- (2) Interruptions of a service due to the failure of equipment or systems provided by the customer or others.
- (3) Interruptions of a service during any period in which the Company is not afforded access to the premises where the service is terminated.
- (4) Interruptions of a service when the customer has released that service to the Company for maintenance purposes, to make rearrangements, or for the implementation of an order for a change in the service during the time that was negotiated with the customer prior to the release of that service. Thereafter, a credit allowance as set forth in (B) preceding applies.
- (5) Interruptions of a service which continues because of the failure of the customer to authorize replacement of any element of special construction, as set forth in Section 15. The period for which no credit allowance is made begins on the seventh day after the customer receives the Company's written notification of the need for such replacement and ends on the day after receipt by the Company of the customer's written authorization for such replacement.
- (6) Periods when the customer elects not to release the service for testing and/or repair and continues to use it on a impaired basis.
- (7) An interruption or a group of interruptions, resulting from a common cause, that would result in credit in an amount less than one dollar.
- (D) Use of an Alternate Service Provided by the Company

Should the customer elect to use an alternative service provided by the Company during the period that a service is interrupted, the customer must pay the tariffed rates and charges for the alternative service used.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

- 2.4 Payment Arrangements and Credit Allowance (Cont'd)
  - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)

### (E) Temporary Surrender of a Service

In certain instances, the customer may be requested by the Company to surrender a service for purposes other than maintenance, testing or activity relating to a service order. If the customer consents, a credit allowance will be granted. The credit allowance will be 1/1440 of the monthly rate for each period of 30 minutes or fraction thereof that the service is surrendered. In no case will the credit allowance exceed the monthly rate for the service surrendered in any one monthly billing period.

## 2.4.5 Re-establishment of Service Following Fire, Flood or Other Occurrence

## (A) Nonrecurring Charges Do Not Apply

Charges do not apply for the re-establishment of service following a fire, flood or other occurrence attributed to an Act of God provided that:

- (1) The service is of the same type as was provided prior to the fire, flood or other occurrence.
- (2) The service is for the same customer.
- (3) The service is at the same location on the same premises.
- (4) The re-establishment of service begins within 60 days after Company service is available. The 60-day period may be extended a reasonable period if the renovation of the original location on the premises affected is not practical within the allotted time period.

### (B) Nonrecurring Charges Apply

Nonrecurring Charges apply for establishing service at a different location on the same premises or at a different premises pending re-establishment of service at the original location.

### 2.4.6 Title or Ownership Rights

The payment of rates and charges by customers for the services offered under the provisions of this tariff does not assign, confer or transfer title or ownership rights to proposals or facilities developed or utilized, respectively, by the Company in the provision of such services.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

2.4 Payment Arrangements and Credit Allowance (Cont'd)

## 2.4.7 <u>Access Service Provided By More Than One Telephone Company</u>

When an Access Service is provided by more than one telephone company, the companies involved will mutually agree upon one of the billing methods as set forth in (A)(1) and (2) following based upon the service being provided. The companies will notify the customer in writing of the billing method being used. The customer will place the order for the service as set forth in 5.3 following dependent upon the billing method.

## (A) Meet Point Billing

Meet Point Billing is required when an Access Service is provided by multiple telephone companies for Special Access.

Each telephone company jointly providing the Access Service will receive an order or a copy of the order from the customer as specified in 5.3 following and arrange to provide the service.

There is one Meet Point Billing Option, Multiple Bill. This billing option is explained following.

Each telephone company must provide Meet Point Billing notification to the customer, in writing, when new service is ordered or thirty days prior to changing an existing Meet Point arrangement. The notification should include the following:

- The Meet Point Billing Option that will be used.
- The telephone company(s) that will render the bill(s).
- The telephone company(s) to whom payment(s) should be remitted, and
- The telephone company(s) that will provide the bill inquiry function.

A telephone company that renders a meet point bill, the Bill Rendering Company, will render the bill in accordance with the industry standards as described in the Multiple Exchange Carrier Access Billing (MECAB) Guidelines and Multiple Exchange Carrier Ordering and Design (MECOD) Guidelines. The bill will include cross reference(s) to the other telephone company(s) providing service and common circuit identifiers.

### (1) Multiple Bill Option

Under the Multiple Bill Option each company providing the access service will render an access bill to the customer for its portion of the service based on its access tariff rates and regulations. Each company will:

Issued: October 20, 1997 Effective: October 21, 1997

- 2. GENERAL REGULATIONS (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowance (Cont'd)
    - 2.4.7 Access Service Provided By More Than One Telephone Company (Cont'd)
      - (A) Meet Point Billing (Cont'd)
        - (1) Multiple Bill Option (Cont'd)
        - Prepare its own bill;
        - determine its charge(s) for Channel Mileage as set forth in (3) following;
        - determine and include all other recurring and nonrecurring rates and charges of its access tariff;
        - reflect its Billing Account Reference (BAR) and all connecting company Billing Account Cross Reference (BACR) code(s);
        - forward its bill to the customer.

The customer will remit payment directly to each Bill Rendering Company.

(2) <u>Determination of Meet Point Billed Channel Mileage Charges</u>

Each telephone company's portion of the Channel Mileage will be determined as follows:

- (a) Determine the appropriate Channel Mileage by computing the number of airline miles between the Telephone Company premises serving wire centers for Special Access using the V&H method.
- (b) Determine the billing percentage (BP), as set forth in National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4, which represents the portion of the service provided by each telephone company.
- (c) For Special Access, multiply the number of airline miles, as set forth in (a) preceding, times the BP for each telephone company, as set forth in (b) preceding, times the Channel Mileage Facility rate and add the Channel Mileage Termination rate.

The Special Access Channel Mileage Termination rate and nonrecurring charges are applied as set forth in 7.2.1(B)(2) and 7.2.2(C) following. (Note: The BP is not applied to either the Channel Mileage Termination Recurring Rate or any Nonrecurring Charge).

Issued: October 20, 1997 Effective: October 21, 1997

## 2. <u>GENERAL REGULATIONS</u> (Cont'd)

## 2.5 Connections

Equipment and Systems (i.e., terminal equipment, multiline terminating systems and communications systems) may be connected with Switched and Special Access Service furnished by the Company where such connection is made in accordance with the provisions specified in Technical Reference Publication AS No. 1 and in Section 2.1 preceding.

Issued: October 20, 1997 Effective: October 21, 1997

### GENERAL REGULATIONS (Cont'd)

#### 2. **Definitions**

Certain terms used herein are defined as follows:

### Access Code

The term "Access Code" denotes a uniform five or seven digit access code assigned by the Company to an individual customer. The five digit access code has the form 10XXX, and the seven digit code has the form 950-1XXX or 950-0XXX.

#### Access Minutes

For the purpose of calculating chargeable usage, the term "Access Minutes" denotes customer usage of exchange facilities in the provision of interstate or foreign service. On the originating end of an interstate or foreign call, usage is measured from the time the originating end user's call is delivered by the Company to and acknowledged as received by the customer's facilities connected with the originating exchange. On the terminating end of an interstate or foreign call, usage is measured from the time the call is received by the end user in the terminating exchange. Timing of usage at both originating and terminating ends of an interstate or foreign call shall terminate when the calling or called party disconnects, whichever event is recognized first in the originating and terminating exchanges, as applicable.

<u>Access Tandem</u>
The term "Access Tandem" denotes a Company or centralized equal access provider switching system that provides a concentration and distribution function for originating or terminating traffic between end offices and a customer designated premises.

#### **Actual Cost Special Construction**

The term "Actual Cost" denotes all costs charged against a specific case of special construction, including any appropriate taxes.

### Annual Underutilization Liability Special Construction

The term "Annual Underutilization Liability" denotes a per unit amount which may be billed annually if fewer services are in use utilizing specially constructed facilities at filed tariff rates than were originally constructed.

## Answer/Disconnect Supervision

The term "Answer/Disconnect Supervision" denotes the transmission of the switch trunk equipment supervisory signal (off-hook or on-hook) to the customer's point of termination as an indication that the called party has answered or disconnected.

## Attenuation Distortion

The term "Attenuation Distortion" denotes the difference in loss at specified frequencies relative to the loss at 1004 Hz, unless otherwise specified.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

## 2. Definitions (Cont'd)

## Balance (100 Type) Test Line

The term "Balance (100 Type) Test Line" denotes an arrangement in an end office which provides for balance and noise testing.

#### Bit

The term "Bit" denotes the smallest unit of information in the binary system of notation.

#### Business

The term "Business Day" denotes the times of day that a company is open for business. GCI's Business Day hours are 8:00 a.m. to 5:00 p.m., Monday through Friday.

### Call

The term "Call" denotes a customer attempt for which complete address information (e.g., 0-, 911, or 10 digits) is provided to the serving dial tone office.

### Carrier or Common Carrier

See Interexchange Carrier.

### **CCS**

The term "CCS" denotes a hundred call seconds, which is a standard unit of traffic load that is equal to 100 seconds of usage or capacity of a group of servers (e.g., trunks).

### Central Office

See End Office.

### Central Office Maintenance Technician

The term "Central Office Maintenance Technician" denotes a Company employee who performs installation and/or repair work, including testing and trouble isolation, within the Company Central Office.

### Central Office Prefix

The term "Central Office Prefix" denotes the first three digits (NXX) of the seven digit telephone number assigned to a customer's Telephone Exchange Service when dialed on a local basis.

### Channel(s)

The term "Channel(s)" denotes an electrical or photonic, in the case of fiber optic-based transmission systems, communications path between two or more points of termination.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### Channel Service Unit

The term "Channel Service Unit" denotes equipment which performs one or more of the following functions: termination of a digital facility, regeneration of digital signals, detection and/or correction of signal format error, and remote loop back.

### Channelize

The term "Channelize" denotes the process of multiplexing-demultiplexing wider bandwidth or higher speed channels into narrower band-width or lower speed channels.

### C-Message Noise

The term "C-Message Noise" denotes the frequency weighted average noise within an idle voice channel. The frequency weighting, called C-message, is used to simulate the frequency characteristic of the 500-type telephone set and the hearing of the average subscriber.

## **C-Notched Noise**

The term "C-Notched Noise" denotes the C-message frequency weighted noise on a voice channel with a holding tone, which is removed at the measuring end through a notch (very narrow band) filter.

### Coin Station

See Pay Telephone.

### Common Line

The term "Common Line" denotes a line, trunk, pay telephone line or other facility provided under the general and/or local exchange service tariffs of the Company, terminated on a central office switch. A common line-residence is a line or trunk provided under the residence regulations of the general and/or local exchange service tariffs. A common line-business is a line provided under the business regulations of the general and/or local exchange service tariffs.

### Common Channel Signaling

The term "Common Channel Signaling" (CCS) denotes a high speed packet switched communications network which is separate (out of band) from the public packet switched and message networks. Its purpose is to carry addressed signaling messages for individual trunk circuits and/or database related services between signaling points in the CCS network.

### Communications System

The term "Communications System" denotes channels and other facilities which are capable of communications between terminal equipment provided by other than the Company.

Issued: October 20, 1997 Effective: October 21, 1997

## 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### Customer(s)

 $\mathbf{M}_1$ 

The term "Customer(s)" denotes any individual, partnership, association, joint-stock company, trust, corporation, or governmental entity or other entity which subscribes to the services offered under this tariff, including both Interexchange Carriers (ICs) and End Users.

 $\mathbf{M}_1$ 

**Customer Designated Premises** 

 $M_2$ 

The term "Customer Designated Premises" denotes the premises specified by the customer for the provision of Access Service.

Data Transmission (107 Type) Test Line

The term "Data Transmission (1 07 Type) Test Line" denotes an arrangement which provides for a connection to a signal source which provides test signals for one-way testing of data and voice transmission parameters.

Decibel

The term "Decibel" denotes a unit used to express relative difference in power, usually between acoustic or electric signals, equal to ten (10) times the common logarithm of the ratio of two signal powers.

 $M_2$ 

Decibel Reference Noise C-Message Weighting

The term "Decibel Reference Noise C-Message Weighting" denotes noise power measurements with C-Message Weighting in decibels relative to a reference 1 000 Hz tone of 90 dB below 1 milliwatt.

 $\mathbf{M}_1$ 

Decibel Reference Noise C-Message Referenced to 0

The term "Decibel Reference Noise C-Message Referenced to 0" denotes noise power in "Decibel Reference Noise C-Message Weighting" referred to or measured at a zero transmission level point.

 $\dot{\mathbf{M}}_{1}$ 

**Destination Point Code** 

The term "Destination Point Code" denotes a routing label that identifies where the CCS/SS7 signaling message should be sent.

N

Digital Data Service (DSS)

Any forms of telecommunications using binary (or other) representations of data or analog level.. Digitized voice or video involves sampling an analog waveform (from the mouthpiece of a telephone or the image sensor of a video camera), measuring the amplitude of each sample, and converting this measurement into a digital bitstream for transmission.

**Donor Switch** 

N

The term "Donor Switch" denotes the original switch source of a portable NXX code.

M<sub>1</sub>- Relocated from Original Page 43. M<sub>2</sub>- Relocated from Original Page 44.

Issued: June 19, 2000 Effective: June 20, 2000

Replaces Original Page 43

## **ACCESS SERVICE**

## 2. <u>GENERAL REGULATIONS</u> (Cont'd)

2. <u>Definitions</u> (Cont'd)



### **Detail Billing**

The term "Detail Billing" denotes the listing of each message and/or rate element for which charges to a customer are due on a bill prepared by the Company.

### Digital Switched 56 Service

A switched access optional feature available with Feature Group D Access, which provides for data transmission at up to 56 Kilobits or per second.

### **Direct-Trunked Transport**

The term "Direct-Trunked Transport" denotes transport from the serving wire center to the end office or from the serving wire center to the \*(S) access tandem on circuits dedicated to the use of a single customer. (S)

## **Directory Assistance (Interstate)**

The term "Directory Assistance" denotes the provision of telephone numbers by a Company operator when the operator location is accessed by a customer by dialing NPA + 555-1212 or 555-1212.

### <u>Directory Assistance Location (interstate)</u>

The term "Directory Assistance Location" denotes a Company office where Company equipment first receives the Directory Assistance -call from the customer's end user and selects the first operator position to respond to the Directory Assistance call.

### **Dual Tone Multifrequency Address Signaling**

The term "Dual Tone Multifrequency Address Signaling" denotes a type of signaling that is an optional feature of Switched Access Feature Group A. It may be utilized when Feature Group A is being used in the terminating direction (from the point of termination with the customer to the local exchange end office). An office arranged for Dual Tone Multifrequency Address Signaling would expect to receive address signals from the customer in the form of Dual Tone Multifrequency signals.



## M<sub>1</sub>- Relocated to Original Page 42.1

Issued: June 19, 2000 Effective: June 20, 2000

### 2. <u>GENERAL REGULATIONS</u> (Cont'd)

2. <u>Definitions</u> (Cont'd)

M

### Echo Control

The term "Echo Control" denotes the control of reflected signals in a telephone transmission path.

### Echo Path Loss

The term "Echo Path Loss" denotes the measure of reflected signal at a 4-wire point of interface without regard to the send and receive Transmission Level Point.

### Echo Return Loss

The term "Echo Return Loss" denotes a frequency weighted measure of return loss over the middle of the voiceband (approximately 500 to 2500 Hz), where talker echo is most annoying.

### Effective 2-Wire

The term "Effective 2-Wire" denotes a condition which permits the simultaneous transmission in both directions over a channel, but it is not possible to insure independent information transmission in both directions. Effective 2-wire channels may be terminated with 2-wire or 4-wire interfaces.

### Effective 4-Wire

The term "Effective 4-Wire" denotes a condition which permits the simultaneous independent transmission of information in both directions over a channel. The method of implementing effective 4-wire transmission is at the discretion of the Company (physical, time domain, frequency-domain separation or echo cancellation techniques). Effective 4-wire channels may be terminated with a 2-wire interface at the customer's premises. However, when terminated 2-wire, simultaneous independent transmission cannot be supported because the two wire interface combines the transmission paths into a single path.

## M - Relocated to Original Page 42.1

Issued: June 19, 2000 Effective: June 20, 2000

### 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### **End Office**

The term "End Office" denotes a local Company switching system where Telephone Exchange Service customer station loops are terminated for purposes of interconnection to each other and to trunks. This term includes Remote Switching Modules/Systems served by a Host Central Office in a different wire center.

#### End User

The term "End User" means any customer of an interstate or foreign telecommunications service that is not a carrier, except that a carrier other than a Company shall be deemed to be an "end user" when such carrier uses a telecommunications service for administrative purposes, and a person or entity that offers telecommunications service exclusively as a reseller shall be deemed to be an "end user" if all resale transmissions offered by such reseller originate on the premises of such reseller.

### **Enhanced Service**

The term "Enhanced Service", as defined in Part 64 of the FCC's Rules and Regulations, are services "...offered over common carrier transmission facilities used in interstate communications, which employ computer processing applications that act on the format, content, code, protocol or similar aspects of the subscriber's transmitted information; provide the subscriber additional, different, or restructured information; or involve subscriber interaction with stored information."

### **Entrance Facility**

The term "Entrance Facility" denotes a Switched Access Service dedicated Local Transport facility between the customer's serving wire center and the customer designated premises.

#### **Entry Switch**

See First Point of Switching.

### **Envelope Delay Distortion**

The term "Envelope Delay Distortion" denotes a measure of the linearity of the phase versus frequency of a channel.

### Equal Level Echo Path Loss

The term "Equal Level Echo Path Loss" (ELEPL) denotes the measure of Echo Path Loss (EPL) at a 4-wire interface which is corrected by the difference between the send and receive Transmission Level Point (TLP). [ELEPL = EPL - TLP (send) + TLP (receive)].

### **Estimated Cost Special Construction**

The term "Estimated Cost" denotes all estimated costs that will be incurred in providing a specific case of special construction, including any appropriate taxes.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

2. Definitions (Cont'd)

### Exchange

The term "Exchange" denotes a unit established by the Company for the administration of communications service in a specified area which usually embraces a city, town or village and its environs. It consists of one or more central offices together with the associated facilities used in furnishing communications service within that area. The exchange includes any Extended Area Service area that is an enlargement of a Company's exchange area to include nearby exchanges.

### Exit Message

The term "Exit Message" denotes an SS7 message sent to an end office by the Company's tandem switch to mark the Carrier Connect Time when the Company's tandem switch sends an Initial Address Message to an interexchange customer.

## **Expected Measured Loss**

The term "Expected Measured Loss" denotes a calculated loss which specifies the end-to-end 1004-Hz loss on a terminated test connection between two readily accessible manual or remote test points. It is the sum of the inserted connection loss and test access loss including any test pads.

### Extended Area Service

See Exchange.

## Facilities Special Construction

The term "Facilities Special Construction" denotes any cable, poles, conduit, microwave or carrier equipment, wire center distribution frames, central office switching equipment etc., utilized to provide interstate services.

#### First Point of Switching

The term "First Point of Switching" denotes the first Company location at which switching occurs on the terminating path of a call proceeding from the customer designated premises to the terminating end office and, at the same time, the last Company location at which switching occurs on the originating path of a call proceeding from the originating end office to the customer designated premises.

### Frequency Shift

The term "Frequency Shift" denotes the change in the frequency of a tone as it is transmitted over a channel.

### Grandfathered

The term "Grandfathered" denotes Terminal Equipment, Multiline Terminating Systems and Protective Circuitry directly connected to the facilities utilized to provide services under the provisions of this tariff, and which are considered grandfathered under Part 68 of the FCC's Rules and Regulations.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### **Host Central Office**

The term "Host Central Office" denotes an electronic local Company End Office where Telephone Exchange Service customer station loops are terminated for purposes of interconnection to each other and to trunks. Additionally, this type of End Office contains the central call processing functions which service itself and its Remote Switching Modules/Systems.

#### Hub

A wire center at which bridging or multiplexing functions are performed for customers served out of any wire center.

### Immediately Available Funds

The term "Immediately Available Funds" denotes a corporate or personal check drawn on a bank account and funds which are available for use by the receiving party on the same day on which they are received and include U.S. Federal Reserve bank wire transfers, U.S. Federal Reserve notes (paper cash), U.S. coins, U.S. Postal Money Orders and New York Certificates of Deposit.

### Impedance Balance

The term "Impedance Balance" denotes the method of expressing Echo Return Loss and Singing Return Loss at a 4-wire interface whereby the gains and/or loss of the 4 wire portion of the transmission path, including the hybrid, are not included in the specification.

### Impulse Noise

The term "Impulse Noise" denotes any momentary occurrence of the noise on a channel over a specified level threshold. It is evaluated by counting the number of occurrences which exceed the threshold.

### **Individual Case Basis**

The term "Individual Case Basis" denotes a condition in which the regulations, if applicable, rates and charges for an offering under the provisions of this tariff are developed based on the circumstances in each case.

#### Initial Address Message

The term "Initial Address Message" denotes an SS7 message sent in the forward direction to initiate trunk set up, reserve an outgoing trunk and process the information about that trunk along with other data relating to the routing and handling of the call to the next switch.

### Initial Liability Period Special Construction

The term "Initial Liability Period" denotes the initial planning period during which the customer expects to place specially constructed facilities in service.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### **Inserted Connection Loss**

The term "Inserted Connection Loss" denotes the 1004 Hz power difference (in dB) between the maximum power available at the originating end and the actual power reaching the terminating end through the inserted connection.

### Installation and Repair Technician

The term "Installation and Repair Technician" denotes a Company employee who performs installation and/or repair work, including testing and trouble isolation, outside of the Company Central Office and generally at the customer designated premises.

### **Inserted Connection Loss**

The term "Inserted Connection Loss" denotes the 1004 Hz power difference (in dB) between the maximum power available at the originating end and the actual power reaching the terminating end through the inserted connection.

## <u>Installation and Repair Technician</u>

The term "Installation and Repair Technician" denotes a Company employee who performs installation and/or repair work, including testing and trouble isolation, outside of the Company Central Office and generally at the customer designated premises.

### **Installed Cost Special Construction**

The term "installed Cost" denotes the total investment (estimated or actual) required by the Company to provide specially constructed facilities in service.

### Interexchange Carrier (IC) or Interexchange Common Carrier

The terms "Interexchange Carrier" (IC) or "Interexchange Common Carrier" denotes any individual, partnership, association, joint- stock company, trust, governmental entity or corporation engaged for hire in interstate or foreign communication by wire or radio, between two or more exchanges.

#### Intermodulation Distortion

The term "Intermodulation Distortion" denotes a measure of the nonlinearity of a channel. It is measured using four tones, and evaluating the ratios (in dB) of the transmitted composite four-tone signal power to the second-order products of the tones (R2), and the third-order products of the tones (R3).

### **Interstate Communications**

The term "Interstate Communications" denotes both interstate and foreign communications.

Issued: October 20, 1997 Effective: October 21, 1997

M

M

N

N

M

### ACCESS SERVICE

### 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### **Intrastate Communications**

The term "Intrastate Communications" denotes any communications within a state subject to oversight by a state regulatory commission as provided by the laws of the state involved.

Legal Holiday

The term "Legal Holiday" denotes days other than Saturday or Sunday for which the Company is normally closed. These include New Year's Day, Independence Day, Thanksgiving Day, Christmas Day and a day when Washington's Birthday, Memorial Day or Columbus Day is legally observed and other locally observed holidays when the Company is closed.

### Line Side Connection

The term "Line Side Connection" denotes a connection of a transmission path to the line side of a local exchange switching system.

## Local Access and Transport Area (LATA)

The term "Local Access and Transport Area" denotes a geographic area established for the provision and administration of communications service. It encompasses one or more designated exchanges, which are grouped to serve common social, economic and other purposes.

Location Routing Number

The term "Location Routing Number" denotes a ten-digit number used to uniquely identify a switch that has ported numbers.

Loss Deviation

The term "Loss Deviation" denotes the variation of the actual loss from the designed value.

# M – Relocated from Original Page 49.

Issued: June 19, 2000 Effective: June 20, 2000

# Replaces Original Page 49

### ACCESS SERVICE

### GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

M<sub>1</sub>

Major Fraction Thereof

The term "Major Fraction Thereof" denotes any period of time in excess of 1/2 of the stated amount of time. As an example, in considering a period of 24 hours, a major fraction thereof would be any period of time in excess of 12 hours exactly. Therefore, if a given service is interrupted for a period of thirty-six hours and fifteen minutes, the customer would be given a credit allowance for two twenty-four hour periods for a total of forty-eight hours.

Maximum Termination Liability Special Construction

The term "Maximum Termination Liability" denotes the maximum amount which may be billed if all services using specially constructed facilities are terminated prior to the expiration of the Maximum Termination Liability Period.

## Maximum Termination Liability Period Special Construction

The term "Maximum Termination Liability Period" denotes the length of time for which a termination charge may apply if all services using specially constructed facilities are terminated.

#### Message

The term "Message" denotes a "call" as defined preceding.

 $M_2$ 

Milliwatt (102 Type) Test Line

The term "Milliwatt (102 Type) Test Line" denotes an arrangement in an end office which provides a 1004 Hz tone at 0 dBm0 for one-way transmission measurements towards the customer's premises from the Company end office.

Mobile Telephone Switching Office (MTSO)

The term "Mobile Telephone Switching Office (MTSO)" denotes a Cellular Mobile Carrier (CMC) M<sub>2</sub> switching system that is used to terminate mobile stations for purposes of interconnection to each other and to trunks interfacing with the public switched network.

M<sub>1</sub> – Relocated to Original Page 48.1.

M<sub>2</sub> – Relocated from Original Page 50.

Issued: June 19, 2000 Effective: June 20, 2000

### GCI COMMUNICATION CORP.

TARIFF F.C.C. NO. 3 1<sup>st</sup> Revised Page 50 Replaces Original Page 50

### ACCESS SERVICE

## GENERAL REGULATIONS (Cont'd)

Definitions (Cont'd)

 $\mathbf{M}_{1}$ 

 $M_1$ 

### N minus One (N-1)

N

When more than one network is involved in completing a call, the network prior to the termination is responsible for querying a LNP database to secure the appropriate call routing. The N-1 carrier for a local call is usually the Local Exchange Carrier of the calling party, but may also be a wireless provider. The N-1 Carrier for an interexchange call is usually the calling customers interexchange carrier

## Net Selvage Special Construction

The term "Net Salvage" denotes the estimated scrap, sale, or trade-in value, less the estimated cost of removal. Costs of removal includes the costs of demolishing, tearing down, or otherwise disposing of the material and any other applicable costs. Since the cost of removal may exceed salvage value, net salvage value may be negative.

### **Network Control Signaling**

The term "Network Control Signaling" denotes the transmission of signals used in the telecommunications system which perform functions such as supervision (control, status, and charge signals), address signaling (e.g., dialing), calling and called number identifications, rate of flow, service selection error control and audible tone signals (call progress signals indicating reorder or busy conditions, alerting, coin denominations, coin collect and coin return tones) to control the operation of the telecommunications system.

#### Nonrecoverable Cost Special Construction

The term "Nonrecoverable Cost Special Construction" denotes the cost of specially constructed facilities for which the Company has no foreseeable use should the service be terminated.

### **Normal Construction**

The term "Normal Construction" denotes all facilities the Company would normally use to provide service in the absence of a requirement for special construction.

### North American Numbering Plan

The term "North American Numbering Plan" denotes a three-digit area code (Numbering Plan Area - NPA) and a seven-digit telephone number made up of a three-digit Central Office prefix plus a four-digit station number.

### Off-hook

The term "Off-hook" denotes the active condition of Switched Access or a Telephone Exchange Service line.

## M<sub>1</sub> – Relocated to 1<sup>st</sup> Revised Page 49.

Issued: June 19, 2000 Effective: June 20, 2000

## 2. <u>GENERAL REGULATIONS</u> (Cont'd)

2. <u>Definitions</u> (Cont'd)

#### On-hook

The term "On-hook" denotes the idle condition of Switched Access or a Telephone Exchange Service line.

### Open Circuit Test Line

The term "Open Circuit Test Line" denotes an arrangement in an end office which provides an ac open circuit termination of a trunk or line by means of an inductor of several Henries.

#### **Originating Direction**

The term "Originating Direction" denotes the use of access service for the origination of calls from an End User Premises to an IC Premises.

### Pay Telephone

The term "Pay Telephone" denotes a location where Company equipment is provided in a public or semipublic place where Company customers can originate telephonic communications and pay the applicable charges by (1) inserting coins into the equipment, or (2) using a credit card, or (3) third party billing the call or (4) calling collect.

### Permanent Facilities Special Construction

The term "Permanent Facilities" denotes facilities providing service for one month or more.

### Phase Jitter

The term "Phase Jitter" denotes the unwanted phase variations of a signal.

#### Point of Termination

The term "Point of Termination" denotes the point of demarcation within a customer-designated premises at which the Company's responsibility for the provision of Access Service ends.

#### **Premises**

The term "Premises" denotes a building or buildings on continuous property (except Railroad Right-of-Way, etc.) not separated by a public highway.

M

 $\mathbf{M}$ 

## M – Relocated to Original Page 51.1

Issued: June 19, 2000 Effective: June 20, 2000

# 2. <u>GENERAL REGULATIONS</u> (Cont'd)

2. <u>Definitions</u> (Cont'd)

Recipient Switch The term "Recipient Switch" denotes any end-office switch that serves ported NXX codes not originally assigned to that switch.	<b>N</b>
Recoverable Cost Special Construction The term "Recoverable Cost" denotes the cost of the specially constructed facilities for which the Company has a foreseeable reuse, either in place or elsewhere, should the service be terminated.	N M <sub>1</sub> M <sub>1</sub>
Regional Service Management System/Number Portability Administration Center The term "Regional Service Management System/Number Portability Administration Center" denotes the third party administered number portability database which maintains information on all ported numbers in a specific geographic area.	N       
Registered Equipment The term "Registered Equipment" denotes the customer's premises equipment which complies with and has been approved within the Registration Provisions of Part 68 of the FCC's Rules and Regulations.	M <sub>1</sub>

# M<sub>1</sub> – Relocated from Original Page 51.

Issued: June 19, 2000 Effective: June 20, 2000

### 2. GENERAL REGULATIONS (Cont'd)

2. Definitions (Cont'd)

### Release Message

The term "Release Message" denotes an SS7 Message sent in either direction to indicate that a specific circuit is being released.

### Remote Switching Modules/Systems

The term "Remote Switching Modules/Systems" denotes small, remotely controlled electronic end office switches which obtain their call processing capability from an electronic Host Central Office. The Remote Switching Modules/Systems cannot accommodate direct trunks to *an IC*.

## Return Loss

The term "Return Loss" denotes a measure of the similarity between the two impedances at the junction of two transmission paths. The higher the return loss, the higher the similarity.

### Service Access Code

The term "Service Access Code" denotes a 3-digit code in the NPA format which is used as the first three digits of a 10 digit address and which is assigned for special network uses. Whereas NPA codes are normally used for identifying specific geographical areas, certain Service Access Codes have been allocated in the North American Numbering Plan to identify generic services or to provide access capability. Examples of Service Access Codes include the 800 and 900 codes.

## Service Switching Point (SSP)

A Service Switching Point denotes an end office or tandem which, in addition to having SS7 and SP capabilities, is also equipped to query centralized data bases.

### Serving Wire Center

The term "Serving Wire Center" denotes the wire center from which the customer designated premises would normally obtain dial tone from the Company.

### Seven Digit Manual Test Line

The term "Seven Digit Manual Test Line" denotes an arrangement which allows the Customer to select balance, milliwatt and synchronous test lines by manually dialing a seven digit number over the associated access connection.

### Shortage of Facilities or Equipment

The term "Shortage of Facilities or Equipment" denotes a condition which occurs when the Company does not have appropriate cable, switching capacity, bridging or, multiplexing equipment, etc., necessary to provide the Access Service requested by the customer.

#### Short Circuit Test Line

The term "Short Circuit Test Line" denotes an arrangement in an end office which provides for an ac short circuit termination of a trunk or line by means of a capacitor of at least four microfarads.

Issued: October 20, 1997 Effective: October 21, 1997

### 2. GENERAL REGULATIONS (Cont'd)

2. <u>Definitions</u> (Cont'd)

### Signal-to-C-Notched Noise R

The term "Signal-to-C-Notched Noise Ratio" denotes the ratio in dB of a test signal to the corresponding C-Notched Noise.

### Signaling Point (SP)

The term "Signaling Point (SP)" denotes an SS7 network interface element capable of originating and terminating SS7 trunk signaling messages.

### Signaling System 7 (SS7)

The term "Signaling System 7 (SS7)" denotes the layered protocol used for standardized common channel signaling in the United States and Puerto Rico.

## Signal Transfer Point (STP)

The term "Signal Transfer Point (STP)" denotes a packet switch which provides access to the Company's SS7 network and performs SS7 message signal routing and screening.

### Signal Transfer Point (STP) Port

The term "Signal Transfer Point (STP) Port" denotes the point of termination and interconnection to the STP.

## Signaling Return Loss

The term "Signaling Return Loss" denotes the frequency weighted measure of return loss at the edges of the voiceband (200 to 500 Hz and 2500 to 3200 Hz), where signaling (instability) problems are most likely to occur.

#### Special Order

The term "Special Order" denotes an order for a Directory Assistance Service.

### Subtending End Office of an Access Tandem

The term "Subtending End Office of an Access Tandem" denotes an end office that has final trunk group routing through that tandem.

### Synchronous Test Line

The term "Synchronous Test Line" denotes an arrangement in an end office which performs marginal operational tests of supervisory and ring-tripping functions.

### **Tandem-Switched Transport**

The term "Tandem-Switched Transport" denotes transport from the serving wire center to the end office, or from the tandem to the end office, that is switched at a tandem.

### Telephone Number

The term "Telephone Number" denotes a unique NPA NXX-XXXX assigned to a subscriber of a Local Service Provider.

Issued: June 19, 2000 Effective: June 20, 2000

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 **N** 

### 2. <u>GENERAL REGULATIONS</u> (Cont'd)

2. <u>Definitions</u> (Cont'd)

### **Terminating Direction**

The term "Terminating Direction" denotes the use of Access Service for the completion of calls from an IC premises to an End User Premises.

### Termination Charge Special Construction

The term "Termination Charge" denotes the portion of the Maximum Termination Liability that is applied as a nonrecurring charge when all services are discontinued prior to the expiration of the specified liability period.

### Transmission Measuring (105 Type) Test Line/Responder

The term "Transmission Measuring (105 Type) Test Line/Responder" denotes an arrangement in an end office which provides far-end access to a responder and permits two-way loss and noise measurements to be made on trunks from a near end office.

### **Transmission Path**

The term "Transmission Path" denotes an electrical path capable of transmitting signals within the range of the service offering, e.g., a voice grade transmission path is capable of transmitting voice frequencies within the approximate range of 300 to 3000 Hz. A transmission path is comprised of physical or derived facilities consisting of any form or configuration of plant typically used in the telecommunications industry.

#### Trunk

The term "Trunk" denotes a communications path connecting two switching systems in a network used in the establishment of an end-to-end connection.

### Trunk Group

The term "Trunk Group" denotes a set of trunks which are traffic engineered as a unit for the establishment of connections between switching systems in which all of the communications paths are interchangeable.

### **Trunk Side Connection**

The term "Trunk Side Connection" denotes the connection of a transmission path to the trunk side of a local exchange switching system.

### Two-Wire to Four-Wire

The term "Two-Wire to Four-Wire Conversion" denotes an arrangement which converts a four-wire transmission path to a two-wire transmission path to allow a four-wire facility to terminate in a two-wire entity (e.g., a central office switch).

Issued: October 20, 1997 Effective: October 21, 1997

### 2. <u>GENERAL REGULATIONS</u> (Cont'd)

2. <u>Definitions</u> (Cont'd)

### V and H Coordinates Method

The term "V and H Coordinates Method" denotes a method of computing airline miles between two points by utilizing an established formula which is based on the vertical and horizontal coordinates of the two points.

### WATS Serving Office

The term "WATS Serving Office" denotes a Company designated serving wire center where switching, screening and/or recording functions are performed in connection with the closed-end of WATS or WATS-type services.

### Wire Center

The term "Wire Center" denotes a building in which one or more central offices, used for the provision of Telephone Exchange Services, are located.

Issued: October 20, 1997 Effective: October 21, 1997

### 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u>

The Company will provide Carrier Common Line Access Service to customers in conjunction with Switched Access Services provided in Section 6 of this tariff or appropriate Switched Access Service Section of other Access Service tariffs.

### 3.1 General Description

Carrier Common Line Access provides for the use of end users' Company provided common lines by customers for access to such end users to furnish Interstate Communications.

Special Access Surcharge, as set forth in Rate Sections, beginning in Section 16, following, will apply to interstate special access service provided by the Company to a customer, in accordance with regulations as set forth in 7.3 following.

### 3.2 Limitations

### 3.2.1 Exclusions

Neither a telephone number nor detail billing are provided with Carrier Common Line Access. Additionally, directory listings and intercept arrangements are not included in the rates and charges for Carrier Common Line Access.

## 3.2.2 <u>Access Groups</u>

All line side connections provided in the same access group will be limited to the same features and operating characteristics.

All trunk side connections provided in the same access group will be limited to the same features and operating characteristics.

### 3.2.3 WATS Access Lines

Where Switched Access Services are connected with Special Access Services at Company Designated WATS Serving Offices for the provision of WATS or WATS-type Services, Switched Access Service minutes which are carried on that end of the service (i.e., originating minutes for outward WATS and WATS-type services and terminating minutes for inward WATS and WATS-type services) shall not be assessed Carrier Common Line Access per minute charges with the following exception. Carrier Common Line Access per minutes charges shall apply when Feature Group A or Feature Group B switched access is ordered from a non-equal access company office that does not have measurement capabilities and the assumed average access minutes, as set forth in the exchange carrier's access tariff, are used.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 T

T

 $\mathbf{T}$ 

T

Т

### **ACCESS SERVICE**

## 3. CARRIER COMMON LINE ACCESS SERVICE (Cont'd)

### 3.3 Undertaking of the Company

### 3.3.1 Provision of Service

Where the customer is provided Switched Access Service under other sections of this or other Access Service tariffs, the Company will provide the use of Company common lines by a customer for access to end users at rates and charges as set forth in Rate Sections, beginning in Section 16, following.

## 3.3.2 <u>Interstate and Intrastate Use</u>

The Switched Access Service provided by the Company includes the Switched Access Service provided for both interstate and intrastate communications. The Carrier Common Line Access rates and charges as set forth in Rate Sections, beginning in Section 16, following apply to interstate Switched Access Service access minutes in accordance with the rate regulations as set forth in 3.8.4 following (Percent Interstate Use - PIU).

### 3.4 Obligations of the Customer

## 3.4.1 Switched Access Service Requirement

The Switched Access Service associated with Carrier Common Line Access shall be ordered by the customer under other sections of this tariff.

## 3.4.2 <u>Supervision</u>

The customer facilities at the premises of the ordering customer shall provide the necessary on-hook and off-hook supervision.

### 3.5 <u>Determination of Usage Subject to Carrier Common Line Access Charges</u>

Except as set forth herein, all Switched Access Service provided to the customer will be subject to Carrier Common Line Access charges.

### 3.5.1 Determination of Jurisdiction

When the customer reports interstate and intrastate use of Switched Access Service, the associated Carrier Common Line Access used by the customer for interstate will be determined as set forth in 3.8.4 following (Percent Interstate Use - PIU).

Issued: March 30, 2007 Effective: April 1, 2007

Т

T

T

T

1st Revised Page 58 Replaces Original Page 58

### **ACCESS SERVICE**

- 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u> (Cont'd)
  - 3.5 <u>Determination of Usage Subject to Carrier Common Line Access Charges</u> (Cont'd)
    - 3.5.2 Local Exchange Access and Enhanced Services Exemption

When access to the local exchange is required to provide a customer service (e.g., MTS/WATS-type, telex, Data, etc.) that uses a resold Special Access Service, Switched Access Service Rates and Regulations, as set forth in Section 6 following will apply, except when such access to the local exchange is required for the provision of an enhanced service. Carrier Common Line Access rates and charges as set forth in Rate Sections, beginning in Section 16, following apply in accordance with the resale rate regulations as set forth in 3.6.4 following.

### 3.6 Resold Services

### 3.6.1 <u>Scope</u>

Where the customer is reselling MTS and/or MTS-type service(s) on which the Carrier Common Line and Switched Access charges have been assessed, the customer may, at the option of the customer, obtain Feature Group A, Feature Group B or Feature Group D Switched Access Service under this tariff as set forth in Section 6 following for originating and/or terminating access in the local exchange. Such access group arrangements whether single lines or trunks or multiline hunt groups or trunk groups will have Carrier Common Line Access charges applied as set forth in Rate Sections, beginning in Section 16, following in accordance with the resale rate regulations set forth in 3.6.4 following. For purposes of administering this provision:

Resold interstate terminating MTS and MTS-type service(s) shall include collect calls, third number calls and credit card calls where the reseller pays the underlying carrier's service charges; and shall not include intrastate minutes of use.

Resold interstate originating MTS and MTS-type service(s) shall not include collect, third number, credit card or intrastate minutes of use.

## 3.6.2 <u>Customer Obligations Concerning the Resale of MTS and MTS-type Services</u>

When the customer is reselling MTS and/or MTS-type service as set forth in 3.6.1 preceding, the customer will be charged Carrier Common Line Access charges in accordance with the resale rate regulations as set forth in 3.6.4 following if the customer or the provider of the MTS service furnishes documentation of the MTS usage and/or the customer furnishes documentation of the MTS-type usage. Such documentation supplied by the customer shall be supplied each month and shall identify the involved resold MTS and/or MTS-type services.

Issued: March 30, 2007 Effective: April 1, 2007

## 3. CARRIER COMMON LINE ACCESS SERVICE (Cont'd)

3.6 Resold Services (Cont'd)

3.6.2 <u>Customer Obligations Concerning the Resale of MTS and MTS-type Services</u> (Cont'd)

The monthly period used to determine the minutes of use for resold MTS and/or MTS-type services shall be the most recent monthly period for which the customer has received a bill for such resold services. This information shall be delivered to the Company, at a location specified by the Company, no later than 15 days after the bill date shown on the resold MTS and/or MTS-type service bill. If the required information is not received by the Company, the previously reported information, as described preceding, will be used for the next two months. For any subsequent month, no allocation or credit will be made until t documentation is delivered to the Company by the customer.

### 3.6.3 Resale Documentation Provided By the Customer

When the customer utilizes Switched Access Service as set forth in 3.6.2 preceding, the Company may request a certified copy of the customer's resold MTS or MTS-type usage billing from either the customer or the provider of the MTS or MTS-type service. Requests for billing will relate back no more than 12 months prior to the current billing period.

## 3.6.4 <u>Rate Regulations Concerning the Resale of MTS and MTS-type Services</u>

When the customer is provided an access group to be used in conjunction with the resale of MTS and/or MTS-type services as set forth in 3.6.1 preceding, subject to the limitations as set forth in 3.2 preceding, and the billing entity receives the usage information required as set forth in 3.6.2 preceding, to calculate the adjustment of Carrier Common Line Access charges, the customer will be billed as set forth in (C) following.

## (A) Appointment and Adjustment of Resold Minutes of Use

When the customer is provided with more than one access group in a LATA in association with the resale of MTS and/or MTS-type services, the resold minutes of use will be apportioned as follows:

### (1) Originating Services

The Company will apportion the resold originating MTS and/or MTS-type services and originating minutes of use for which the resale credit adjustment applies, among the access groups. Such apportionment will be based on the relationship of the originating usage for each access group to the total originating usage for all access groups in the LATA. For purposes of administering this provision:

Issued: October 20, 1997 Effective: October 21, 1997

- 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u> (Cont'd)
  - 3.6 Resold Services (Cont'd)
    - 3.6.4 Rate Regulations Concerning the Resale of MTS and MTS-type Services (Cont'd)
      - (A) Appointment and Adjustment of Resold Minutes of Use (Cont'd)
        - (1) Originating Services (Cont'd)

Resold originating MTS and/or MTS-type services minutes shall be only those attributable to interstate originating MTS and/or MTS-type minutes and shall not include collect, third number, credit card or intrastate minutes of use.

The resale credit adjustment shall apply for resold originating MTS and MTS-type services and minutes of use, provided Carrier Common Line and Switched Access charges have been assessed on such services.

## (2) <u>Terminating Services</u>

The Company will apportion the resold terminating MTS and/or MTS-type services and terminating minutes of use for which the resale credit adjustment applies, among the access groups. Such apportionment will be based on the relationship of the terminating usage for each access group to the total terminating usage for all access groups in the LATA. For purposes of administering this provision:

Resold terminating MTS and/or MTS-type services minutes shall be only those attributable to interstate terminating MTS/MTS-type (i.e., collect calls, third number calls, and credit card calls) and shall not include intrastate minutes of use or MTS/MTS-type minutes of use paid for by another party.

The resale credit adjustment shall apply for resold terminating MTS and MTS-type services and minutes of use, provided Carrier Common Line and Switched Access charges have been assessed on such services.

### (B) Direct and Indirect Connections

Each of the access group arrangements used by the customer in association with the resold MTS and/or MTS-type services must be connected either directly or indirectly to the customer designated premises at which the resold MTS and/or MTS-type services are terminated. Direct connections are those arrangements where the access groups and resold MTS and/or MTS-type services are terminated at the same customer designated premises.

Issued: October 20, 1997 Effective: October 21, 1997

## 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u> (Cont'd)

- 3.6 Resold Services (Cont'd)
  - 3.6.4 (Cont'd) Rate Regulations Concerning the Resale of MTS and MTS-type Services
    - (B) Direct and Indirect Connections (Cont'd)

Indirect originating connections are those arrangements where the access groups and the resold originating MTS and/or MTS-type services are physically located at different customer designated premises in the same exchange. Such different customer designated premises are connected by facilities that permit a call to flow from access groups to resold MTS and/or MTS-type services.

Indirect terminating connections are those arrangements where the access groups and resold terminating MTS and/or MTS-type services are physically located at different customer designated premises in the same exchange. Such different customer designated premises are connected by facilities that permit a call to flow from resold terminating MTS and/or MTS-type services to access groups.

## (C) Access Groups

The minutes billed Carrier Common Line Access Service Charges will be the adjusted originating interstate access minutes and the adjusted terminating interstate access minutes for access groups.

The adjusted originating access minutes will be the originating interstate access minutes less the reported resold originating MTS and/or MTS-type service minutes of use as set forth in (A)(1) preceding; but not less than zero. The adjusted terminating access minutes will be the terminating interstate access minutes less the reported resold terminating MTS and/or MTS-type service minutes of use as set forth in (A)(2) preceding; but not less than zero.

### (D) When the Adjustment Will Be Applied to Customer Bills

The adjustment as set forth in (C) preceding will be made to the involved customer account no later than either the next bill date, or the one subsequent to that, depending on when the usage report is obtained.

### (E) Conversion of Billed Usage to Minutes

When the MTS and/or MTS-type usage is shown in hours, the number of hours shall be multiplied by 60 to develop the associated MTS and/or MTS-type minutes of use. If the MTS and/or MTS-type usage is shown in a unit that does not show hours or minutes, the customer shall provide a factor to convert the shown units to minutes.

Issued: October 20, 1997 Effective: October 21, 1997

## 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u> (Cont'd)

- 3.6 Resold Services (Cont'd)
  - 3.6.4 Rate Regulations Concerning the Resale of MTS and MTS-type Services (Cont'd)

### (F) Percent Interstate Use (PIU)

The adjustment as set forth in (C) preceding will be made to the involved customer account after making the adjustments to the customer account as set forth in 3.8.4 following (PIU).

### 3.7 Reserved for Future Use

## 3.8 Rate Regulations

### 3.8.1 Billing of Charges

Carrier Common Line charges will be billed to each Switched Access Service provided under this tariff in accordance with the regulations as set forth in 3.8.5 following (Determination of Charges) except as set forth in 3.6.4 preceding (Resale) and 3.8.4 following (PIU).

### 3.8.2 Measuring and Recording of Call Detail

When access minutes are used to determine Carrier Common Line charges, they will be accumulated using call detail recorded by Company equipment except as set forth in 3.8.3 following (Unmeasured FGA and B Usage). The Company measuring and recording equipment, except as set forth in 3.8.3 following (Unmeasured FGA and B Usage) will be associated with end office or local tandem switching equipment and will record each originating and terminating access minutes where answer supervision is received. The accumulated access minutes will be summed on a line by line basis, by line group or by end office, whichever type of account is used by the Company, for each customer and then rounded to the nearest minutes.

### 3.8.3 Unmeasured Feature Group A and B Usage

When Carrier Common Line Access is provided in association with Feature Group A or Feature Group B Switched Access Service in Company offices that are not equipped for measurement capabilities, assumed average interstate access minutes will be used to determine Carrier Common Line Access charges. These assumed access minutes are as set forth in the exchange carriers' access tariffs.

Issued: October 20, 1997 Effective: October 21, 1997

Т

## ACCESS SERVICE

# CARRIER COMMON LINE ACCESS SERVICE (Cont'd)

Rate Regulations (Cont'd)

#### 3.8.4 Percent Interstate Use (PIU)

When the customer reports interstate and intrastate use of in-service Switched Access Service, Carrier Common Line charges will be billed only to interstate Switched Access Service access minutes based on the data reported by the customer as set forth in 2.3.11 preceding (Jurisdictional Reports) except where the Company is billing according to actuals by jurisdiction. Interstate Switched Access Service access minutes will, after adjustment as set forth in 3.6.4 preceding (Resale), when necessary, be used to determine Carrier Common Line Charges as set forth in 3.8.5 following.

#### 3.8.5 **Determination of Charges**

After the adjustments as set forth in 3.6.4 and 3.8.4 preceding have been applied, when necessary, to Switched Access Service access minutes, charges for the involved customer account will be determined as follows:

- (A) Access minutes for all Switched Access Service subject to Carrier Common Line charges will be multiplied by the per minute rate as set forth in Rate Sections, T beginning in Section 16, following.
- (B) Access minutes for all FGB Access Services with an Abbreviated Dialing Arrangement (ADA) subject to Carrier Common Line Charges will be multiplied by the per minute rate as set forth in Rate Sections, beginning in Section 16, following. T
- (C) Carrier Common Line charges shall not be reduced as set forth in 3.6.1 preceding unless Switched Access Charges, as set forth in Section 6 following, are applied to the customer's Switched Access Services.
- (D) Terminating per minute charge(s) apply to:
- all terminating access minutes of use;
  - less those terminating access minutes of use associated with Wireless Switching Centers (WSCs).
- all originating access minutes of use associated with FGA Access Services where the off-hook supervisory signaling is forwarded by the customer's equipment when the called party answers;

Issued: March 30, 2007 Effective: April 1, 2007

- 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u> (Cont'd)
  - 3.8 Rate Regulations (Cont'd)
    - 3.8.5 Determination of Charges (Cont'd)
      - (D) (Cont'd)
      - all originating access minutes of use associated with calls placed to 700, 800 series and 900 numbers, less those originating access minutes of use associated with calls placed to 700, 800 series and 900 numbers for which the customer furnishes for each month a report of either the number of calls or minutes or a report of the percent of calls or minutes that terminate in a Switched Access Service that is assessed Carrier Common Line charges.

When the customer makes this report available to the Company in advance of billing, these minutes of use will be charged on the current bill as originating minutes of use as set forth in (E) following. If a billing dispute arises concerning the customer provided report, the Company will request the customer to provide the data the customer used to develop the report. The Company will not request such data more than once a year. The customer shall supply the data within 30 days of the Company request.

When this report is not available to the Company until after billing, it shall be used by the Company to calculate and post a credit to the customer's account. The credit shall be posted to the customer's account within 30 days of receipt of the report. The credit shall be calculated by multiplying the number of access minutes of use, for which a credit is determined to be applicable, times the difference between the terminating and originating Carrier Common Line charges in effect when the calls were completed.

- (E) The originating per minute charge(s) apply to:
- all originating access minutes of use;
  - less those originating access minutes of use associated with FGA Access Services where the off-hook supervisory signaling is forwarded by the customer's equipment when the called party answers;
  - less all originating access minutes of use associated with calls placed to 700, 800 and 900 numbers;
  - less those originating access minutes of use associated with Wireless Switching Centers (WSCs).

Issued: October 20, 1997 Effective: October 21, 1997

- 3. <u>CARRIER COMMON LINE ACCESS SERVICE</u> (Cont'd)
  - 3.8 Rate Regulations (Cont'd)
    - 3.8.5 Determination of Charges (Cont'd)
      - (E) (Cont'd)
        - plus all originating access minutes of use associated with calls placed to 700, 800 series and 900 numbers for which the customer furnishes for each month a report of either the number of calls or minutes or a report of the percent of calls or minutes that terminate in a Switched Access Service that is assessed Carrier Common Line charges, and for which a corresponding reduction in the number of terminating access minutes of use has been made as set forth in (D) preceding.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 66 Replaces Original Page 66

## ACCESS SERVICE

## 4. END USER ACCESS SERVICE

The Company will provide End User Access Service to end users who obtain local exchange service from the Company under its general and/or local exchange tariffs.

## 4.1 General Description

End User Access provides for the use of an End User Common Line (EUCL).

## 4.2 Limitations

## 4.2.1 Exclusions

Telephone number detail billing, directory listings and intercept arrangements are not included with End User Access.

## 4.3 <u>Undertaking of the Company</u>

The Company will provide End User Access at rates and charges as set forth in Rate Sections, beginning in Section 16, as follows:

T T

- Use of an EUCL for interstate Access Services provided under this tariff. Such use will be provided when the end user obtains local exchange service.
- The Company will be responsible for contacts and arrangements with customers for the billing of End User Access charges.

#### 4.4 Obligation of Radio Common Carriers

When the end user is a Radio Common Carrier (RCC) or provider of paging service, such end user shall designate whether the local exchange service they are provided by the Company is used as an access line for RCC or paging services, or used as an administrative line.

## 4.5 Payment Arrangements and Credit Allowance

## 4.5.1 <u>Minimum Period</u>

The minimum period for which EUCL End User Access is provided to an end user and for which charges are applicable is the same as that in the general and/or local exchange tariffs for the associated local exchange service.

Issued: April 13, 2007 Effective: April 15, 2007

## 4. END USER ACCESS SERVICE (Cont'd)

## 4.5 Payment Arrangements and Credit Allowance (Cont'd)

#### 4.5.2 Cancellation of Orders

End User Access is cancelled when the order for the associated local telephone exchange service is cancelled. No cancellation charges apply.

## 4.5.3 <u>Changes to Orders</u>

When changes are made to orders for the local exchange service associated with End User Access, any necessary changes will be made for End User Access. No charges will apply.

## 4.5.4 Allowance for Interruptions

When there is an interruption to an EUCL, requested End User Access credit allowances for interruptions will be provided as set forth for credit allowance for interruptions in 2.4.4 preceding.

## 4.5.5 Temporary Suspension of Service

When an end user temporarily suspends its local exchange service which is associated with EUCL, one-half of the EUCL per month charge will be temporarily suspended for the time period the local exchange service is suspended.

#### 4.6 Rate Regulations

#### 4.6.1 Who Is Billed

EUCL per month charges will be billed to the end user of the associated Local Exchange Service.

## 4.6.2 Multiparty Service

The EUCL charge for each multiparty subscriber shall be assessed as if the subscriber had subscribed to single-party service.

#### 4.6.3 Pay Telephone Service

The EUCL-Multiline Business rate will be assessed when a payphone Service Provider obtains an exchange service line for the purposes of offering pay telephone service.

Issued: October 20, 1997 Effective: October 21, 1997

T

T

T

Т

3rd Revised Page 68 Replaces 2nd Revised Page 68

## ACCESS SERVICE

## 4. END USER ACCESS SERVICE (Cont'd)

- 4.6 Rate Regulations (Cont'd)
  - 4.6.4 Business Services

## (A) Single Line Service

When an end user is provided a single local business exchange service in a state, multiparty and centrex services included, and when the local business exchange service is provided under the general and/or local exchange or centrex service tariffs, the EUCL Single Line Business - Individual line or trunk rate as set forth in Rate Sections, beginning in Section 16, following, applied to each such business individual line or trunk. In the case of multiparty service, each party is deemed to be a user of an EUCL.

(B) Multiline Service

When an end user is provided more than one local business exchange service in a state by the Company, pay telephone, multiparty and centrex services included, and when the local exchange service is provided under the general and/or local exchange or centrex service tariffs, the EUCL-Multiline Business - Individual line or trunk rates as set forth in Rate Sections, beginning in Section 16, following, applies to each such Multiline Business individual line or trunk. In the case of multiparty service, each party is deemed to be a user of an EUCL.

1. <u>DSI Channel Service</u>

When an end user is provided local exchange service under any general and/or local exchange tariff (s) using a DS1 (1.544 Mbps) channel service where the customer provides the terminating channelization equipment, five (5) EUCL – Multiline Business Individual line or trunk charges as set forth in Rate Sections, beginning in Section 16, following, apply to each DS1 channel service.

Issued: March 30, 2007 Effective: April 1, 2007

#### TARIFF F.C.C. NO. 3

1st Revised Page 68.1 Replaces Original Page 68.1

## **ACCESS SERVICE**

- 4. END USER ACCESS SERVICE (Cont'd)
  - 4.6 Rate Regulations (Cont'd)
    - 4.6.4 Business Services
      - (C) Centrex CO and Centrex CO-like Services

Business or residence single line or multiline usage for Centrex CO and Centrex CO-like services is determined as set forth in 4.6.4(A) and (B) preceding.

Centrex CO or Centrex CO-like service provided to a college, university or school may serve both the college, university or school offices and the student or faculty dormitory (residential) quarters. When provided to residential quarters, the residential portion of the service is commonly known as dormitory service. Residential charges will apply to lines to the student or faculty dormitory (residential) quarters as set forth in the Rate Sections, beginning in Section 16, Tollowing. Business charges for lines to the university, college or school offices will apply as set forth in the Rate Sections, beginning in Section 16, following. To Charges shall be based on the number of residence and business lines reported to the Company by end user.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 69 Replaces 1st Revised Page 69

## ACCESS SERVICE

## 4. END USER ACCESS SERVICE (Cont'd)

4.6 Rate Regulations (Cont'd)

## 4.6.5 <u>Radio Common Carriers</u>

For each local exchange service used only as a path for the transmission of Radio Common Carrier (RCC) traffic between the Company serving wire center and the RCC's radio equipment, End User Access charges do not apply. End User Access charges will apply to the Radio Common Carrier's local exchange service used for administrative purposes. This shall also include those Radio Common Carriers providing maritime service under part 80 of the FCC Rules and Regulations.

A Radio Common Carrier is described as a common carrier engaged in the provision of Public Mobile Service, as defined in part 22 of the FCC Rules and Regulations which is not also in the business of providing landline local exchange telephone service.

## 4.6.6 <u>Remote Call Forwarding</u>

For each local exchange service provided as Remote Call Forwarding (RCF) residential or business service, under the general and/or local exchange service tariffs, End User Access charges do not apply.

#### 4.6.7 Residence Services

## (A) Single Line and Multiline Service

When an end user is provided local residence exchange service(s) in a state, multiparty and Centrex services included, and when the local residence exchange or centrex service is provided under the general and/or local exchange or Centrex service tariffs, the EUCL Residence - Individual line or trunk rate as set forth in the Rate Sections, beginning in Section 16, following, applies to each such local T residence exchange trunk. In the case of multiparty service, each party is deemed to be a user of an EUCL.

Issued: March 30, 2007 Effective: April 1, 2007

N

N

2nd Revised Page 69.1 Replaces 1st Revised Page 69.1

#### **ACCESS SERVICE**

#### 4. END USER ACCESS SERVICE (Cont'd)

## 4.7 Federal Universal Service Charge (FUSC)

The Federal Universal Service Charge (FUSC) recovers the Company's contribution to various federal universal service funds. The Company will apply a surcharge factor each month to the billed charges for interstate access services provided to end users.

FUSC will not apply to any billed charges for an end user when the interstate access service provided to the end user qualifies under the federal universal service guidelines for Lifeline Assistance. FUSC will not apply to interstate access services purchased by customers that resell these services to end users as part of an interstate telecommunications service and are required to contribute to the various federal universal service funds. In case of a dispute regarding whether the customer is reselling services and contributing to the various federal universal service funds, the Company may request a signed certification to that effect from the customer.

## 4.7.1 Rate Regulations

The Company will bill FUSC each month as described below. The FUSC Surcharge Factor and the Multiline Business End User Common Line (MLB EUCL) FUSC Surcharge Factor are set forth in the Rate Sections, beginning in Section 16, following.

#### (A) FUSC Surcharge Factor

The Company will multiply the FUSC Surcharge Factor set forth in the Rate Sections, beginning in Section 16, against the end user's billed interstate access services charges.

## (B) MLB EUCL FUSC Surcharge Factor

In lieu of applying the FUSC Surcharge Factor specified in (A), above, against MLB EUCL charges, the Company will apply the MLB EUCL FUSC Surcharge Factor set forth in Section 18, following, as described below:

Issued: June 29, 2007 Effective: July 1, 2007

- 4. END USER ACCESS SERVICE (Cont'd)
  - 4.7 Federal Universal Service Charge (FUSC) (Cont'd)
    - 4.7.1 Rate Regulations (Cont'd)
      - (B) MLB EUCL FUSC Surcharge Factor (Cont'd)
        - (1) For non-Centrex MLB EUCL customer, the Telephone Company will multiply the MLB EUCL FUSC Surcharge Factor against the end user's billed MLB EUCL charges.
        - (2) for Centrex MLB EUCL customers, the Company will multiply the MLB EUCL FUSC Surcharge Factor against one ninth of the end user's billed MLB EUCL charges.

The Company will also apply the FUSC Surcharge Factor as described in (A) above to all other interstate access services provided to MLB EUCL customers.

Issued: June 29, 2007 Effective: July 1, 2007

1st Revised Page 70 Replaces Original Page 70

## ACCESS SERVICE

## 5. <u>ACCESS ORDERING</u>

## 5.1 General

This section sets forth the regulations and order related charges for services set forth in other sections of this tariff. Order related charges are in addition to other applicable charges for the services provided.

An Access Order is an order to provide the customer with Switched and Special Access or Access Related Service or to provide changes to existing services.

The regulations, rates and charges for special construction are set forth in Section 15 and are in addition to the regulations, rates and charges specified in this sections.

A customer may order any number of services of the same type and between the same premises on a single Access Order. All details for services for a particular order must be identical except for those for multipoint service.

The customer shall provide to the Company the order information required in 5.2 following, and in addition the customer must also provide:

- Customer name and premises address(es).
- Billing name and address (where different from customer name and address).
- Customer contact name(s) and telephone number(s) for the following provisioning activities: order negotiation, order confirmation, interactive design, installation and billing.

#### 5.1.1 Service Installation

The Company will provide the Access Service in accordance with the customer's requested service date, subject to the constraints established by the Company schedule of applicable service dates.

M | | | | | | |

M – Moved to Original Page 70.1

Issued: March 30, 2007 Effective: April 1, 2007

Original Page 70.1

## **ACCESS SERVICE**

- 5. <u>ACCESS ORDERING</u> (Cont'd)
  - 5.1 General (Cont'd)
    - 5.1.1 <u>Service Installation</u> (Cont'd)

The Company shall make available to all customers, upon request, a schedule of applicable service intervals for Switched and Special Access Services. The schedule shall specify the applicable service interval for services and quantities of services that can be provided by a requested service date. Any associated material will be provided upon request and within a reasonable period of time.

The Company will not accept orders for service dates which exceed the applicable service date by more than six months.

Access Services will be installed during Company business days. If a customer requests that installation be done outside of schedule work hours, and the Company agrees to this request, the customer will be subject to applicable Additional Labor Charges as set forth in Rate Sections, beginning in Section 16, following.

T

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 71 Replaces Original Page 71

## ACCESS SERVICE

## 5. ACCESS ORDERING (Cont'd)

5.1 General (Cont'd)

## 5.1.2 Expedited Orders

When placing an Access Order, a customer may request a service date that is prior to the applicable service date. Additionally, a customer may also request an earlier service date on a pending Access Order. In this case, an access order modification as set forth in 5.4 following would be required. If the Company determines that the service can be provided on the requested date and that additional labor cost or extraordinary costs are required to meet the requested service date, the customer will be notified and will be provided with an estimate of the additional charges involved. Charges will be billed at actual cost, not to exceed 10 percent over estimated charges. Such additional charges will be determined and billed to the customer as explained following.

To calculate the additional labor charges, the Company will, upon authorization from the customer to incur the additional labor charges, keep track of the additional labor hours used to meet the request of the customer and will bill the customer at the applicable Additional Labor charges as set forth in Rate Sections, beginning in Section 16, following.

To develop, determine and bill the customer the extraordinary costs which may be involved, the Special Construction terms and conditions as set forth in Section 15 will be used by the Company. Authorization to incur the costs and to bill the customer will be in accordance with the terms and conditions of Section 15.

When the request for expediting occurs subsequent to the issuance of the Access Order, a Service Date Change Charge as set forth in Rate Sections, beginning in Section 16, following also applies.

#### 5.1.3 Selection of Facilities for Access Orders

The option to request a specific transmission path or channel is only provided for High Capacity Facilities Special Access, or as provided for under Special Facilities Routing as set forth in Section 11 following.

When there are High Capacity facilities to a hub on order or in service for the customer's use, the customer may request a specific channel or transmission path be used to provide the Switched or Special Access Service requested in an Access Order. The Company will make a reasonable effort to accommodate the customer request.

Issued: March 30, 2007 Effective: April 1, 2007

T

T

## 5. ACCESS ORDERING (Cont'd)

## 5.2 Ordering Requirements

#### 5.2.1 Switched Access Service

When ordering Switched Access service, the customer must specify whether the service is to be directly routed to an end office switch or through an access tandem. When service is ordered directly to an end office, the customer must specify the type and quantity of Direct Trunked Transport facility (e.g., Voice Grade or High Capacity DS1 or DS3).

The customer must also specify the type of Entrance Facility to be used for Switched Access (e.g., Voice Grade or High Capacity). For High Capacity Entrance Facilities, the customer must specify the facility assignment and the channel assignment for each trunk.

Direct Trunked Transport is available to all GCI end offices.

When the customer has both Tandem Switched Transport and Direct Trunked Transport at the same end office, the customer will be provided Alternate Traffic Routing as set forth in 6.4.6 following.

At customer request, their Local Transport may be connected to the Entrance Facility of another customer, providing the other customer submits a letter of authorization for this connection and assumes full responsibility for the cost of the Entrance Facility.

## (A) Feature Group A

Orders for Feature Group A Switched Access Service shall be in lines.

When placing an order for Feature Group A Switched Access Service, the customer shall provide the following information in addition to as set forth in 5.1 proceeding.

- The number of lines and the first point of switching (i.e., Dial Tone Office).
- Optional Features
- Whether the Off-hook Supervisory Signaling is provided by the customer's equipment before the called party answers, or is forwarded by the customer's equipment when the called party answers.
- Lines to be provided as single lines.
- Lines to be arranged in multiline hunt group arrangements.
- Directionality (1-way, 2-way, etc.).
- A projected percentage of interstate use (PIU) as set forth in 2.3.11 preceding.
- The Interexchange Carrier to which the service is connected or, in the alternative, specify the means by which the FGA access communications are transported to another state.

Issued: October 20, 1997 Effective: October 21, 1997

## 5. ACCESS ORDERING (Cont'd)

- 5.2 Ordering Requirements (Cont'd)
  - 5.2.1 <u>Switched Access Service</u> (Cont'd)

## (B) Feature Group B

Orders for Feature Group B Switched Access Service shall be in trunks.

When placing an order for Feature Group B Switched Access Service, the customer shall provide the following information in addition to as set forth in 5.1 proceeding.

- The number of trunks.
- The end office when direct routing is desired.
- The access tandem office when tandem routing is desired.
- Optional Features.
- Trunks to be provided as single trunks.
- Trunks to be arranged in trunk group arrangements.
- Directionality (1-way, 2-way, etc.).
- A projected percentage of interstate use (PIU) as set forth in 2.3.11 preceding.
- The Interexchange Carrier to which the service is connected or, in the alternative, specify the means by which the FGB access communications are transported to another state.
- The access code dialing arrangement (i.e., a uniform access code of 950-1XXX or 950-0XXX).
- For Feature Group B Switched Access Service to a Mobile Telephone Switching Office (MTSO) directly interconnected to a telephone company, the customer shall provide information to the Company indicating the NXX code(s) to be accessed.

#### (C) Feature Group D, Interim 900 NXX Translation and SS7 Signaling

When placing an order for Feature Group D Switched Access Service, the customer shall provide:

- The number of trunks desired between a customer designated premises and an entry switch.
- The number of trunks required for SS7 Signaling capability.
- Optional Features
- Interim 900 NXX Translation options.
- A projected percentage of interstate use (PIC) as set forth in 2.3.11 preceding.
- For Feature Group D Switched Access Service to a Mobile Telephone Switching Office (MSTO) directly interconnected to a telephone company access tandem office, the customer shall provide information to the Company indicating the NXX code(s) to be accessed.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 74 Replaces Original Page 74

## **ACCESS SERVICE**

- 5. ACCESS ORDERING (Cont'd)
  - 5.2 Ordering Requirements (Cont'd)
    - 5.2.1 <u>Switched Access Service</u> (Cont'd)
    - (C) Feature Group D, Interim 900 NXX Translation and SS7 Signaling (Cont'd)

Customers will order FGD by specifying the number of trunks desired between customer designated premises and an end office or access tandem. When ordering by trunk quantities, the customer must also provide the Company an estimate of the amount of traffic it will generate to and/or from each end office subtending the access tandem to assist the Company in its own efforts to project further facility requirements.

When Feature Group D is ordered with the Interim 900 NXX Translation optional feature, the customer shall specify the Service Access Code(s) and the associated NXX code to be translated. The initial and subsequent orders to add, change or delete Interim 900 NXX Translation codes shall be placed separately or in combination with orders to change Feature Group D Switched Access trunks. Customer assigned NXX codes which have not been ordered will be blocked.

Orders for the Interim 900 NXX Translation optional feature shall not be required until such time as a customer other than MTS/WATS provider requests Interim NXX Translation of Service Access Codes. Upon receipt of such order, the Company shall notify the MTS/WATS provider of the activation of the Interim NXX Translation Service for the Service Area Code. Following such initial activation, all customers are required to place orders for Interim NXX Translation of the Service Access Code and the Interim NXX Translation charge for the Service Access Code shall apply as set forth in Rate Sections, beginning in Section 16, following.

## (D) Directory Assistance

When placing an order for Directory Assistance service, the customer shall provide the following information:

- The number of trunks from the customer designated premises to the Directory Assistance location.
- If Switched Access is required on the terminating end of the DA call, as set forth in Section 9 following, the Feature Group B or D Switched Access Service Trunk Group to be associated with the DA service.
- Directory Transport options.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

#### ACCESS ORDERING (Cont'd)

- 5.2 Ordering Requirements (Cont'd)
  - 5.2.1 <u>Switched Access Service</u> (Cont'd)

## (E) SS7 Optional Feature

When Feature Group D is ordered with the SS7 optional feature, in addition to information listed in 5.2.1(C) preceding, the customer shall specify a reference to existing signaling connections or reference related to SS7 signaling connection order. When ordering SS7 signaling, the customer shall provide the Signaling Transfer Point codes, location identifier codes and circuit identifier codes. In addition, the customer shall work cooperatively with the Company to determine the number of SS7 signaling connections required to handle its signaling traffic.

For 800 Data Base Access Service, as described in 6.1.3(A) and (C)(2) following, the customer must order FGD to those access tandems or end offices designated as Service Switching Point (SSP) for 800 Data Base Service in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC. TARIFF FCC NO. 4, WIRE CENTER INFORMATION. Direct trunk routes can only be provided from end offices equipped to query centralized data bases. All traffic originating from end offices not equipped to provide SS7 signaling and routing require routing via an access tandem where SSP functionality is available.

## 5.2.2 Special Access Service

When placing an order for Special Access Service, the customer must specify:

- the customer designated premises or hubs involved.
- type of service (e.g., Voice Grade, High Capacity, etc.).
- the channel interface(s).
- technical specification package
- option desired.
- for multipoint services, the channel interface at each customer designated premises may, at the request of the customer, be different but all such interfaces shall be compatible.
- that the traffic consists of more than ten percent interstate traffic.

All part-time Video and Program Audio services are subject to a service inquiry. A service inquiry is a request to the Company to determine if facilities exist to provide the service ordered and to determine the service date on which service can be provided to the customer.

Issued: October 20, 1997 Effective: October 21, 1997

#### ACCESS ORDERING (Cont'd)

5.2 Ordering Requirements (Cont'd)

5.2.2 <u>Special Access Service</u> (Cont'd)

When the Special Access Service is exempt from the Special Access Surcharge, as set forth in 7.3 following, the customer shall furnish written certification to that effect as set forth in 7.3.3 following.

When ordering bridging and/or multiplexing, the customer must specify the Company hub(s) from which they desire service. The customer must specify only those hubs that provide the type of service ordered and interconnect with the wire center(s) from which the customer require service. The Wire Center section of NATIONAL EXCHANGE CARRIER ASSOCIATION, INC. TARIFF FCC NO. 4 identifies hub types (e.g., Digital Data, High Capacity, Multiplexing, etc.) and hub levels.

## 5.2.3 <u>WATS or WATS-Type Services</u>

Special Access Service may be ordered for connection with FGA, FGB or FGD Switched Access Service at Company designated WATS Serving Offices (WSOs) for the provision of WATS or WATS-Type Services and may be ordered separately by a customer other than the customer which orders the FGA, FGB or FGD Switched Access Service. For the Special Access Service, the customer shall specify:

- the customer designated premises at which the Special Access service terminates.
- the type of line (i.e., two-wire or four-wire).
- the type of calling (i.e., originating, terminating or two-way).
- type of Supervisory Signaling.

#### 5.2.4 Mixed Use Facilities - Switched and Special Access

Mixed use is the provision of both Switched and Special Access Services over the same High Capacity facilities. Mixed use facilities to a hub will be ordered and provided as Special Access Service. Where mixed use is employed, individual services utilizing these facilities must be ordered either as Switched Access Service or Special Access Service as further elaborated and set forth in 6.4.7 and 7.2.7 following. When placing the order for the individual service(s), the customer must specify a channel assignment for each service ordered.

Issued: October 20, 1997 Effective: October 21, 1997

 $\mathbf{T}$ 

T

T

Т

T

T

T

2nd Revised Page 77 Replaces 1st Revised Page 77

#### **ACCESS SERVICE**

- 5. ACCESS ORDERING (Cont'd)
  - 5.2 Ordering Requirements (Cont'd)

## 5.2.5 Miscellaneous Services

Testing Service, Additional Labor, Telecommunications Service Priority and Special Facilities Routing shall be ordered with an Access Order or may subsequently be added to a pending order at any time up to and including the service date for the access service. When miscellaneous services are added to a pending order, a service date change may be required. When a service date change is required, the Service Date Change Charge as set forth in Rate Sections, beginning in Section 16, following will apply. When miscellaneous services are added to a pending order, charges for a design change as set forth in Rate Sections, beginning in Section 16, following will apply when an engineering review is required. If both a service date change and an engineering review are required, both the Service Date Change Charge and the Design Change Charge will apply as set forth in Rate Sections, beginning in Section 16, following.

The rates and charges for these services, as set forth in Rate Sections, beginning in Section 16, of this tariff will apply in addition to the ordering charges set forth in Rate Sections, beginning in Section 16, and the rates and charges for the Access Service with which they are associated.

Additional Engineering is not an ordering option but will be applied to an Access Order when the Company determines that Additional Engineering is necessary to accommodate a customer request. Additional Engineering will only be required as set forth in 13.1 following. When it is required, the customer will be so notified and will be furnished with a written statement setting forth the justification for the Additional Engineering as well as an estimate of the charges.

If the customer agrees to the Additional Engineering, a firm order will be established. If the customer does not want the service or facilities after being notified that Additional Engineering of Company facilities is required, the order will be withdrawn and no charges will apply. Once a firm order has been established, the total charge to the customer for the Additional Engineering may not exceed the estimated amount by more than 10%.

M – Moved to Original Page 77.1

M | | | | |

Issued: March 30, 2007 Effective: April 1, 2007

## 5. ACCESS ORDERING (Cont'd)

5.3 <u>Access Orders For Services Provided by More than One Telephone Company</u>
Access Services provided by more than one telephone company are services where one end of the Channel Mileage element is in the operating territory of one telephone company and the other end of the element is in the operating territory of a different telephone company.

M |

The ordering procedure for this service is dependent upon the billing arrangement, s set forth in 2.4.7 preceding, to be used by the telephone companies involved in providing the Access Service.

M

M – Moved from Original Page 77.

Issued: March 30, 2007 Effective: April 1, 2007

#### 5. ACCESS ORDERING (Cont'd)

5.3 Access Orders For Services Provided by More than One Telephone Company (Cont'd)

## 5.3.1 <u>Meet Point Billing Ordering</u>

Each telephone company will provide its portion of the Access Service within its operating territory to an interconnection point(s) with the other telephone company(s). Billing Percentages will be determined by the telephone companies involved in providing the Access Service. Each telephone company will bill the customer for its portion of the service as set forth in 2.4.7 preceding. All other appropriate charges in each telephone company tariff are applicable.

## 5.4 Charges Associated with Access Ordering

#### 5.4.1 Access Order Charge

The Access Order Charge is applied to all customer requests for new Special and Switched Access Service and Directory Assistance Service. In addition, the Access Order Charge is applicable to customer request for additions, changes or rearrangements to existing Special and Switched Access Service and Directory Assistance Service with the following exceptions.

The Access Order Charge does not apply:

- When a Service Date Change Charge is applicable.
- When a Design Change Charge is applicable.
- To administrative changes as set forth in 6.4.1(B)(3) and 7.2.2(C)(3) following.
- When a change to a pending order does not result in the cancellation of the pending order and the issuance of a new order.
- When the Interim NXX Translation charge is applicable.
- When a Miscellaneous Service Order Charge is applicable.
- When a Presubscription Charge is applicable.
- When a Company initiated network reconfiguration requires a customer's existing access service to be reconfigured.
- When a service with an ICB rate is converted to a similar service with a non-ICB tariff rate prior to the expiration of the ICB.
- When a pay per call toll denial service or a pay per call toll restore is requested.
- When a customer requests a change of trunks from tandem-switched transport to direct-trunked transport or from direct-trunked transport to tandem-switched transport, or requests to rearrange Switched Access Service between lower capacity and higher capacity facilities (e.g., Voice Grade to/from DS-1 or DS1 to/from DS-3), providing:

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 79 Replaces Original Page 79

## **ACCESS SERVICE**

## 5. <u>ACCESS ORDERING</u> (Cont'd)

- 5.4 Charges Associated with Access Ordering (Cont'd)
  - 5.4.1 <u>Access Order Charge</u> (Cont'd)
  - the orders to disconnect existing trunks and to connect the new trunks are placed at the same time, and
  - the number of installed trunks does not exceed the number of trunks disconnected, the Access Order Charge will apply unless the customer provides justification based upon standard engineering methods to show that the additional capacity is required to maintain the same level of service.

The Access Order Charge will be applied on a per order basis to each order received by the Company or copy of an order received by the Company pursuant to 5.3.1 preceding, except by the Company applying the Interim NXX Translation charge, and is an addition to other applicable charges as set forth in this and other sections of this tariff.

The Access Order Charge will be applied on a per order basis for any change, rearrangement or addition to the delivery of signaling to an existing STP port.

## 5.4.2 <u>Miscellaneous Service Order Charge</u>

A Miscellaneous Service Order Charge, as set forth in Rate Sections, beginning in Section 16, following, applies to any service, or combination of services ordered simultaneously from Section 13 of the Tariff for which a service order is not already pending (with the exception of Presubscription, 13.4, and Pay-Per-Call Toll Denial Service, 13.7.2, which do not have the charge applied). The Miscellaneous Service Order Charge is an administrative charge designed to compensate for the expenses associated with service order issuance. The charge always applies to the following services since a pending service order would not exist:

- Overtime Repair (13.2.2)
- Standby Repair (13.2.3)
- Testing and Maintenance with Other telephone companies other than when in conjunction with Acceptance Testing (13.2.4)
- Other labor (13.2.5)
- Maintenance of Service (13.3.2)

The Miscellaneous Service Order Charge will also apply to the following services if they are ordered subsequent to the initial installation of the associated access service, thereby necessitating the issuance of another service order:

- Telecommunications Service Priority (13.3.3)

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 T T

1st Revised Page 80 Replaces Original Page 80

## **ACCESS SERVICE**

## 5. <u>ACCESS ORDERING</u> (Cont'd)

- 5.4 Charges Associated with Access Ordering (Cont'd)
  - 5.4.2 Miscellaneous Service Order Charge (Cont'd)

The charge does not apply to the following services since there would exist a pending service order:

- Additional Engineering (13.1)
- Overtime Installation (13.2.1)
- Standby Acceptance Testing (13.2.3)
- Testing and Maintenance with other telephone companies when in conjunction with Acceptance Testing (13.2.4)
- Additional Cooperative Acceptance Testing [133.1(A)(1) and 13.3.1(B)(1)].

#### 5.4.3 Access Order Change Charges

Access Order changes involve service date changes and design changes. The customer may request a change of its Access Order prior to the service date. The Company will make every effort to accommodate a requested change when it is able to do so with the normal work force assigned to complete such an order within normal business hours. If the change cannot be made with the normal work force during normal business hours, the Company will notify the customer. If the customer still desires the Access Order change, the Company will schedule a new service date as set forth in 5.1.2 preceding. All charges for Access Order change as set forth in Rate Sections, beginning in Section 16, will apply on a per occurrence basis.

Any increase in the number of Special Access Service channels or Switched Access Service lines, trunks, or CCS/SS7 Port Terminations will be treated as a new Access Order (for the increased amount only).

If order changes are necessary to satisfy the transmission performance for a Special Access Service ordered by a customer, these changes will be made without order change charges being incurred by the customer.

#### (A) Service Date Change

The customer may request a change of service date on a pending Access Order prior to the service date. A change of service date is a change of the scheduled service date by the customer to either an earlier date or a late date which does not exceed 30 calendar days from the original service date.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 81 Replaces Original Page 81

#### **ACCESS SERVICE**

- 5. ACCESS ORDERING (Cont'd)
  - 5.4 Charges Associated with Access Ordering (Cont'd)
    - 5.4.3 <u>Access Order Change Charges</u> (Cont'd)
      - (A) Service Date Change (Cont'd)

If the Company determines that the customer's request can be accommodated without delaying the service dates for orders of other customers, the service date will be changed and the Service Date Change Charge, as set forth in Rate Sections, beginning in Section 16, following, will be applied to the order.

T T

If the service date is changed to an earlier date, and the Company determines additional labor or extraordinary costs are necessary to meet the earlier service date requested by the customer, the customer will be notified by the Company that Expedited Order Charges as set forth in 5.1.2 preceding apply. Such charges will apply in addition to the Service Date Charge Charge.

If the requested service date exceeds 30 calendar days following the original service date, and the Company determines that the customer's request can be accommodated, the Company will cancel the original order and apply the Cancellation Charges as set forth in 5.5.3 following. A new Access Order with a new service date will be issued. The Service Date Charge Charge will not apply; however, the Access Order Charge will apply to the new order.

If the service date is changed due to a design change as set forth in (B) following, the Service Date Change Charge will apply.

## (B) Design Change

The customer may request a design change to the service ordered prior to the requested service date. A design change is any change to an Access Order which requires engineering review. An engineering review is a review by Company personnel, of the service ordered and the requested changes to determine what changes in the design, if any, are necessary to meet the changes requested by the customer. Design changes include such things as the addition or deletion of optional features or functions or a change in the type of Transport Termination (Switched Access only), type of channel interface, type of Interface Group or technical specification package. Design changes do not include a change of customer designated premises, first point of switching, Feature Group type or Special Access Service channel type. Changes of this nature will require the issuance of a new order and the cancellation of the original order with appropriate cancellation charges applied.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 82 Replaces Original Page 82

#### **ACCESS SERVICE**

#### 5. ACCESS ORDERING (Cont'd)

- 5.4 <u>Charges Associated with Access Ordering</u> (Cont'd)
  - 5.4.3 <u>Access Order Change Charges</u> (Cont'd)
  - (B) <u>Design Change</u> (Cont'd)

The Company will review the requested change, notify the customer whether the change is a design change, if the change can be accommodated and if a new service date is required. If the customer authorizes the Company to proceed with the design change, a Design Change Charge as set forth in Rate Sections, beginning in Section 16, following will apply in addition to the charge for Additional Engineering as set forth in Rate Sections, beginning in Section 16, following. If a change of service date is required, the Service Date Change Charge as set forth in Rate Sections, beginning in Section 16, following will also apply. The Access Order Charge as specified in the Rate Sections, beginning in Section 16, following does not apply.

## 5.5 Minimum Periods and Cancellations

## 5.5.1 <u>Minimum Periods</u>

The minimum period for part-time Video and Program Audio Special Access Services is one day even though the service will be provided only for the duration of the event specified on the order (e.g., one-half hour, two hours, five hours, etc.). The minimum period for Switched Access High Capacity DS3 Entrance Facilities and Direct Trunked Transport is as set forth in 6.1.3 following. The minimum period for High Capacity DS1 and DS3 Special Access Services is as set forth in 7.2.4 following.

The minimum period for which Directory Assistance Service and the Directory Access Service is provided and for which charges apply is six months. A minimum period of six months applies for each additional period of service ordered or extended.

Switched Access usage rated services (i.e., End Office, Common Line, Tandem Switched Transport, and Residual Interconnection Charge) have no minimum period. The minimum period for which all other Access Service is provided and for which charges are applicable is one month.

#### 5.5.2 Development of Minimum Period Charges

When Access Service is disconnected after commencement of service but prior to the expiration of the minimum period, charges are applicable for the balance of the minimum period. A disconnect constitutes facilities being returned to available inventory.

The Minimum Period Charge for monthly billed services will be determined as follows:

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 T

T

- 5. ACCESS ORDERING (Cont'd)
  - 5.4 Charges Associated with Access Ordering (Cont'd)
    - 5.5.2 <u>Development of Minimum Period Charges</u> (Cont'd)
      - (A) For Switched Access Service, the charge for a month or fraction thereof is equal to the applicable recurring charges plus any nonrecurring and/or special construction charge(s) that may be due.
      - (B) For Special Access Service and flat rated Switched Access Service, the charge for a month or fraction thereof is the applicable monthly rates for the appropriate channel type plus any optional features, nonrecurring and/or special construction charge(s) that may apply.

The Minimum Period Charge for part-time Video and Program Audio Services is the applicable daily rate for the appropriate channel type as set forth in 7.2.4 following.

The Minimum Period Charge for Directory Access Service is developed as set forth in 9.4.4 following.

## 5.5.3 Cancellation of an Access Order

- (A) A customer may cancel an Access Order for the installation of service on any date prior to the service date. The cancellation date is the date the Company receives written or verbal notice from the customer that the order is to be cancelled. The verbal notice must be followed by written confirmation within 10 days. If a customer or a customer's end user is unable to accept Access Service within 30 calendar days after the original service date, the customer has the choice of the following options:
- The Access Order shall be cancelled and charges set forth in (B) following will apply, or
- Billing for the service will commence.

In such instances, the cancellation date or the billing date, depending on which options is selected by the customer, shall be the 31st day beyond the original service date of the Access Order.

- (B) When a customer cancels an Access Order for the installation of service, a Cancellation Charge will apply as follows:
  - (1) Installation of Switched or Special Access Service facilities is considered to have started when the Company incurs any cost in connection therewith or in preparation thereof which would not otherwise have been incurred.

Issued: October 20, 1997 Effective: October 21, 1997

- 5. ACCESS ORDERING (Cont'd)
  - 5.4 Charges Associated with Access Ordering (Cont'd)
    - 5.5.3 <u>Cancellation of an Access Order</u> (Cont'd)
      - (B) (Cont'd)
        - (2) Where the customer cancels an Access Order prior to the start of installation of access facilities, no charges shall apply.
        - (3) Where installation of access facilities has been started prior to the cancellation, the charges specified in (a) or (b) following, whichever is lower, shall apply.
          - (a) A charge equal to the costs incurred in such installation, less estimated net salvage. Such costs include the nonrecoverable cost of equipment and material ordered, provided or used, plus the nonrecoverable cost of installation and removal including the costs of engineering, labor, supervision, transportation, rights-of-way and other associated costs;
          - (b) The minimum period charges for Switched or Special Access Service ordered by the customer, as set forth in 5.5.2 preceding.
      - (C) When a customer cancels an order for the discontinuance of service, no charges apply for the cancellation.
      - (D) If the Company misses a service date by more than 30 days and such delay is not requested or caused by the customer (excluding those circumstances where the date is missed due to acts of God, governmental requirements, work stoppages and civil commotions), the customer may cancel the Access Order without incurring cancellation charges.

#### 5.5.4 Partial Cancellation Charge

Any decrease in the number of ordered Special Access Service channels or Switched Access Service lines, trunks or CCS/SS7 Port Terminations will be treated as a partial cancellation, and charges will be determined as set forth in 5.5.3(B) preceding.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 85 Replaces Original Page 85

#### **ACCESS SERVICE**

#### 6. Switched Access Service

#### 6.1 General

Switched Access Service, which is available to customers for their use in furnishing their services to end users, provides a two-point communications path between a customer designated premises and an end user's premises. It provides for the use of common terminating, switching, and trunking facilities and for the use of common subscriber plant of the Company. Switched Access Service provides for the ability to originate calls from an end user's premises to a customer designated premises, and to terminate calls from a customer designated premises to an end user's premises. Specific references to material describing the elements of Switched Access are provided in 6.1.3 and 6.5 through 6.8 following.

Rates and charges for Switched Access Service depend generally on the specific Feature Group ordered by the customer, e.g., for MTS or WATS services or MTS/WATS equivalent services. Rates and charges for Switched Access Service are set forth in the Rate Sections, beginning in Section 16, following. The application of rates for Switched Access Service is described in 6.4 following. Rates and charges for services other than Switched Access Service, e.g., a customer's toll message service, may also be applicable when Switched Access Service is used in conjunction with these other services. Descriptions of such applicability are provided in 6.4.5, 6.4.9, 6.5.1(H), 6.5.3, 6.6.1(G), 6.6.2(D), and 6.7.1(E) following. Finally, a credit is applied against line side Switched Access Service charges as described in 6.4.8 following.

## 6.1.1 <u>Description and Provision of Switched Access Service Arrangements</u>

## (A) Description

Switched Access Service is provided in three different Feature Group arrangements which are service categories of standard and optional features. These are differentiated by their technical characteristics, e.g., line side vs. trunk side connection at the Company first point of switching. They are also differentiated by optional feature availability and the manner in which the end user accesses them in originating calling, e.g., with or without access codes of various lengths and digits.

The provision of each Feature Group requires Local Transport facilities, including an Entrance Facility where required, and the appropriate End Office functions. In addition, Special Access Service may, at the option of the customer, be connected with Feature Groups A, B or D at Company designated WATS Serving Offices.

There are two specific transmission specifications (i.e., Types B and C) that have been identified for the provision of Feature Groups. The technical specifications for the Entrance Facility and Direct Trunked Transport are the same as those set forth in Section 7 following for Voice Grade and High Capacity services. The specifications provided are dependent on the Interface Group and the routing of the service, i.e.,

Issued: March 30, 2007 Effective: April 1, 2007

T

Т

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.1 <u>Description and Provision of Switched Access Service Arrangements</u> (Cont'd)
      - (A) <u>Description</u> (Cont'd)

whether the service is routed directly to the end office or via an access tandem. The parameters for transmission specifications are set forth in 14.1.2 following.

Feature Groups are arranged for either originating, terminating or two-way calling, based on the customer end office switching capacity ordered. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the customer designated premises. Terminating calling permits the delivery of calls from the customer designated premises to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously. The Company will determine the type of calling to be provided unless the customer requests that a different type of directional calling is to be provided. In such cases, the Company will work cooperatively with the customer to determine the directionality.

There are various optional features associated with Local Transport, Common Switching and Transport Termination available with the Feature Groups. In addition, the Interim 900 NXX Translation optional feature is available with Feature Group D.

Detailed descriptions of each of the available Feature Groups are set forth in 6.5 through 6.7 following. Each Feature Group is described in terms of its specific physical characteristics and calling capabilities, the optional features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination optional features, which are described in 6.8.1 following, unless specifically stated otherwise, are available at all Company end office switches.

#### (B) Manner of Provision

Switched Access is furnished in quantities of lines or trunks. FGA Access and FGB Access are furnished on a per-line or per trunk basis, respectively. FGD is provided to customers on a per trunk basis as set forth in 5.2 preceding.

#### 6.1.2 Ordering Options and Conditions

Switched Access Service is ordered under the Access Order provisions set forth in 5.2 preceding. Also included in that section are regulations concerning miscellaneous service order charges which may be associated with Switched Access ordering (e.g., Service Date Changes, Cancellations, etc.).

Issued: October 20, 1997 Effective: October 21, 1997

#### 6. <u>Switched Access Service</u> (Cont'd)


## 6.1 General (Cont'd)

#### 6.1.3 <u>Rate Categories</u>

There are four rate categories which apply to Switched Access Service:

- Local Transport (described in 6.1.3(A) following)
- End Office (described in 6.1.3(B) following)
- Chargeable Optional Features (described in 6.1.3(C) following)
- Common Line (described in Section 3 preceding)

The following Diagram depicts a generic view of the components of Switched Access Service and the manner in which the components are combined to provide a complete Access Service.



## (A) Local Transport

The Local Transport rate category establishes the charges related to the transmission and tandem switching facilities between the customer designated premises and the end office switch(es), which may be a Remote Switching Module, where the customer's

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 88 Replaces Original Page 88

#### **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 <u>Rate Categories</u> (Cont'd)
      - (A) Local Transport (Cont'd)

traffic is switched to originate or terminate the customer's communications. Mileage measurement rules are set forth in 6.4.6 following and in this section.

Local Transport is a two-way voice frequency transmission path composed of facilities determined by the Company. The two-way voice frequency transmission path permits the transport of calls in the originating direction (from the end user end office switch to the customer designated premises) and in the terminating direction (from the customer designated premises to the end office switch), but not simultaneously. The voice frequency transmission path may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz. The customer must specify the choice of facilities (i.e., Voice Grade 2 or 4 wire or High Capacity DS1 or DS3) to be used in the provision of the Direct Trunked Transport or Entrance Facility.

The customer must specify when ordering (1) whether the service is to be directly routed to an end office switch or through an access tandem switch, (2) the type of Direct Trunked Transport and whether it will overflow to Tandem Switched Transport when service is directly routed to an end office, (3) the type of Entrance Facility, (4) the directionality of the service, and (5) when multiplexing is required, the hub(s) at which the multiplexing will be provided.

Additionally, when service is to be routed through an access tandem switch, the customer must specify whether the facility between the serving wire center and the tandem is to be provided as Direct Trunked Transport or Tandem Switched Transport.

When the customer has both Tandem Switched Transport and Direct Trunked Transport at the same end office, the customer will be provided Alternate Traffic routing as set forth in 6.4.6 following.

Local Transport is provided at the rates and charges set forth in the Rate Sections, beginning in Section 16, following. The application of these rates with respect to individual Feature Groups is as set forth in 6.4.1(C) following. When more than one telephone company is involved in providing the Switched Access Service, the Local Transport rates are applied as set forth in 2.4.7 preceding.

The Local Transport Rate Category includes five classes of rate elements: (1) Entrance Facility, (2) Direct Trunked Transport, (3) Tandem Switched Transport, (4) Residual Interconnection Charge, and (5) Multiplexing.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 T T

1st Revised Page 89 Replaces Original Page 89

#### **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 Rate Categories (Cont'd)
      - (A) Local Transport (Cont'd)

#### (1) Entrance Facility

The Entrance Facility recovers a portion of the costs associated with the communications path between a customer designated premises and the serving wire center of that premises. Included as part of the Entrance Facility is a standard channel interface arrangement which defines the technical characteristics associated with the type of facilities to which the access service is to be connected at the customer designated premises and type of signaling capability, if any.

Three types of Entrance Facilities are available: (1) Voice Grade 2 or 4 wire (an analog channel with an approximate bandwidth of 300 to 3000 Hz), (2) High Capacity DS1 (an isochronous serial digital channel with a rate of 1.544 Mbps) and (3) High Capacity DS3 (an isochronous serial digital channel with a rate of 44.736 Mbps). The minimum period for which a DS3 Entrance Facility is provided is twelve months.

One charge applies for each Entrance Facility that is terminated at a customer designated premises.

(D) (D)

At customer request, their Local Transport may be connected to the Entrance Facility of another customer, providing the other customer submits a letter of authorization for this connection and assumes full responsibility for the cost of the Entrance Facility.

#### (2) Direct Trunked Transport

The Direct Trunked Transport rate elements recover a portion of the cost associated with a communications path between a serving wire center and an end office or serving wire center and a tandem on circuits dedicated to the use of a single customer. Direct Trunked Transport is available at all Company end offices.

Three types of Direct Trunked Transport are available: (1) Voice Grade 2 or 4 wire (an analog channel with an approximate bandwidth of 300 to 3000 Hz), (2) High Capacity DS1 (an isochronous serial digital channel with a rate of 1.544 Mbps) and (3) High Capacity DS3 (an isochronous serial digital channel with a rate of 44.736 Mbps). The minimum period for which a High Capacity DS3 Direct Trunked Transport is provided is twelve months.

Issued: April 15, 2005 Effective: April 16, 2005

1st Revised Page 90 Replaces Original Page 90

T

#### **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 <u>Rate Categories</u> (Cont'd)
      - (A) Local Transport (Cont'd)
        - (2) <u>Direct Trunked Transport</u> (Cont'd)

Direct Trunked Transport rates consists of a Direct Trunked Facility rate which is applied on a per mile basis and a Direct Trunked Termination rate which is applied at each end of each measured segment of the Direct Trunked Facility (i.e., at the end office, hub, tandem and serving wire center). When the Direct Trunked Facility mileage is zero, neither the Direct Trunked Facility rate nor the Direct Trunked Termination rate will apply.

The Direct Trunked Facility rate recovers a portion of the costs of transmission facilities, including intermediate transmission circuit equipment, between the end points of the interoffice circuits.

The Direct Trunked Termination rate recovers a portion of the costs of the circuit equipment that is necessary for the termination of each end of the Direct Trunked Facility.

#### (3) <u>Tandem Switched Transport</u>

The Tandem Switched Transport rate elements recover a portion of the costs associated with a communications path between a serving wire center and an end office or between a tandem and an end office on circuits that are switched at a tandem switch.

Tandem Switched Transport rate consists of a Tandem Switching rate, a Tandem Switched Facility rate, and a Tandem Switched Termination rate.

The Tandem Switching rate recovers a portion of the costs of switching traffic through an access tandem. The Tandem Switching rate specified in the Rate Sections, Tobeginning in Section 16, following is applied on a per access minutes per tandem basis for all originating and all terminating minutes of use switched at the tandem.

The Tandem Switched Facility rate recovers a portion of the costs of transmission facilities, including intermediate transmission circuit equipment, between the end points of interoffice circuits. The Tandem Switched Facility rate specified in the Rate Sections, beginning in Section 16, following is applied on a per access minutes per mile basis for all originating and terminating minutes of use routed over the facility.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 91 Replaces Original Page 91

#### **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 <u>Rate Categories</u> (Cont'd)
      - (A) Local Transport (Cont'd)
        - (3) <u>Tandem Switched Transport</u> (Cont'd)

The Tandem Switched Termination rate recovers a portion of the costs of circuit equipment necessary for the termination of each end of the Tandem Switched Facility. The Tandem Switched Termination rate specified in the Rate Sections, beginning in T Section 16, following is applied on a per access minutes basis (for all originating and terminating minutes of use routed over the facility) at each end of Tandem Switched Facility (e.g., at the end office, host office, remote, tandem, and serving wire center). When the Tandem Switched Facility mileage is zero, neither the Tandem Switched Facility rate nor the Tandem Switched Termination rate will apply.

## (4) Residual Interconnection Charges

The Residual Interconnection Charge recovers the costs associated with Local Transport that are not recovered by the Entrance Facility, Direct Trunked Transport, Tandem Switched Transport, Multiplexing, or dedicated signaling (i.e., SS7) rates. The Residual Interconnection Charge applies to all access minutes of use (i.e., both Tandem Switched and Direct Trunked).

## (5) <u>Multiplexing</u>

DS3 to DS1 Multiplexing charges apply when a High Capacity DS3 Entrance Facility or High Capacity DS3 Direct Trunked Facility is connected with High Capacity DS1 Direct Trunked Transport. The DS3 to DS1 multiplexer will convert a 44.736 Mbps channel to 28 DS1 channels using digital time division multiplexing.

DS1 to Voice Grade Multiplexing charges apply when a High Capacity DS1 Entrance Facility or High Capacity DS1 Direct Trunked Facility is connected with Voice Grade Direct Trunked Transport. However, a DS1 to Voice Grade Multiplexing charge does not apply when a High Capacity DS1 Entrance Facility or High Capacity DS1 Direct Trunked Transport is terminated at an electronic end office and only Switched Access Service is provided over the DS1 facility (i.e., Voice Grade Special Access channels are not derived). The DS1 to Voice Grade multiplexer will convert a 1.544 Mbps channel to 24 Voice Grade channels.

Multiplexing is only available at wire centers identified in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC. TARIFF FCC NO. 4, WIRE CENTER INFORMATION.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 92 Replaces Original Page 92

T

T

#### **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 <u>Rate Categories</u> (Cont'd)
      - (A) Local Transport (Cont'd)

#### (6) <u>Interface Groups</u>

Ten Interface Groups are provided for terminating the Entrance Facility at the customer's designated premises. Technical specifications concerning the available interface groups are set forth in 14.1 following.

#### (7) Nonchargeable Optional Features

Where transmission facilities permit, the individual transmission path between the customer's designated premises and the first point of switching may, at the option of the customer, be provided with the following optional features as set forth and described in 14.1.1(E) following.

- Supervisory Signaling
- Customer Specified Entry Switch Receive Level
- Customer Specification of Local Transport Termination

When a customer subscribes to Common Channel Signaling (SS7) Network Connection Service (CCSNC Service), the following optional features are made available and are described in 6.8.1 following.

- Signaling System 7 (SS7) Signaling
- Calling Party Number
- Carrier Selection Parameter
- Charge Number Parameter

# (8) Common Channel Signaling, Signaling System 7 (CBS/SS7) Network Connection (CCSNC)

Service provides a signaling path between a customer's designated Signaling Point of Interface (SPOI) and a Company's Signaling Transfer Point (STP). CCSNC is provided as set forth in 6.8.3 following.

800 Data Base Access Service is provided to all customers in conjunction with FGD switched access service. A Basic or Vertical Feature Query charge, as set forth in the Rate Sections, beginning in Section 16, following is assessed for each query launched to the 800 data base. The Basic query provides the identification of the customer to whom the call will be delivered and includes area of service routing which allows routing of originating 800 calls by the Company to different interexchange carriers.

Issued: March 30, 2007 Effective: April 1, 2007

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 Rate Categories (Cont'd)
      - (A) <u>Local Transport</u> (Cont'd) (8) <u>Common Channel Signaling, Signaling System 7 (CBS/SS7) Network Connection</u> (CCSNC) (Cont'd)

Query provides this same customer identification function in addition to vertical features which may include: (1) call validation (ensuring that calls originate from subscribed service areas); (2) POTS translation of 800 numbers (which is generally necessary for the routing of 800 calls); (3) alternate POTS translation (which allows subscribers to vary the routing of 800 calls based on factors such as time of day, place of origination of the call, etc.); and (4) multiple carrier routing (which allows subscribers to route to different carriers based on factors similar to those in (3)).

#### (B) End Office

The End Office rate category establishes the charges related to the local end office switching and end user termination functions necessary to complete the transmission of Switched Access communications to and from the end users served by the local end office. The End Office rate category includes the Local Switching and Information Surcharge rate elements. Directory Assistance Service is set forth in Section 9 following.

## (1)Local Switching

The Local Switching rate element establishes the charges related to the use of end office switching equipment, the terminations in the end office of end user lines, and the termination of calls at Company Intercept Operators or recordings.

Local Switching is applicable to:

- Feature Group D
- Feature Group B when utilized to provide MTS/WATS service
- Feature Groups A and B used for terminating inward WATS and WATS-type service at an equal access WATS Serving Office

Where end offices are appropriately equipped, international dialing may be provided as a capability associated with Local Switching which provides local dial switching for Feature Group D. International dialing provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard FGD equipped end office.

Issued: October 20, 1997 Effective: October 21, 1997

#### GCI COMMUNICATION CORP.

#### TARIFF F.C.C. NO. 3

1st Revised Page 94 Replaces Original Page 94

#### **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 <u>Rate Categories</u> (Cont'd)
      - (B) End Office (Cont'd)

(1)Local Switching (Cont'd)

Rates for Local Switching are set forth in the Rate Sections, beginning in Section T 16, following. The application of this rate with respect to individual Feature Groups is T as set forth in 6.4.1(C) following.

There are four types of functions included in the Local Switching rate element: Common Switching, Transport Termination, Line Termination and Intercept. These are described in (a) through (d) following.

#### (a) Common Switching

Common Switching provides the local end office switching functions associated with the various access (i.e., Feature Group) switching arrangements. The Common Switching arrangements provided for the various Feature Group arrangements are described in 6.5 through 6.7 following.

Included as part of Common Switching are various nonchargeable optional features which the customer can order to meet the customer's specific communications requirements. These optional features are described in 6.8.1 following.

## (b) <u>Transport Termination</u>

Transport Termination functions provide for the line or trunk side arrangements which terminate the Local Transport facilities. Included as part of these functions are various nonchargeable optional termination arrangements. These optional terminating arrangements are described in 6.8.1 following.

The number of Transport Terminations provided will be determined by the Company as set forth in 6.2.5 following.

## (c) <u>Line Termination</u>

Line Termination provides for the terminations of end user lines in the local end office. There are two types of Line Terminations, i.e., Common Line Terminations and Special Access Service Terminations utilized in the provision of WATS or WATS-type services at Company designated WATS Serving Offices.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 95 Replaces Original Page 95

#### **ACCESS SERVICE**

- Switched Access Service (Cont'd)
  - General (Cont'd)
    - 6.1.3 Rate Categories (Cont'd)
      - (B) End Office (Cont'd)
        - (1)Local Switching (Cont'd)
          - Line Termination (Cont'd)

The preceding Special Access Service Terminations are differentiated by line side vs. trunk side terminations. In addition, there are various types of originating and terminating line side terminations depending on the type of signaling associated with the Special Access Service. Line side terminations are available with either dial pulse or dual tone multifrequency address signaling.

#### (d) **Intercept**

The Intercept function provides for the termination of a call at a Company Intercept operator or recording. The operator or recording tells a caller why a call, as dialed, could not be completed, and if possible, provides the correct number.

#### (2)Information Surcharge

Information Surcharge rates are assessed to a customer based on the total number of access minutes. Information Surcharge rates are as set forth in the Rate Sections, beginning in Section 16, following. The application of these rates with respect to individual Feature Groups is as set forth in 6.4.1(C) following.

T

T

The Information Surcharge does not apply to Feature Groups B and D Switched Access Services associated with Mobile Telephone Switching Offices (MTSOs) directly interconnected to a Company access tandem office.

The number of end office switching transmission paths will be determined as set forth in 6.2.5 following.

## (C) Chargeable Optional Features

Where facilities permit, the Company will, at the option of the customer, provide the following chargeable optional features.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 96 Replaces Original Page 96

## **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 Rate Categories (Cont'd)
      - (C) Chargeable Optional Features (Cont'd)

#### (1)Interim 900 NXX Translation

The Interim 900 NXX Translation rate element provides for customer identification when calls are directed by end users in the 1+SAC+NXX+XXXX (e.g., 1+900+NXX+XXXX) format. The NXX codes are assigned to specific customers in conformance with the North American Numbering Plan (NANP). NXX code assignment(s) will be made by the Bellcore NANP Coordinator. The Company will use the NXX code to identify the customer to whose point of termination the traffic is to be delivered, (i.e., at appropriately equipped electronic end offices, access tandems or through contracted arrangements with other parties). It is then the responsibility of the customer to do any further translation the customer deems necessary to route the call. Customer assigned NXX codes which have not been ordered will be blocked.

A nonrecurring charge, as set forth in the Rate Sections, beginning in Section 16, following, is associated with this optional feature. This nonrecurring charge is assessed by the Company on a per order, applied in lieu of the Access Order Charge specified in the Rate Sections, beginning in Section 16, following. The nonrecurring charge is assessed only by the Company that provides the final translation function. A Company is said to have provided the final Interim NXX Translation when its translation identifies the customer's traffic, and this traffic is then delivered to the customer's point of termination without any further translation. The description and application of this charge with respect to FGD is as set forth in 6.4.1(B)(2) and 5.4.1(C) following.

#### (2)800 Database

800 Data Base Access Service is provided to all customers in conjunction with FGD switched access service. When a 1+800-NXX-XXXX call is originated by an end user, the Company will utilize the Signaling system 7 (SS7) network to query an 800 data base to identify the customer to whom the call will be delivered and provide vertical features based on the dialed ten digits. The call will then be routed to the identified customer over FGD switched access.

A Basic or Vertical Feature Query charge, as set forth in the Rate Sections, beginning in Section 16, following, is assessed for each query launched to the data base which identifies the customer to whom the call will be delivered.

T T

T

T

T

Issued: March 30, 2007 Effective: April 1, 2007

Original Page 97

## **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.1 General (Cont'd)
    - 6.1.3 <u>Rate Categories</u> (Cont'd)
      - (C) <u>Chargeable Optional Features</u> (Cont'd) (2)<u>800 Database</u> (Cont'd)

The Basic Query provides the identification of the customer to whom the call will be delivered and includes area of service routing which allows routing of originating 800 calls by the Company to different interexchange carriers. The Vertical Feature Query provides the same customer identification as the basic query and vertical features which may include: (1) call validation (ensuring that all originate from subscribed service areas); (2) POTS translation of 800 numbers; (3) alternate POTS translation (which allows subscribers vary the routing of 800 calls based on factors such as time of day, place or origination of the call, etc.); and (4) multiple carrier routing (which allows subscribers to route to different carriers based on factors similar to those in (3)).

The description and application of the charge with respect to Feature Group D is as set forth in 6.4.1(C) following.

#### 6.2 Undertaking of the Company

## 6.2.1 <u>Network Management</u>

The Company will administer its network to insure the provision of acceptable service levels to all telecommunications users of the Company's network services. Generally, service levels are considered acceptable only when both end users and customers are able to establish connections with little or no delay encountered within the Company network. The Company maintains the right to apply protective controls, i.e., those actions, such as call gapping, which selectively cancel the completion of traffic, over any traffic carried over its network, including that associated with a customer's Switched Access Service. Generally, such protective measures would only be taken as a result of occurrences such as failure or overload of Company or customer facilities, natural disasters, mass calling or national security demands. In the event that the protective controls applied by the Company result in the complete loss of service by the customer, the customer will be granted a Credit Allowance for Service Interruption as set forth in 2.4.4(B)(3) preceding.

# 6.2.2 <u>Transmission Specifications</u>

Each Switched Access Service transmission path is provided with standard transmission specifications. There are three different standard specifications (Types A, B and C). The standard for a particular transmission path is dependent on the Feature Group, the Interface Group and whether the service is directly routed or via an access tandem.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.2 <u>Undertaking of the Company</u> (Cont'd)
    - 6.2.2 Transmission Specifications (Cont'd)

The available transmission specifications are as set forth in 14.1.2 following. Data Transmission parameters are also provided with each Switched Access Service transmission path. The Company will, upon notification by the customer that the data parameters set forth in 14.1.3 following are not being met, conduct tests independently or in cooperation with the customer, and take any necessary action to insure that the data parameters are met.

The Company will maintain existing transmission specifications on functioning service configurations installed prior to May 25, 1984, except that service configurations having performance specifications exceeding the standards set forth 14.1.2 following will be maintained at the performance levels specified.

The transmission specifications concerning Switched Access Service are limits which, when exceeded, may require the immediate corrective action of the Company. The transmission specifications are set forth in 14.1.2 following. Acceptance limits are set forth in Technical Reference TR-NWT-000334. This Technical Reference also provides the basis for determining Switched Access Service maintenance limits.

# 6.2.3 Provision of Service Performance Data

Subject to availability, end-to-end service performance data available to the Company through its own service evaluation routines, may also be made available to the customer based on previously arranged intervals and format. These data provide information on overall end-to-end call completion and non-completion performance, e.g., customer equipment blockage, failure results and transmission performance. These data do not include service performance data which are provided under other tariff sections, e.g., testing service results. If data are to be provided in other than paper format, the charges for such exchange will be determined on an individual case basis.

## 6.2.4 Testing

## (A) Acceptance Testing

At no additional charge, the Company will, at the customer's request, cooperatively test at the time of installation, the following parameters: loss, C-notched noise, C-message noise, 3-tone slope, d.c. continuity and operational signaling. When the Local Transport is provided with Interface Groups 2 through 10, and the Transport Termination is two-wire (i.e., there is a four-wire to two-wire conversion in Local Transport), balance parameters (equal level echo path loss) may also be tested.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 99 Replaces Original Page 99

# **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.2 <u>Undertaking of the Company</u> (Cont'd)
    - 6.2.4 <u>Testing</u> (Cont'd)

# (B) Routine Testing

At no additional charge, the Company will, at the customer's request, test after installation on an automatic or manual basis, 1004 Hz loss, C-message noise and Balance (Return loss).

In the case of automatic testing, the customer shall provide remote office test lines and 105 test lines with associated responders or their functional equivalent.

The frequency of these tests will be that which is mutually agreed upon by the customer and the Company, but shall consist of not less than quarterly 1004 Hz Loss and C-message noise tests and an annual Balance test. Trunk test failures requiring customer participating for trouble resolution will be provided to the customer on an as-occurs basis.

Additional tests may be ordered as set forth in 13.3.1 following. Charges for these additional tests are set forth in the Rate Sections, beginning in Section 16, following.

T

## 6.2.5 Determination of Number of Transmission Paths

For Feature Groups A and B, which are ordered on a per line or per trunk basis respectively, and Feature Group D when ordered on a per trunk basis, the customer specifies the type of transport facilities and the number of channels in the order for service.

For Tandem Switched Transport, the Company will determine the number of Switched Access Service transmission paths to be provided for Switched Access Feature Group D. The number of transmission paths provided shall be the number required based on (1) the use of access tandem switches and end office switches, (2) the use of end office switches only, or (3) the use of the tandem switches only.

#### 6.2.6 Trunk Group Measurement Reports

Subject to availability, the Company will make available trunk group data in the form of usage in CBS, peg count and overflow, to the customer based on previously agreed to intervals.

Issued: March 30, 2007 Effective: April 1, 2007

#### 6. <u>Switched Access Service</u> (Cont'd)

# 6.3 Obligations of the Customer

In addition to the obligations of the customer set forth in 2.3 preceding, the customer has certain specific obligations pertaining to the use of Switched Access Service. These obligations are as follows.

# 6.3.1 Report Requirements

#### (A) Jurisdictional Reports

When a customer orders Switched Access Service for both interstate and intrastate use, the customer is responsible for providing reports as set forth in 2.3.11 preceding. Charges will be apportioned in accordance with those reports. The method to be used for determining the interstate charges is set forth in 2.3.12 preceding.

# (B) Code Screening Reports

When a customer orders service class routing, trunk access limitation or call gapping arrangements, it must report the number of trunks and/or the appropriate codes to be instituted in each end office or access tandem switch for each of the arrangements orders.

# 6.3.2 <u>Trunk Group Measurement Reports</u>

With the agreement of the customer, trunk group data in the form of usage in CCS, peg count and overflow for its end of all access trunk groups, where technologically feasible, will be made available to the Company. These data will be used to monitor trunk group utilization and service performance and will be based on previously arranged intervals and format.

#### 6.3.3 Supervisory Signaling

The customer's facilities shall provide the necessary on-hook, off-hook, answer and disconnect supervision.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.3 Obligations of the Customer (Cont'd)

# 6.3.4 Short Duration Mass Calling Requirements

When a customer offers service for which a substantial call volume is expected during a short period of time (e.g., 900 service media stimulated events), the customer must notify the Company at least 48 hours in advance of each peak period. Notification should include the nature, time, duration, and frequency of the event, an estimated call volume, and the telephone number(s) to be used.

On the basis of the information provided, the Company may invoke network management controls (e.g., call gapping and code blocking) to reduce the probability of excessive network congestion. The Company will work cooperatively with the customer to determine the appropriate level of such control.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 102 Replaces Original Page 102

# **ACCESS SERVICE**

#### 6. Switched Access Service

# 6.4 Rate Regulations

This section contains the specific regulations governing the rates and charges that apply for Switched Access Service.

# 6.4.1 <u>Description and Application of Rates and Charges</u>

There are two types of rates and charges that apply to Switched Access Service; recurring (usage and flat rates) and nonrecurring charges. These rates and charges are applied differently to the various rate elements as set forth in (C) following.

## (A) Recurring Rates

- (1) Usage Rates for Switched Access Service are rates that apply on a per access minute or a per call basis. Access minute charges per call charges are accumulated over a monthly period.
- (2) Flat Rates for Switched Access Service are rates that apply on a per month rate element basis.

# (B) Nonrecurring Rates

Nonrecurring charges are one-time charges that apply for a specific work activity (i.e., installation or change to an existing service). The types of nonrecurring charges that apply for Switched Access Service are: installation of service, Interim 900 NXX Translation optional feature and service rearrangements. These charges, with the exception of the Interim 900 NXX Translation optional feature, are in addition to the Access Order Charge as specified in the Rate Sections, beginning in Section 16, following.

(1) <u>Installation of Service</u>

A Local Transport nonrecurring installation charge, as set forth in the Rate Sections, beginning in Section 16, following, will be applied at the serving wire center for each Entrance Facility installed. Additionally a nonrecurring trunk activation charge as set forth in the Rate Sections, beginning in Section 16, following will be applied at each end office when ordered to the end office on a per order per end office basis or at the tandem when ordered to the tandem for each group of 24 Direct Trunked Transport trunks or fraction thereof that is activated (i.e., designated by the customer to carry switched access). A maximum of 24 trunks can be activated on a DS1 facility and a maximum of 672 trunks can be activated on a DS3 facility.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

T T

T

1st Revised Page 103 Replaces Original Page 103

# **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.4 Rate Regulations (Cont'd)
    - 6.4.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
      - (B) Nonrecurring Rates (Cont'd)
        - (1) <u>Installation of Service</u> (Cont'd)

For example, if a customer orders a DS1 Entrance Facility and requests activation of 18 of the available circuits, the customer will be charged one Local Transport High Capacity DS1 Installation nonrecurring charge at the serving wire center and one Direct Trunked Transport Activation nonrecurring charge at the end office. If at a later date the customer request the activation of three more circuits, the customer will then be charged an additional Direct Trunked Transport Activation nonrecurring charge. These charges are in addition to the Access Order Charge as specified in the Rate Sections, beginning in Section 16, following.

T

# (2) <u>Interim 900 NXX Translation Optional Feature</u>

This nonrecurring charge applies to the initial order for the installation of the Interim 900 NXX Translation optional feature with Feature Group D Switched Access Service and for each subsequent order received to add or change 900 NXX translation codes. This charge, if applicable, applies whether this optional feature is installed coincident with or at any time subsequent to the installation of Switched Access Services. This charge is applied by the Company per order. When it is necessary for multiple telephone companies to provide the translation function, the nonrecurring charge is assessed only by the telephone company that provides the final translation function which identifies the customer's traffic and this traffic is then delivered to the customer's point of termination without any further translation.

#### (3) Service Rearrangements

All changes to existing services other than changes involving administrative activities and the off-hook supervisory signaling of FGA Access Services, will be treated as a discontinuance of the existing service and an installation of a new service. The nonrecurring charge described in (1) preceding will apply for this work activity. Moves that change the physical location of the point of termination are described and charges for as set forth in 6.4.4 following.

If, due to technical limitations of the Company, a customer could not combine its Interim NXX traffic with its other trunk side Switched Access Services, no charge shall apply to combine these trunk groups when it becomes technically possible.

Issued: March 30, 2007 Effective: April 1, 2007

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.4 Rate Regulations (Cont'd)
    - 6.4.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
      - (B) Nonrecurring Rates (Cont'd)
        - (3) <u>Service Rearrangements</u> (Cont'd)

Administrative changes will be made without charge(s) to the customer.

Administrative changes are as follows:

- Change of customer name,
- Change of customer or customer's end user premises address when the change of address is not a result of a physical relocation of equipment,
- Change in billing data (name, address, or contact name or telephone number),
- Change of agency authorization,
- Change of customer circuit identification,
- Change of billing account number,
- Change of customer test line number,
- Change of customer or customer's end user contact name or telephone number, and
- Change of jurisdiction

Other changes made without charge to the customer are as follows:

- Changes and additions to existing Switched Access Services which are necessary due to Company initiated network reconfiguration, and required to provide the same grade of service to the customer that existed prior to the reconfiguration, will be made without charge to the customer.

Charges will apply to those changes and additions which are in excess of those required to provide the same grade of service and/or capacity. Grade of service will be as determined by industry standard engineering tables.

When a customer request a change of trunks from tandem-switched transport to direct-trunked transport or from direct-trunked transport to tandem-switched transport, or request to rearrange Switched Access service between lower capacity and higher capacity facilities (e.g., voice grade to/from DS-1 or DS-1 to/from DS-3), the nonrecurring charges set forth in (1) preceding do not apply providing:

- the orders to disconnect existing trunks and to connect the new trunks are placed at the same time, and
- the number of installed trunks does not exceed the number of trunks disconnected, all nonrecurring charges will apply to the excess trunks unless the customer provides justification based upon standard engineering methods to show that the additional capacity is required to maintain the same level of service.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 105 Replaces Original Page 105

## **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.4 <u>Rate Regulations</u> (Cont'd)
    - 6.4.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
      - (B) Nonrecurring Rates (Cont'd)
        - (3) Service Rearrangements (Cont'd)

Changes to the point in time when the off-hook supervisory signal is provided in the originating call sequence, i.e., when the off-hook supervisory signal is changed from being provided by the customer's equipment before the called party answers to being forwarded by the customer's equipment when the called party answers to vice versa, are subject to the Access Order Charge as set forth in the Rate Sections, beginning in Section 16, following.

T T

For additions, changes or modifications to an optional feature which has a separate nonrecurring charge, that nonrecurring charge will apply.

For additions, changes or modifications to optional features that do not have their own separate nonrecurring charges, an Access Order Charge as set forth in the Rate Sections, beginning in Section 16, following will apply. When an optional feature is not required on each transmission path, but rather for an entire transmission path group, an end office or an access tandem switch, only one such charge will apply (i.e., it will not apply per transmission path).

T T

For conversion of FGD trunks from multifrequency address signaling to SS7 signaling or from SS7 signaling to multifrequency address signaling, nonrecurring charges will apply as set forth in the Rate Sections, beginning in Section 16, following.

Т

# (C) Application of Rates

Rates are applied as premium rates. The application of these rates is dependent upon the Feature Group, type of Entrance Facility, and type of transport (e.g., Direct Trunked Transport, Tandem Switched Transport, type of Multiplexing).

The following rules provide the basis for applying the rates and charges:

#### (1) Premium Rates

Premium rates apply to all access minutes that originate or terminate at end offices equipped with equal access (i.e., FGD) capabilities and to Directory Transport Service. Premium rates also apply to FGB and FGD access minutes that originate or terminate at a Mobile Telephone Switching Office (MTSO) that is directly connected to a Company access tandem office. In addition, premium rates apply to FGB access minutes when utilized in the provision of MTS/WATS service.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 106 Replaces Original Page 106

#### **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.4 <u>Rate Regulations</u> (Cont'd)
    - 6.4.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
      - (C) Application of Rates (Cont'd)
        - (1) Premium Rates (Cont'd)

Premium rates will apply to all of the flat rated rate elements (i.e., Entrance Facility, Direct Trunked Facility, Direct Trunked Termination and Multiplexing).

# (2) Common Channel Signaling/Signaling System 7 Network Connection

The Common Channel Signaling/Signaling System 7 (CBS/SS7) Network Connection is comprised of a Signaling Mileage Facility charge, a Signaling Mileage Termination charge, a Signaling Entrance Facility charge and a Signaling Transfer Point (STP) Port charge.

The Signaling Mileage Facility charge is assessed on a per facility per mile basis. The Signaling Mileage Termination charge is assessed on a per termination basis (i.e., at each end of the Signaling Mileage Facility). When the Signaling Mileage Facility mileage measurement is zero, Signaling Mileage Termination charges do not apply.

The Signaling Entrance Facility charge is assessed on a per facility basis for the connection between the customer's designated premises (Signaling Point of Interface) and the serving wire center of that premises.

The STP Port charge is assessed on a per port basis for each termination of a Signaling Mileage Facility at an STP.

#### (3) 800 Data Base Access Service

A Basic Query or Vertical Feature Query charge applies for each query that is launched to an 800 data base and identifies the customer to whom the call will be delivered. Query charges, as set forth in the Rate Sections, beginning in Section 16, following, will only be applied by those companies whose wire centers are identified as assessing query charges in the NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4.

T T

When Feature Group D switched access service is used for the provision of 800 Data Base Access Service and the total minutes of use and/or count of queries can be determined for each customer at a tandem or SSP but can not be determined by individual end office, an allocation method will be utilized to determine minutes of use and/or queries by end office and customer. For each end office a ratio will be developed and applied against the total minutes of use.

Issued: March 30, 2007 Effective: April 1, 2007

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.4 Rate Regulations (Cont'd)
    - 6.4.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
      - (C) Application of Rates (Cont'd)
        - (3) 800 Data Base Access Service (Cont'd)

and/or count of queries for a given customer as determined by the tandem or SSP. These ratios will be developed by dividing the unidentified originating 800 minutes of use at an end office by the total unidentified originating minutes of use in all end offices subtending the tandem or SSP. For example, assume:

- Three end offices (EO-1, EO-2 and EO-3) subtend a tandem

EO-1 measures 2,000 minutes of 800 use EO-2 measures 3,000 minutes of 800 use EO-3 measures 5,000 minutes of 800 use 10,000 TOTAL

- The tandem delivers 800 usage to two customers IC-A has 4,000 minutes of use IC-B has 6,000 minutes of use

- The allocation ratio for EO-1 is 20%
- The minutes of use to be billed by EO-1 are 800 to IC-A (20% x 4,000)

  1,200 to IC-B (20% x 6,000)

  2,000

## (4) Shared Transport

Shared Transport refers to a rate application that is applicable only when the customer orders High Capacity Direct Trunked Transport between a serving wire center and a Company hub where the Company performs multiplexing/de-multiplexing functions and the same customer then orders the derived channels as Direct Trunked Transport and Tandem Switched Transport. When the same customer also orders Special Access Service to be provided over this same high capacity facility, this service is considered to be Mixed Use and the regulations set forth in 7.2.7 following must first be applied to separate the portion to be charged as Switched Access Service from the portion to be charged as Special Access Service.

Issued: October 20, 1997 Effective: October 21, 1997

T T

T

T

Т

1st Revised Page 108 Replaces Original Page 108

## **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.4 Rate Regulations (Cont'd)
    - 6.4.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
      - (C) <u>Application of Rates</u> (Cont'd) (4)Shared Transport (Cont'd)

Except as noted previously, the Switched Access Service will be ordered, provided and rated as Direct Trunked Transport (i.e., Direct Trunked Facility and Direct Trunked Termination). As each derived channel is activated for Tandem Switched Transport, the High Capacity Direct Trunked Transport, the High Capacity Direct Trunked Transport and Multiplexing rates will be reduced accordingly (e.g., 1/24th for a High Capacity DS1 service, 1/672nd for a High Capacity DS3 service, etc.). Tandem Switched Transport rates and charges, as set forth in the Rate Sections, beginning in Section 16, following, will apply for each channel that is used to provide the Tandem Switched Transport.

# 6.4.2 <u>Minimum Monthly Charge</u>

Switched Access Service is subject to a minimum monthly charge. The minimum charge applies for the total capacity provided. The minimum monthly charge is calculated as follows.

For usage rated Local Transport, Local Switching and Information Surcharge rate elements, the minimum monthly charge is the sum of the recurring charges as set forth in the Rate Sections, beginning in Section 16, following for either the actual measured usage or the assumed usage prorated to the number of days or major fraction of days based on a 30-day month.

For flat rated Local Transport rate elements, the minimum monthly charges is the sum of the recurring charges set forth in the Rate Sections, beginning in Section 16, following prorated to the number of days or major fraction of days on a 30-day month.

## 6.4.3 Change of Switched Access Service Arrangements

Changes from one type of Feature Group to another will be treated as a discontinuance of one type of service and a start of another. Nonrecurring charges will apply.

#### 6.4.4 Moves

A move involves a change in the physical location of one of the following:

- The point of termination at the customer designated premises
- The customer designated premises

The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 109 Replaces Original Page 109

## **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.4 Rate Regulations (Cont'd)
    - 6.4.4 Moves (Cont'd)

# (A) Moves Within the Same Building

When the move is to a new location within the same building, the charge for the move will be an amount equal to one half of the installation nonrecurring charge for the capacity affected. This charge is in addition to the Access Order Charge as specified in the Rate Sections, beginning in Section 16, following. There will be no change in the minimum period requirements.

# (B) Moves to a Different Building

Moves to a different building will be treated as a discontinuance and start of service and all associated nonrecurring charges will apply. New minimum period requirements will be established for the new service. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

# 6.4.5 Local Information Delivery Service

Calls over Switched Access Service in the terminating direction to certain community information services will be rated under the applicable rates for Switched Access Service as set forth in the Rate Sections, beginning in Section 16, following.

## 6.4.6 <u>Mileage Measurement</u>

The mileage to be used to determine the monthly rate for Local Transport is calculated on airline distances between the end office switch, which may be a Remote Switching Module (where the call carried by Local Transport originates or terminates) and the customer's serving wire center. When Tandem Switched Transport or Direct Trunked Transport is ordered between the serving wire center and the end office, mileage is normally measured in one segment from the serving wire center to the end office. When Direct Trunked Transport is ordered between a serving wire center and a tandem and Tandem Switch Transport is ordered between the tandem and the end office, mileage is calculated separately for each segment. Exceptions to these methods are set forth in (A) through (G) following. For SS7 signaling, the mileage to be used to determine the monthly rate for the Signaling Mileage Facility is calculated on the airline distance between the serving wire center associated with the customer's designated premises (Signaling Point of Interface) and the Company wire center providing the STP Port.

Issued: March 30, 2007 Effective: April 1, 2007

T

T

T

T

1st Revised Page 110 Replaces Original Page 110

## **ACCESS SERVICE**

# 6. Switched Access Service (Cont'd)

# 6.4 <u>Rate Regulations</u> (Cont'd)

6.4.6 <u>Mileage Measurement</u> (Cont'd)

Where applicable, the V&H coordinates method is used to determine mileage. This method is set forth in the NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4 for Wire Center Information (V&H Coordinates).

Mileage rates are as set forth in the Rate Sections, beginning in Section 16, following. To determine the rate to be billed, first compute the airline mileage using the V&H coordinates method. If the calculation results in a fraction of a mile, always round up to the next whole mile before determining the mileage and applying the rates. Then multiply the mileage by the appropriate rate. Exceptions to the mileage measurement rules are as follows:

## (A) Feature Group A - Originating Usage

Direct Trunked Transport Mileage for premium rated access minutes in the originating direction over Feature Group A Switched Access Service will be calculated on an airline basis, using the V&H coordinate method. The mileage measurement will be between the first point of switching (end office switch where the Feature Group A switching dial tone is provided) and the customer's serving wire center for the Switched Access Service provided.

## (B) Feature Group A - Terminating Usage

The Local Transport mileage for terminating Feature Group A Switched Access Service will be measured in two segments. Direct Trunked Transport mileage will be measured between the customer's serving wire center and the first point of switching (i.e., the end office switch where the Feature Group A switching dial tone is provided). Tandem Switched Transport mileage will be measured between the first point of switching and the terminating end office.

# (C) Feature Groups B and D - Alternate Traffic Routing

When the Alternate Traffic Routing optional feature is provided with Feature Group B or D, the Local Transport access minutes will be apportioned between the two trunk groups used to provide this feature. Such Apportionment will be made using: (1) actual minutes of use if available, (2) standard Company traffic engineering methodology and will be based on the last trunk CBS desired for the high usage group, as described in 6.8.1(I) following (Alternate Traffic Routing), when the feature is provided at an end office switch, or the subtending end offices when the feature is provided at an access tandem switch or (3) an apportionment mutually agreed to by the Company and the customer. This apportionment will serve as the basis for Local Transport calculation.

Issued: March 30, 2007 Effective: April 1, 2007

## 6. <u>Switched Access Service</u> (Cont'd)

- 6.4 Rate Regulations (Cont'd)
  - 6.4.6 <u>Mileage Measurement</u> (Cont'd)

# (D) Feature Groups A, B, and D - WATS

The Local Transport Facility for Feature Groups A, B, and D Switched Access Service connected with Special Access Service at a WATS Serving Office will be measured between the WATS Serving Office and the serving wire center for the customer designated premises.

# (E) Feature Groups B and D - MSTOs Directly Interconnected to Access Tandems

The Local Transport mileage for Feature Groups B and D Switched Access Services provided to Mobile Telephone Switching Offices (MTSOs) directly interconnected to a Company access tandem office will be determined on an airline basis, using the V&H coordinate method. The mileage will be measured between the customer's serving wire center and the Company access tandem office to which the MTSO is interconnected.

# (F) Feature Groups B and D - Remote Offices

The Local Transport mileage for Feature Groups B and D Switched Access Service provided to a Remote Office will be measured in multiple segments. When the facility is directly trunked to the Host Office, Direct Trunked Facility mileage will be measured between the customer's serving wire center and the Host Office, and Tandem Switched Facility mileage will be measured between the Host Office and the Remote Office, The Tandem Switching charge will not apply.

When the facility is directly trunked to a tandem, Direct Trunked Facility will be measured from the Serving Wire Center to the tandem, Tandem Switched Facility will be measured from the tandem to the host, and another segment of Tandem Switched Facility will be measured from the host to the remote. A Tandem Switching charge would be applicable at the tandem.

When service to the remote is ordered as only Tandem Switched Facility, mileage will be measured between the serving wire center and the remote. The Tandem Switching charge will be applicable at the tandem.

# (G) Use of Company Hubs

When multiplexing is performed at Company Hubs, mileage is computed and rates applied separately for each segment of the Local Transport Direct Trunked Facility (i.e., customer serving wire center to Hub and Hub to end office).

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 112 Replaces Original Page 112

# **ACCESS SERVICE**

#### 6. <u>Switched Access Service</u> (Cont'd)

6.4 Rate Regulations (Cont'd)

#### 6.4.7 Mixed Use

Mixed use occurs when Switched Access Service and Special Access Service are provided over the same High Capacity service through a common interface. The regulations governing the provision of Mixed Use Facilities are set forth in 5.2.4 preceding and 7.2.7 following.

# 6.4.8 Message Unit Credit for Feature Group A

Calls from end users to the seven-digit local telephone numbers associated with Feature Group A Switched Access Service are subject to Company local and/or general exchange service tariff charges (including message unit and toll charges as applicable). The monthly bills rendered to customers for their Feature Group A Switched Access Service will include a credit to reflect any message unit charges collected from their end users under the Company's local and/or general exchange service tariffs. No credit will apply for any terminating FGA access minutes. The message unit credit for originating access minutes will be based on the generally applicable message unit charges of the Company.

# 6.4.9 Application of Rates for Feature Group A Extension Service

Feature Group A Switched Access Service is available with extension, i.e., additional terminations of the service at different customer designated premises. Feature Group A extensions within the same state as the dial tone office are provided and charged under this tariff. Feature Group A extensions located in a different state are provided and charged as Special Access Service. The rate elements which apply are: A Voice Grade Channel Termination, Channel Mileage, if applicable, and Signaling Capability (optional features and functions), if applicable. All appropriate monthly rates and nonrecurring charges set forth in the Rate Sections, beginning in Section 16, following will apply.

6.5 Description and Provision of Feature Group A (FGA)

## 6.5.1 Description

(A) FGA Access, which is available to all customers, provides line side access to Company end office switches with an associated seven digit local telephone number for the customer's use in originating communications from and terminating communications to an Interexchange Carrier's Interstate Service or a customer - provided interstate communications capability. The customer must specify the Interexchange Carrier to which the FGA service is connected or, in the alternative, specify the means by which the FGA access communications is transported to

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L. Lynch Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.5 Description and Provision of Feature Group A (FGA) (Cont'd)
    - 6.5.1 Description (Cont'd)
      - (A) (Cont'd)

another state. Special Access Services utilized for connection with FGA at Company designated WATS Serving Offices as set forth in Section 7 following may be ordered separately by a customer other than the customer which orders the FGA Switched Access Service for the provision of WATS-type services. Special Access Services are ordered as set forth in 5.2 preceding.

- (B) FGA Switching is provided at all end office switches. At the option of the customer, FGA is provided on a single or multiple line group basis and is arranged for originating calling only, terminating calling only, or two-way calling which are specified by the customer's order for service.
- (C) FGA provides a line side termination at the first point of switching (dial tone office). the line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the customer.
- (D) The Company shall select the first point of switching, at which the line side termination is to be provided unless the customer requests a different first point of switching and Company facilities and measurement capabilities, where necessary, are available to accommodate such a request.
- (E) A seven-digit local telephone number assigned by the Company is provided for access to FGA switching in the originating direction. The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

If the customer requests a specific seven-digit telephone number that is not currently assigned, and the Company can, with reasonable effort, comply with that request, the requested number will be assigned to the customer.

(F) FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction FGA switching may, at the option of the customer, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 114 Replaces Original Page 114

## **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.5 <u>Description and Provision of Feature Group A (FGA)</u> (Cont'd)
    - 6.5.1 <u>Description</u> (Cont'd)
      - (G) No address signaling is provided by the Company when FGA switching is used in the originating direction. Address signaling in such cases, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
      - (H) FGA switching, when used in the terminating direction, may be used to access valid NXXs in the Company's serving area, local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair (611 where available), time or weather announcement services of the Company, community information services of an information service provider, and other customer's services (by dialing the appropriate digits).

Charges for FGA terminating calls requiring operator assistance or calls to 611 or 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the local exchange tariffs, for local operator assistance calls, (2) calls to certain community information services, for which rates are applicable under Company exchange service tariffs, and (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Company performs the billing function for that customer.

For calls to Directory Assistance, Local Transport rates for FGA Switched Access Service will apply. Additionally, calls to Directory Assistance are subject to the Directory Assistance Service Call rate set forth in the Rate Sections, beginning in Section 16, following.

T

- (I) When a FGA switching arrangement for an individual customer (a sling line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed as been disconnected.
- (J) FGA will be provisioned over an Entrance Facility from the customer's premises to the customer's serving wire center. FGA service, when used in the originating direction, will be provisioned as Direct Trunked Transport from the first point of switching to the customer's serving wire center. FGA service, when used in the terminating direction, will be provisioned as Direct Trunked Transport from the customer's serving wire center to the first point of switching and provisioned as Tandem Switched Transport from the first point of switching to the terminating end office.

Issued: March 30, 2007 Effective: April 1, 2007

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.5 <u>Description and Provision of Feature Group A (FGA)</u> (Cont'd)

# 6.5.2 Optional Features

## (A) Common Switching Options

Descriptions of the common switching optional features are set forth in 6.8.1 following.

- (1) Call denial on line or hunt group
- (2) Service code denial on line or hunt group
- (3) Hunt group arrangement
- (4) Uniform call distribution arrangement
- (5) Nonhunting number for use with hunt group or uniform call distribution arrangement
- (6) Band advance arrangement for use with special access service utilized in the provision of WATS-type services
- (7) Hunt group arrangement for use with special access service utilized in the provision of WATS-type services
- (8) Uniform call distribution arrangement for use with special access service utilized in the provision of WATS-type services
- (9) Nonhunting number associated with a hunt group arrangement or uniform call distribution arrangement for use with special access service utilized in the provision of WATS-type services

#### (B) Transport Termination

- (1) Two-way operation with dial pulse address signaling and loop start signaling
- (2) Two-way operation with dial pulse address signaling and ground start supervisory signaling
- (3) Two-way operation with dial tone multifrequency address signaling and loop start supervisory signaling
- (4) Two-way operation with dial tone multifrequency address signaling and ground start supervisory signaling
- (5) Terminating operation with dial pulse address signaling and loop start supervisory signaling
- (6) Terminating operation with dial pulse address signaling and ground start supervisory signaling
- (7) Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling
- (8) Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.5 <u>Description and Provision of Feature Group A (FGA)</u> (Cont'd)
    - 6.5.2 Optional Features (Cont'd)
      - (B) Transport Termination (Cont'd)
        - (9) Originating operation with loop start supervisory signaling
        - (10) Originating operation with ground start supervisory signaling
      - (C) Local Transport Options
        - (1) Supervisory signaling (as set forth in 14.1.1(E) following)
        - (2) Customer specified entry switch receive level (as set forth in 14.1.1(E) following)

# 6.5.3 Optional Features Provided in GCI Local Tariff

Certain other features which may be available in connection with Feature Group A (e.g., Speed Calling, Remote Call Forwarding, Bill Number Screening) are provided under the Company's local and/or general exchange service tariffs.

### 6.5.4 <u>Measuring Access Minutes</u>

Customer Feature Group A traffic to end offices will be measured (i.e., recorded) by the Company at end office switches. Originating and terminating calls will be measured by the Company to determine the basis for computing chargeable access minutes. In the event the customer message detail is not available because the Company lost of damaged tapes or incurred recording system outages, the Company will estimate the volume of lost customer access minutes of use based on previously known values.

For terminating calls over FGA and for originating calls over FGA (when the off-hook supervisory signal is provided by the customer's equipment before the called party answers), the measured minutes are the chargeable access minutes. For originating calls over FGA (when the off-hook supervisory signal is forwarded by the customer's equipment when the called party answers), chargeable originating access minutes are derived from recorded minutes.

For originating calls over FGA, usage measurement begins when the originating FGA first point of switching receives an off-hook supervisory signal forwarded from the customer's point of termination. This off-hook signal may be provided by the customer's equipment before the called party answers, or forwarded by the customer's equipment when the called party answers.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.5 <u>Description and Provision of Feature Group A (FGA)</u> (Cont'd)
    - 6.5.4 <u>Measuring Access Minutes</u> (Cont'd)

The measurement of originating call usage over FGA ends when the originating FGA first point of switching receives an on-hook supervisory signal from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the first point of switching.

For terminating calls over FGA, usage measurement begins when the terminating FGA first point of switching receives an off-hook supervisory signal from the terminating end user's end office, indicating the terminating end user has answered. The measurement of terminating call usage over FGA ends when the terminating FGA first point of switching receives an on-hook supervisory signal from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the first point of switching.

FGA access minutes or fractions thereof, the exact value of the fraction being a function of the switch technology where the measurement is made, are accumulated over the billing period for each line or hunt group, and are then rounded up to the nearest access minute for each line or hunt group.

# 6.5.5 <u>Testing Capabilities</u>

FGA is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line and milliwatt (102 type) test line. In addition to the tests described in 6.2.4 preceding which are included with the installation of service (Acceptance Testing) and as ongoing routine testing, Additional Cooperative Acceptance Testing and Additional Manual Testing are available as set forth in 13.3.1 following.

Issued: October 20, 1997 Effective: October 21, 1997

## 6. Switched Access Service

6.6 <u>Description and Provision of Feature Group B (FGB)</u>

## 6.6.1 <u>Description</u>

- (A) FGB access, which is available to all customers, provides trunk side access to Company end office switches with an associated uniform 950-1XXX or 950-0XXX access code. FGB trunk side access is provided for the customer's use in originating communications from and terminating communications to an Interexchange Carrier's Interstate Service or a customer provided interstate communications capability. The customer must specify the Interexchange Carrier to which the FGB service is connected or, in the alternative, specify the means by which the FGB access communications is transported to another state. Special Access Services utilized for connection with FGB at Company designated WATS Serving Offices as set forth in Section 7 following may be ordered separately by a customer other than the customer which orders the FGB Switched Access Service for the provision of WATS or WATS-type services. Special Access Services are ordered as set forth in 5.2 preceding.
- (B) FGB, when directly routed to an end office (i.e., provided without the use of an access tandem switch), is provided at appropriately equipped Company electronic end office switches. When provided via Company designated electronic access tandem switches, FGB switching is provided at Company electronic end office switches.
- (C) FGB is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink startpulsing signals and answer and disconnect supervisory signaling.
- (D) FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth respectively in 6.8.1(F) and 6.8.2 following, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (E) The access code for FGB switching is a uniform access code. The form of the uniform access code is 950-1XXX or 950-0XXX. A uniform access code(s) will be assigned to the customer for the customer's domestic communications and another will be assigned to the customer for its international communications, if required. These access codes will be the assigned access numbers of all FGB switched access service provided to the customer by the Company.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.6 Description and Provision of Feature Group B (FGB) (Cont'd)
    - 6.6.1 <u>Description</u> (Cont'd)
      - (F) The Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGB switching is ordered. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Company.
      - (G) FGB switching, when used in the terminating direction, may be used to access valid NXXs in the GCI Serving Area, time or weather announcement services of the Company, community information services of an information service provider and other customer's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem will be accessed.

Calls in the terminating direction will not be completed to 950-1XXX or 950-0XXX access codes, local operator assistance, Directory Assistance, services codes 611 and 911 or 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance (DA) switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9 following. FGB may not be switched, in the terminating direction, to Switched Access Service Feature Groups B and D.

- (H) When all FGB switching arrangements are discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.
- (I) For FGB switched access service to a Mobile Telephone Switching Office (MTSO) directly interconnected to a Company access tandem office, the customer will be billed only the Local Transport premium rate element for the FGB usage. The mileage used to determine the monthly rate for the Local Transport rate element is as set forth in 6.4.6(E) preceding.

#### 6.6.2 Optional Features

Following are descriptions of the various nonchargeable optional features that are available in lieu of, or in addition to, the standard features provided with FGB. They are set forth in (A) through (C) following and are provided as Common Switching, Transport Termination and Local Transport options. Additionally, other optional features provided in local tariffs are set forth in (D) following.

Issued: October 20, 1997 Effective: October 21, 1997

Original Page 120

## **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.6 <u>Description and Provision of Feature Group B (FGB)</u> (Cont'd)
    - 6.6.2 Optional Features (Cont'd)

#### (A) Common Switching Options

Descriptions of the common switching optional features are set forth in 6.8 following.

- (1) Automatic number identification (ANI)
- (2) Up to 7 digit outpulsing of access digits to customer
- (3) Band advance arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services
- (4) Hunt group arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services
- (5) Uniform call distribution arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services
- (6) Nonhunting number associated with hunt group arrangement or uniform call distribution arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services

## (B) <u>Transport Termination Options</u>

(1) Rotary dial station signaling

#### (C) Local Transport Options

- (1) Customer specification of Local Transport Termination
- (2) Optional supervisory signaling
- (3) Customer specified entry switch receive level

Inasmuch as these options concern transmission levels and signaling, they are set forth in 14.1.1 following.

## (D) Optional Features Provided in Local Tariffs

Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Company's local and/or general exchange service tariff.

# 6.6.3 <u>Design and Traffic Routing</u>

For FGB, the trunk directionality and traffic routing of the Switched Access Service between the customer designated premises and the entry switch are determined by the customer's order for service. Additionally, the customer may order the optional feature Customer Specification of Local Transport Termination as set forth in 14.1.1 following.

Issued: October 20, 1997 Effective: October 21, 1997

# 6. <u>Switched Access Service</u> (Cont'd)

6.6 Description and Provision of Feature Group B (FGB) (Cont'd)

## 6.6.4 Measuring Access Minutes

Customer traffic to end offices will be measured (i.e., recorded) by the Company at end office switches or access tandem switches. Originating and terminating calls will be measured by the Company to determine the basis for computing chargeable access minutes. In the event the customer message detail is not available because the Company lost or damaged tapes or incurred recording system outages, the Company will estimate the volume of lost customer access minutes of use based on previously known basis.

For both originating and terminating calls over FGB the measured minutes are the chargeable access minutes.

For originating calls over FGB, usage measurement begins when the originating FGB first point of switching receives answer supervision forwarded from the customer's point of termination, indicating the customer's equipment has answered. The measurement of originating call usage over FGB ends when the originating FGB first point of switching receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the first point of switching.

For terminating calls over FGB, usage measurement begins when the terminating FGB first point of switching receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered. The measurement of terminating call usage over FGB ends when the terminating FGB first point of switching receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the first point of switching.

FGB access minutes or fractions thereof, the exact value of the fraction being a function of the switch technology where the measurement is made, are accumulated over the billing period for each end office, and are then rounded up to the nearest access minute for each end office.

#### 6.6.5 Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.2.4 preceding which are included with the installation of service (Acceptance Testing) and as ongoing routine testing, Additional Cooperative Acceptance Testing, Additional Automatic Testing, and Additional Manual Testing are available as set forth in 13.3.1. following.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u>

# 6.7.1 <u>Description</u>

- (A) FGD access, which is available to all customers, provides trunk side access to Company end office switches. Special Access Services utilized for connection with FGD at Company designated WATS Serving offices as set forth in Section 7 following may be ordered separately by a customer other than the customer which orders the FGD Switched Access Service for the provision of WATS or WATS-type services. Special Access Services are ordered as set forth in 5.2 preceding.
- (B) FGD is provided at Company designated end office switches, whether routed directly or via Company electronic access tandem switches.
- (C) FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink startpulsing signals and answer and disconnect supervisory signaling.
- (D) FGD switching is provided with multifrequency address signaling or out of band SS7 signaling. With multifrequency address signaling and SS7 signaling, up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Company equipment to the customer's premises where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (E) FGD switching, when used in the terminating direction, may be used to access valid NXXs in the Company serving area, time or weather announcement services of the Company, community information services of an information service provider, and other customers' services (by dialing the appropriate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX code served by end offices subtending the access tandem may be accessed.

Calls in the terminating direction will not be completed to 950-1XXX or 950-0XXX access codes, local operator assistance, Directory Assistance (411 and 555-1212), services codes 611 and 911 and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9 following. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B or D.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)
    - 6.7.1 <u>Description</u> (Cont'd)
      - (F) The Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD or other switching arrangements may be combined in a single trunk group at the option of the Company.
      - (G) The access code for FGD switching is a uniform access code of the form 10XXX. A uniform access code(s) will be assigned number of all FGD access provided to the customer by the Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer as set forth in 13.4 following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve-digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1+NXX-XXXX, NPA+NXX-XXXXX, 0 or 1+NPA+NXX-XXXX, and when the end office is equipped for International Direct Distance Dialing (IDDD), 01-CC-NN or 011+CC+NN.

When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer designated premises.

- (H) For FGD switched access service to a MTSO directly interconnected to a Company access tandem office, the customer will be billed only the Local Transport premium rate element for the FGD usage. The mileage used to determine the monthly rate for the local transport rate is as set forth in 6.4.6(E) preceding.
- (I) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 10XXX uniform access code. Each telephone exchange service line may be marked with a code to identify which 10XXX code calls will be directed for service.
- (J) Unless prohibited by technical limitations, the customer's Interim NXX Translation and/or 800 Data Base traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's non-Interim NXX Translation traffic and/or 800 Data Base traffic. When required by technical limitations, or at the request of the customer, a separate trunk group will be established for Interim NXX Translation or 800 Data Base traffic.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)
    - 6.7.1 Description (Cont'd)
      - (K) When a customer has had FGB access in an end office and subsequently replaces the FGB access with FGD access, at the mutual agreement of the customer and the Company, the Company will direct calls dialed by the customer's end users using the customer's previous FGB access code to the customer's FGD access service. The customer must be prepared to handle normally dialed FGD calls as well as calls dialed with the FGB access code which requires the customer to receive additional address signaling from the end user. Such calls will be rated as FGD. The Company may, with 90-day's written notice to the customer, discontinue this arrangement.
      - (L) For FGD switched access service to a MTSO directly interconnected to a Company access tandem office, the customer will be billed only the Local Transport premium rate element for the FGD usage. The mileage used to determine the monthly rate for the local transport rate element is as set forth in 6.4.6(E) preceding.

# 6.7.2 Optional Features

Following are the various nonchargeable and chargeable optional features that are available in lieu of or in addition to the standard features provided with FGD. Nonchargeable Optional Features are provided as Common Switching, Transport Termination and Local Transport options as set forth in (A) through (B) following. Chargeable optional features are set forth in (C) following.

# (A) Common Switching Options

Descriptions of the common switching optional features are set forth in 6.8 following.

- (1) Automatic Number Identification (ANI)
- (2) Service class routing
- (3) Alternate Traffic routing
- (4) Trunk access limitation
- (5) Call gapping arrangement
- (6) International carrier option
- (7) Band advance arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services
- (8) End office end user line service screening for use with Special Access Service utilized in the provision of WATS or WATS-type services
- (9) Hunt group arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services
- (10) Uniform call distribution arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)
    - 6.7.2 Optional Features (Cont'd)
      - (A) Common Switching Options (Cont'd)
        - (11) Nonhunting number associated with hunt group arrangement for uniform call distribution arrangement for use with Special Access Service utilized in the provision of WATS or WATS-type services
        - (12) Digital Switched 56 Service

# (B) <u>Local Transport Options</u>

- (1) Supervisory Signaling: The Supervisory Signaling optional feature due to its technical nature is set forth in 14.1.1 following.
- (2) Signaling System 7 (SS7): The SS7 optional feature allows the customer to send and receive signals for out of band call set up and is available with FGD. This option requires the establishment of a signaling connection between the customer's designated premises/Signaling Point Interface and a Company Signaling Transfer Point (STP). SS7 is provided in both the originating and terminating direction on FGD, and each signaling connection is provisioned for two-way SS7 signaling information.
- (3) Multifrequency address signaling
- (4) Calling party number (CPN) parameter
- (5) Charge number parameter (CNP)
- (6) Carrier selection parameter (CSP)

# (C) Chargeable Optional Features

- (1) Interim 900 NXX Translation: The Interim 900 NXX Translation optional feature is set forth in 6.8.2 following.
- (2) Common Channel Signaling/Signaling System 7 (CBS/SS7) Network Connection Service (CCSNC): The CCSNC optional feature is provided as set forth in 6.8.3 following.

# 6.7.3 <u>Design and Traffic Routing</u>

For FGD, the Company shall design and determine the routing of Tandem Switched Access Transport Service, including the selection of the first point of switching and the selection of facilities from the interface to any switching point and to the end offices. The Company shall also decide if capacity is to be provided by originating only, terminating only, or two-way trunk groups. Finally, the Company will decide whether trunk side access will be provided through the use of two-wire or four-wire trunk terminating equipment.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)
    - 6.7.3 Design and Traffic Routing (Cont'd)

For FGD Direct Trunked Transport service, the Company will determine the routing of switched access service from the point of interface to the first point of switching or, if the customer specifies one or more hub locations for multiplexing, from the point of interface to the hub location, from one hub location to another hub location, and/or from a hub location to the first point of switching.

Selection of facilities and equipment and traffic routing of the service are based on standard engineering methods, available facilities and equipment and actual traffic patterns.

# 6.7.4 <u>Measuring Access Minutes</u>

Customer traffic to end offices will be recorded at end office switches or access tandem switches. Originating and terminating calls will be measured or derived to determine the basis for computing chargeable access minutes. In the event the customer message detail is not available because the Company lost or damaged tapes or incurred recording system outages, the Company will estimate the volume of lost customer access minutes of use based on previously known values.

# Originating Usage

For originating calls over FGD, the measured minutes are the chargeable access minutes. For those calls provided with Multifrequency Signaling, usage measurement begins when the originating FGD first point of switching receives the first wink supervisory signal forwarded from the customer's point of termination. For those calls provided with SS7 Signaling when the FGD end office is not routed through an access tandem for connection to the customer, usage measurement begins when the SS7 Initial Address Message is sent from the Service Switching Point (SSP) to the Signal Transfer Point (STP). If the FGD end office is routed through a tandem for connection to the customer, usage measurement begins when the FGD end office receives the SS7 Exit Message from the tandem.

The measurement of originating call usage over FGD provided with Multifrequency Signaling ends when the originating FGD first point of switching receives disconnect supervision from either the originating end user's end office indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the first point of switching.

The measurement of originating call usage over FGD provided with SS7 Signaling ends when the originating FGD end office receives an SS7 Release Message indicating either the originating or terminating end user has disconnected.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)
    - 6.7.4 <u>Measuring Access Minutes</u> (Cont'd)

# **Terminating Usage**

For terminating calls over FGD, the chargeable access minutes are either measured or derived.

For terminating calls over FGD provided with Multifrequency Signaling, where measurement capability exists, the measurement of chargeable access minutes begins when the terminating FGD first point of switching receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered. This measurement ends when the terminating FGD first point of switching receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the first point of switching.

For terminating calls over FGD with SS7 signaling, usage measurement begins when the terminating recording switch receives answer supervision from the terminating user. The Company switch receives answer supervision and sends the indication to the customer in the form of an answer message. The measurement of terminating FGD call usage ends when the entry switch receives or sends a release message, whichever occurs first.

# 6.7.5 Design Blocking Probability

The Company will design the facilities used in the provision of Switched Access Service FGD to meet the blocking probability criteria as set forth in (A) and (B) following.

- (A) For FGD, the design blocking objective will be no greater than one percent (.01) between the point of termination at the customer's designated premises and the end office switch, whether the traffic is directly routed without an alternate route or routed via an access tandem. Standard traffic engineering methods as set forth in reference document Telecommunications Transmission Engineering Volume 3 Networks and Services (Chapters 6-7) will be used by the Company to determine the number of transmission paths required to achieve this level of blocking.
- (B) The Company will perform routine measurement functions to assure that an adequate number of transmission paths are in service. The Company will recommend that additional capacity (i.e., busy hour minutes of capacity or trunks) be ordered by the customer when additional paths are required to reduce the measured blocking to the designed blocking level. For the capacity ordered, the design blocking objective is assumed to have been met if the routine measurements show that the measured blocking does not exceed the threshold listed in the following tables.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)
    - 6.7.5 <u>Design Blocking Probability</u> (Cont'd)
      - (B) (Cont'd)
        - (1) For transmission paths carrying only first routed traffic directly between an end office and customer's designated premises without an alternate route, and or paths carrying only overflow traffic, the measured blocking thresholds are as follows:

	Measured Blocking Thresholds			
Number of	in the Time Consistent Busy Hour for the			
Transmission Paths	Number of Measurements Taken Between			
Per Trunk Group	8:00 am and 11:00 pm Per Trunk Group			
	15-20	11-14	7-10	3-6
	measurement	measurement	measurement	measuremen
2	7%	8%	9%	14%
3	5%	6%	7%	9%
4	5%	6%	7%	8%
5-6	4%	5%	6%	7%
7 or more	3%	3.5%	4%	6%

(2) For transmission paths carrying first routed traffic between an end office and customer's premises via an access tandem, the measured blocking thresholds are as follows:

	Measured Blocking Thresholds			
Number of	in the Time Consistent Busy Hour for the			
Transmission Paths	Number of Measurements Taken Between			
Per Trunk Group	8:00 am and 11:00 pm Per Trunk Group			
•	15-20	11-14	7-10	3-6
	measurement	measurement	measurement	measuremen
2	4.5%	5.5%	6%	9.5%
3	3.5%	4%	4.5%	6%
4	3.5%	4%	4.5%	5.5%
5-6	2.5%	3.5%	4%	4.5%
7 or more	2%	2.5%	3%	4%

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 129 Replaces Original Page 129

#### **ACCESS SERVICE**

## 6. Switched Access Service (Cont'd)

6.7 <u>Description and Provision of Feature Group D (FGD)</u> (Cont'd)

# 6.7.6 <u>Network Blocking Charge</u>

The customer will be notified by the Company to increase its capacity quantities of trunks when excessive trunk group blocking occurs on groups carrying FGD traffic and the measured access minutes for that hour exceed the capacity purchased. Excessive trunk group blocking occurs when the blocking thresholds stated below are exceeded. They are predicated on time consistent, hourly measurements over a 30-day period excluding Saturdays, Sundays and national holidays. If the order for additional capacity has not been received by the Company within 15 days of the notification, the Company will bill the customer, at the rate set forth in the Rate Sections, beginning in Section 16, following, for each overflow in excess of the blocking threshold when (1) the average "30-day period" overflow exceeds the threshold level for any particular hour and (2) the "30-day period" measured average originating or two-way usage for the same clock hour exceeds the capacity purchased.

# T

## **Blocking Thresholds**

Trunks in Service	1%	1.2%
1 - 2	7.0%	4.5%
3 - 4	5.0%	3.5%
5 - 6	4.0%	2.5%
7 or greater	3.0%	2.0%

The 1% blocking threshold is for transmission paths carrying traffic directly (without an alternate route) between an end office and a customer's premise. The 1/2% blocking threshold is for transmission paths carrying first routed traffic between an end office and a customer's premises via an access tandem.

#### 6.7.7 Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.2.4 preceding which are included with the installation of service (Acceptance Testing) and as ongoing routine testing, Additional Cooperative Acceptance Testing, Additional Automatic Testing, and Additional Manual Testing are available as set forth in 13.3.1. following.

when SS7 Signaling is ordered, network compatibility and other testing will be performed cooperatively by the Company and the customer as specified in Technical Reference TR-TSV 000905.

Issued: March 30, 2007 Effective: April 1, 2007

# 6. <u>Switched Access Service</u> (Cont'd)

# 6.8 Chargeable and Nonchargeable Optional Features

Following are descriptions of the various optional features that are available in lieu of or in addition to the standard features provided with the Feature Groups. They are provided as Common Switching, Transport Termination or Interim 900 NXX Translation options.

# 6.8.1 <u>Common Switching Nonchargeable Optional Features</u>

The following table shows the Feature Groups with which the optional features are available.

		Available Feature Groups		Groups
	<u>Option</u>	A	В	D
(A)	Call denial on line or hunt group	X		
(B)	Service code denial on line or hunt group	X		
(C)	Hunt group arrangement	X		
(D)	Uniform call distribution arrangement	X		
(E)	Nonhunting number for use with hunt group or			
	uniform call distribution arrangement	X		
(F)	Automatic Number Identification (ANI)		X	X
(G)	Up to 7-digit outpusling of access digits to customer		X	
(H)	Service class routing			X
(I)	Alternate traffic routing			X
(J)	Trunk access limitation			X
(K)	Call gapping arrangement			X
(L)	International carrier option			X
(M)	Band advance arrangement for use with Special Access Service			
	utilized in the provision of WATS and WATS-type services	X	X	X
(N)	End office end user line service screening for use with			
	Special Access Service utilized in the provision of			
	WATS or WATS-type services			X
(O)	Hunt group arrangement for use with Special Access			
	Service utilized in the provision of WATS or			
	WATS-type services	X	X	X
(P)	Uniform call distribution arrangement for use with			
	Special Access Service utilized in the provision of			
	WATS or WATS-type services	X	X	X
(Q)	Nonhunting number associated with hunt group arrange-			
	ment or uniform call distribution arrangement for use with			
	Special Access Service utilized in the provision of			
	WATS or WATS-type services	X	X	X
(R)	Digital Switched 56 Service			X

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 Chargeable and Nonchargeable Optional Features (Cont'd)
    - 6.8.1 Common Switching Nonchargeable Optional Features (Cont'd)

		Available Feature Groups		
	<u>Option</u>	A	В	D
<b>(S)</b>	Multifrequency address signaling			X
(T)	Signaling System 7 (SS7) Signaling			X
(U)	Calling party number (CPN)			X
(V)	Carrier selection parameter (CSP)			X
(W)	Charge number parameter (CNP)			X

# (A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating Feature Group A calls. There are two screening arrangements available with this option as follows: (1) limiting terminating calls for completion to only 411 or 555-1212 whichever is available, 611, 911, 800 and a Company specified set of NXXs within the Company local exchange calling area of the dial tone office in which the arrangement is provided or, (2) limiting terminating calls to completion to only the NXXs associated with all end offices in the Company's serving area, i.e., the call cannot be further switched or routed out of Company's serving area nor will calls be completed to 411 or 555-1212 whichever is available, 611, 911, or 800. All other calls are routed to a reorder tone or recorded announcement. Arrangement 1 is provided in all Company electronic end offices. Arrangement 2 is provided where available.

#### (B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls, and for disallowing completion of calls to 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Company end offices.

# (C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction when the access code of the line group is dialed. This feature is provided in all Company end offices. All FGA access services in the same hunt group must provide off-hook supervisory signaling from the same point in time in the call sequence, i.e., all off-hook supervisory signals must either be provided by the customer's equipment before the called party answers or all must be forwarded by the customer's equipment when the called party answers.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 <u>Chargeable and Nonchargeable Optional Features</u> (Cont'd)
    - 6.8.1 <u>Common Switching Nonchargeable Optional Features</u> (Cont'd)

# (D) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Company electronic end offices only.

# (E) <u>Nonhunting Number for Use with Hunt Group or Uniform Call Distribution</u> <u>Arrangement</u>

This option provides access to an individual line within a multiline hunt or uniform call distribution group. When the nonhunting number is dialed, access is provided when it is idle, or busy tone is provided when it is busy. Where available, this feature is provided in Company electronic end offices only.

#### (F) Automatic Number Identification (ANI)

- (1) This option provides the automatic transmission of a seven-digit or ten-digit number and information digits to the customer designated premises for originating calls to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with:
  - (a) all individual transmission paths in a trunk group routed directly between an end office and a customer designated premise.
  - (b) all individual transmission paths in a trunk group between an end office and an access tandem and a trunk group between an access tandem and a customer designated premise.
- (2) The seven-digit ANI telephone number is available with FGB. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using FGB, or when an ANI failure has occurred. Seven-digit ANI is not available with SS7 Signaling.
- (3) The ten-digit ANI telephone number is only available with FGD. The ten-digit ANI telephone number consists of the Number Plan Area (NPA) plus the seven-digit ANI telephone number. The ten-digit ANI telephone number will be transmitted on all calls except in case of ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described following). Ten-digit ANI is provided with multifrequency address signaling or SS7 Signaling.

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 <u>Chargeable and Nonchargeable Optional Features</u> (Cont'd)
    - 6.8.1 <u>Common Switching Nonchargeable Optional Features</u> (Cont'd)
      - (F) <u>Automatic Number Identification (ANI)</u> (Cont'd)
        - (4) Additional ANI information digits are available with FGD also. They include:
          - (a) Company serving area restricted telephone number is identified line.
          - (b) Company serving area restricted hotel/motel line
          - (c) Company serving area restricted coinless, hospital, inmate, etc., line

These information digits will be transmitted as agreed to by the customer and the Company.

#### (G) Up to 7-Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-1/0XXX) to the customer designated premises.

The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer designated premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided.

#### (H) Service Class Routing

This option provides the capability of directing originating traffic from and end office to a trunk group to a customer designated premise, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+, or 011+) or Service Access Code (e.g., 900). It is provided in suitably equipped end office or access tandem switches.

#### (I) Alternate Traffic Routing

When the customer orders both Direct Trunked Transport and Tandem Switched Transport at the same end office, this option provides the capability of directing originating traffic from and end office or appropriately equipped access tandem to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 Chargeable and Nonchargeable Optional Features (Cont'd)
    - 6.8.1 Common Switching Nonchargeable Optional Features (Cont'd)
      - (I) Alternate Traffic Routing (Cont'd)

group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CBS desired for the high usage group. It is provided in suitably equipped end office or access tandem switch.

#### (J) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone. It is provided in all Company electronic end offices.

### (K) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit the completion of such traffic to the customer. Calls to the designated service which are denied access by this feature, i.e., choked calls, would be routed to a no-circuit announcement. It is provided in selected FGD equipped end offices.

#### (L) International Carrier Option

This option allows for FGD end offices or access tandem switches equipped for International Direct Distance Dialing to be arranged to forward the international calls of one or more international carriers to the customer (i.e., the Company is able to route originating international calls to a customer other than the one designated by the end user either through presubscription or 10XXX dialing). This arrangement requires provision of written verification to the Company that the customer is authorized to forward such calls. The written verification must be in the form of a letter of agency authorizing the customer to order the option on behalf of the international carrier. This option is only provided at Company end offices or access tandems equipped for International Direct Distance Dialing.

Issued: October 20, 1997 Effective: October 21, 1997

Original Page 135

#### **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 <u>Chargeable and Nonchargeable Optional Features</u> (Cont'd)
    - 6.8.1 <u>Common Switching Nonchargeable Optional Features</u> (Cont'd)
      - (M) <u>Band Advance Arrangement for Use with Special Access Service Utilized in the Provision of WATS or WATS-Type Services</u>

This option, which is provided in association with two or more Special Access Service groups, provides for the automatic overflow of terminating calls to a second Special Access Service group, when the first group has exceeded its call capacity.

(N) End Office End User Line Service Screening for Use with Special Access Service Utilized in the Provision of WATS or WATS-Type Services

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Company electronic end offices which are designated as WATS Serving Offices.

(O) <u>Hunt Group Arrangement for Use with Special Access Service Utilized in the Provision of WATS or WATS-Type Services</u>

This option provides the ability to sequentially access one of two or more Special Access Services utilized in the provision of WATS services (e.g., 800 Service Special Access services) in the terminating direction when the hunting number of the Special Access Service group is forwarded from the customer to the Company. This feature is provided in all Company designated WATS Serving Offices.

(P) <u>Uniform Call Distribution Arrangement for Use with Special Access Service Utilized in the Provision of WATS or WATS-Type Services</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available Special Access Services utilized in the provision of WATS or WATS-type services in the hunt group. Where available, this feature is only provided in Company designated WATS Serving Offices.

(Q) Nonhunting Number Associated with Hunt Group Arrangement or Uniform Call
Distribution Arrangement for Use with Special Access Service Utilized in the Provision of
WATS or WATS-Type Services

This option provides an arrangement for an individual Special Access Service utilized in the provision of WATS or WATS-type services within a multiline hunt or uniform call distribution group that provides access to that Special Access Service within the

Issued: October 20, 1997 Effective: October 21, 1997

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 Chargeable and Nonchargeable Optional Features (Cont'd)
    - 6.8.1 <u>Common Switching Nonchargeable Optional Features</u> (Cont'd)
      - (Q) Nonhunting Number Associated with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with Special Access Service Utilized in the Provision of WATS or WATS-Type Services (Cont'd)

hunt or uniform call distribution group when it is idle or nonhunting number is dialed without hunting to the next idle number. Where available, this feature is only provided in Company designated WATS Serving Offices.

#### (R) <u>Digital Switched 56 Service</u>

This option provides for a connection between a customer's premises and a suitably equipped end user's premise which uses end office switching and facilities capable of transmitting digital data up to 56 Kilobits per second. Digital Switched 56 Service is only available in appropriately provisioned FGD office as set forth in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4.

#### (S) Multifrequency Address Signaling

This feature provides for the transmission of number information and control signals (e.g., number address signals, automatic number identification) between the end office switch and the customer's premises (in either direction). Multifrequency signaling arrangements make use of pairs of frequencies out of a group of six frequencies. Specific information transmitted is dependent upon feature group and call type (i.e., POTS, coin or operator). This feature is not available in combination with SS7 signaling.

#### (T) Signaling System 7 (SS7) Signaling

This feature provides common channel out of band transmission of address and supervisory SS7 protocol signaling information between the end office switch or the tandem office switching system and the customer's designated premises. The signaling information is transmitted over facilities provided with the Common Channel Signaling/Signaling System 7 Interconnection Service as specified in 6.1.3(A)(3) preceding. This feature will be provided in accordance with the SS7 Interconnect specifications described in Technical Reference TR-TSV-000905.

#### (U) Calling Party Number (CPN)

This feature provides for the automatic transmission of the ten-digit directly number associated with a calling station to the customer's premises for calls originating in Company serving area. The ten-digit telephone number will be coded as presented or

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 137 Replaces Original Page 137

#### **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 <u>Chargeable and Nonchargeable Optional Features</u> (Cont'd)
    - 6.8.1 <u>Common Switching Nonchargeable Optional Features</u> (Cont'd)
      - (U) Calling Party Number (CPN) (Cont'd)

restricted via a "privacy indicator" for delivery to the called end user. This feature is provided with originating FGD with SS7 signaling. CPN is available where technically feasible.

### (V) Carrier Selection Parameter (CSP)

This feature provides for the automatic transmission of a signaling indicator which signifies to the customer whether or not the call being processed originated from a presubscribed line. If the line was presubscribed, the indicator will signify if the end user did or did not dial 10XXX. This feature is provided with originating FGD with SS7 signaling.

#### (W) Charge Number Parameter (CN)

The CN Parameter is equivalent to the existing ten-digit Automatic Number Identification (ANI) available with FGD with MF signaling. The CN Parameter provides for the automatic transmission of the ten-digit billing number of the calling station and the originating line information. This feature is provided with originating FGD with SS7 signaling.

# 6.8.2 <u>Chargeable Optional Features</u>

#### Interim 900 NXX Translation

This service is an originating offering utilizing trunk side Switched Access Service and provides a customer identification function based on the dialed SAC and NXX code.

For example, when an 1+900+NXX-XXXX call is originated by an end user, the Company will perform the customer identification function based on the dialed digits to determine the customer location to which the call is to be routed. Once customer identification has been established, the call will be routed to that customer. Calls originating from an end office switch as which the customer identification function is performed, but to which the customer has not ordered Interim 900 NXX Translation, will be blocked. Calls to a 900 number from coin telephones, 0+, 0-, 10XXX, Inmate Service, Hotel/Motel Service and calling card calls will be blocked.

The charge for Interim 900 NXX Translation is as set forth in the Rate Sections, beginning in Section 16, following.

T T

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 138 Replaces Original Page 138

#### **ACCESS SERVICE**

- 6. Switched Access Service (Cont'd)
  - 6.8 Chargeable and Nonchargeable Optional Features (Cont'd)
    - 6.8.3 <u>Common Channel Signaling/Signaling System 7 (CCS/SS7) Network Connection</u> <u>Service (CCSNC)</u>

Common Channel Signaling/Signaling System 7 (CCS/SS7) Network Connection Service (CCSNC), which is available with FGD where technically feasible as designated in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4, provides a signaling path between a customer's designated Signaling Point of Interface (SPOI) and a Signaling Transfer Point (STP). This service provides customers with the use of a two-way signaling path for accessing information necessary for the completion of their end user's calls.

CCS/SS7 Network Connection Service is comprised of two rate elements; a Signaling Network Access Link (SNAL) and a Signaling Transfer Point (STP) Port. The SNAL is provided as a dedicated 56 Kbps out-of-band signaling connection between the customer's SPOI and the STP port on the STP.

The CCS/SS7 Network Connection Service is provisioned by a mated pair of STPs as described in Technical Reference TR-TSV-000905 in order to ensure network availability and reliability. The Company shall not be held liable for service outages if the customer employs technology related to the interconnection of signaling networks that does not adhere to generally accepted industry technical standards.

When CCS/SS7 Network Connection Service is provisioned for use with SS7 Signaling, interconnection between signaling networks must occur at an STP.

Rates and charges for the CCS/SS7 Network Connection STP Ports and Signaling Network Access Links are contained in the Rate Sections, beginning in Section 16, following.

#### 6.8.4 800 Data Base Access Service

800 Data Base Access Service is provided with FGD Switched Access Service. When a 1+800+NXX-XXXX call is originated by an end user, the Company will utilize the SS7 network to query an 800 data base to perform the identification function. The call will then be routed to the identified customer over FGD switched access.

The manner in which 800 Data Base Access Service is provided is dependent on the availability of SS7 service at the end office from which the service is provided as outlined following:

Issued: March 30, 2007 Effective: April 1, 2007

T

#### TARIFF F.C.C. NO. 3

1st Revised Page 139 Replaces Original Page 139

#### **ACCESS SERVICE**

- 6. <u>Switched Access Service</u> (Cont'd)
  - 6.8 <u>Chargeable and Nonchargeable Optional Features</u> (Cont'd)
    - 6.8.4 <u>800 Data Base Access Service</u> (Cont'd)
    - When 800 Data Base Access Service originates at an end office equipped with Service Switching Point (SSP) capability for query centralized data base, all such service will be provided from that end office.
    - When 800 Data Base Access Service originates at an end office not equipped with SSP customer identification capability, the 800 call will be delivered to the access tandem on which the end office is homed and which is equipped with the SSP feature to query centralized data bases.
    - Query charges as set forth in the Rate Sections, beginning in Section 16, following are in addition to those charges applicable for the FGD Switched Access Service.

Issued: March 30, 2007 Effective: April 1, 2007

# 7. Special Access Service

# 7.1 General

Special Access Service provides a transmission path to connect customer designated premises<sup>1</sup>, directly, through a Company hub or hubs where bridging or multiplexing functions are performed, or to connect a customer designated premises and a WATS Serving Office. Special Access Service includes all exchange access not utilizing Company end office switches.

# 7.1.1 <u>Channel Types</u>

There are six types of channels used to provide Special Access Services. Each type has its own characteristics. All are subdivided by one or more of the following: Transmission Specifications; Bandwidth; Speed (i.e., bit rate); and Spectrum.

Customers can order a basic channel and select from a list of those available transmission parameters and channel interfaces that they desire in order to meet specific communications requirements.

For purposes of ordering channels, each has been identified as a type of Special Access Service. However, such identification is not intended to limit a customer's use of the channel nor to imply that the channel is limited to a particular use.

Following is a brief description of each type of channel:

<u>Voice Grade (VG)</u>: a channel for the transmission of analog signals within an approximate bandwidth of 300 to 3000 Hz.

<u>Program Audio (AP)</u>: a Channel for the transmission of audio signals. The nominal frequency bandwidths are from 200 to 3500 Hz, from 100 to 5000 Hz, from 50 to 8000 Hz, or from 50 to 15000 Hz.

<u>Video (TV)</u>: a channel for the transmission of standard 525 line 60 field monochrome or National Television Systems Committee color video signal and one or two associated 5 or 15 kHz audio signals. The bandwidth is either 30 Hz to 4.5 Mhz or 30 Hz to 6.6 Mhz.

<u>Digital Data (DA)</u>: a channel for the digital transmission of synchronous serial data at rates of 2.4, 4.8, 9.6, or 56 kbps.

<u>High Capacity (HC)</u>: a channel for the transmission of isochronous serial digital data at rates of 1.544, 3.152, 6.312, 44.726, or 274.176 Mbps.

Detailed descriptions of each of the channel types are provided in 7.4 though 7.8 following.

<sup>1</sup>Company Centrex CO is considered to be a customer designated premises for purposes of this tariff.

Issued: October 20, 1997 Effective: October 21, 1997

# 7. Special Access Service (Cont'd)

# 7.1 <u>General</u> (Cont'd)

7.1.1 Channel Types (Cont'd)

The customer also has the option of ordering Voice Grade and High Capacity facilities to Company hubs for multiplexing to individual channel of a lower capacity or bandwidth. Descriptions of the types of multiplexing available at the hubs, as well as the number of individual channels which may be derived from each type of facility are set forth in 7.4 and 7.8 following. Additionally, the customer may specify optional features for the individual channels derived from the facility to further tailor the channel to meet specific communications requirements. Descriptions of the optional features and functions available are set forth in 7.2.1 following.

#### 7.1.2 <u>Service Descriptions</u>

Each service consists of a basic channel to which a technical specifications package (customized or predefined), channel interface(s) and, when desired, optional features and functions are added to construct the service desired by the customer. Technical specifications packages are described in Section 14 following, optional features and functions are described in this section. Channel interfaces are described in 14.2 following.

Customized technical specifications packages will be provided where technically feasible. If the Company determines that the requested parameter specifications are not compatible, the customer will be advised and given the opportunity to change the order.

When a customized channel is ordered, the customer will be notified whether Additional Engineering Charges apply. In such cases, the customer will be advised and given the opportunity to change the order.

The channel descriptions provided in 7.4 though 7.8 following specify the characteristics of the basic channel and indicate whether the channel is provided between customer designated premises, between a customer designated premises and a Company hub where bridging or multiplexing functions are performed, between hubs, or between a customer designated premises and a WATS Serving Office.

- (A) Information pertaining to the technical specifications packages indicates the transmission parameters that are available with each package. This information is displayed in matrices set forth in 14.2 following.
- (B) Channel interfaces at each Point of Termination on a two-point service may be symmetrical or asymmetrical. On a multipoint service they may also be symmetrical or asymmetrical, but communications can only be provided between compatible channel interfaces. Only certain channel interfaces are compatible. These are set forth in 14.2 following in a combination format.

Issued: October 20, 1997 Effective: October 21, 1997

- 7. Special Access Service (Cont'd)
  - 7.1 General (Cont'd)
    - 7.1.2 <u>Service Descriptions</u> (Cont'd)
      - (C) Only certain channel interface combinations are available with the predefined technical specifications packages. These are delineated in the Technical References set forth in (F) following. When a customized channel is requested, all channel interface combinations available with the specified type of service are available with the customized channel.
      - (D) The optional features and functions available with each type of Special Access Service are described in this section. The optional features and functions information also indicates with which technical specification packages they are available. Such information is displayed in matrices set forth in 14.2 following with the optional feature or function listed down the left side and the technical specifications package listed across the top.
      - (E) All services will conform to the transmission specifications standards contained in this tariff or in the following Technical References for each category of service:

Voice Grade TR-TSY-000335, PUB 41004, Table 4 Program Audio TR-NPL-000337 and associated Addendum

Video TR-NPL-000338

Digital Data TR-NPL-000341 and associated Addendum

PUB 62310

High Capacity TR-INS-000342, PUB 62411

# 7.1.3 <u>Service Configurations</u>

There are two types of service configurations over which Special Access Services are provided: two-point service and multipoint service.

### (A) Two-Point Service

A two-point service connects two customer designated premises, either on a directly connected basis or through a hub where multiplexing functions are performed, or a customer designated premises and a WATS Serving Office (WSO).

Applicable rate elements are: Channel Termination; Channel Mileage (as applicable); and Optional Features and Functions (when applicable).

Issued: October 20, 1997 Effective: October 21, 1997

### 7. Special Access Service (Cont'd)

# 7.1 General (Cont'd)

7.1.3 <u>Service Configurations</u> (Cont'd)

# (B) Multipoint Service

Multipoint service connects three or more customer designated premises through one or more Company hubs. Only certain types of Special Access Service are provided as multipoint service. These are so designated in the descriptions for the appropriate channel.

The channel between hubs (i.e., bridging locations) on a multipoint service is a midlink. There is no limitation on the number of mid-links available with a multipoint service. However, when more than three mid-links in tandem are provided, the quality of the overall service may be degraded.

Multipoint service utilizing a customized technical specifications package as set forth in 7.1.2 preceding and 14.2 following will be provided when technically possible. If the Company determines that the requested characteristics for a multipoint service are not compatible, the customer will be advised and given the opportunity to change the order.

When ordering, the customer will specify the desired bridging hub(s). NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4 identifies serving wire centers, hub locations and the type of bridging functions available.

Applicable rate elements are: Channel Terminations (one per customer designated premises); Channel Mileage (as applicable between the serving wire center for each customer designated premises and the hub and between hubs); Bridging; and Additional Optional Features and Functions (when applicable.

The Special Access Surcharge as set forth in 7.3 following may be applicable.

#### 7.1.4 <u>Alternate Use</u>

Alternate Use occurs when a service is arranged by the Company so that the customer can select different types of transmission at different times. A customer may use a service in any privately beneficial manner. However, where technical or engineering changes are required to effectuate an alternate use, the Company will make such special arrangements available on an individual case basis.

The arrangement required to transfer the service from one operation to the other (i.e., the transfer relay and control leads) will be rated and provided on an individual case basis and filed in Section 12 following. The customer will pay the stated tariff rates for the Access.

Issued: October 20, 1997 Effective: October 21, 1997

# 7. Special Access Service (Cont'd)

# 7.1 General (Cont'd)

7.1.4 Alternate Use (Cont'd)

Service rate elements for the service ordered (i.e., Channel Terminations, Channel Mileage, as applicable, and Optional Features and Functions, if any).

# 7.1.5 <u>Special Facilities Routing</u>

A customer may request that the facilities used to provide Special Access Service be specially routed. The regulations, rates and charges for Special Facilities Routing (i.e., Avoidance, Diversity and Cable-Only) are set forth in Section 11 following.

# 7.1.6 <u>Design Layout Report</u>

At the request of the customer, the Company will provide to the customer the make-up of the facilities and services provided under this tariff as Special Access Service to aid the customer in designing its overall service. This information will be provided in the form of a Design Layout Report. The Design Layout Report will be provided to the customer at no charge and will be issued or updated whenever these facilities are materially changed.

### 7.1.7 <u>Acceptance Testing</u>

At no additional charge, the Company will, at the customer's request, cooperatively test the following at the time of installation.

- (A) For Voice Grade analog services, the acceptance test will include tests for loss, 3-tone slope, DC continuity, operational signaling, C-notched noise, and C-message noise when these parameters are applicable and specified in the order of service. Additionally, for Voice Grade services, a balance (improved loss) test will be made if the customer has ordered the improved loss operational feature.
- (B) For other analog services and for digital services, acceptance tests will include tests applicable to the service as specified by the customer in the order for service.

In addition to the above tests, Additional Cooperative Acceptance Testing for Voice Grade service to test other parameters, as described in 13.3.1(B) following is available at the customer's request. All test results will be made available to the customer upon request.

#### 7.2 Rate Regulations

This section contains the specific regulations governing the rates and charges that apply for Special Access Service.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 145 Replaces Original Page 145

### **ACCESS SERVICE**

# 7. <u>Special Access Service</u> (Cont'd) 7.2 <u>Rate Regulations</u> (Cont'd)

# 7.2.1 Rate Categories

There are four basic rate categories which apply to Special Access Service: Channel	(C)
Termination (described in 7.2.1(A) following); Channel Mileage (described in 7.2.1(B)	
following); Port Charges (described in 7.2.1(C) following); and Optional Features and	(N)
Functions (described in 7.2.1(D) following).	(C)

### (A) Channel Termination

The Channel Termination rate category recovers the costs associated with the communications path between a customer designated premises and the serving wire center of that premises. Included as part of the Channel Termination is a standard channel interface arrangement which defines the technical characteristics associated with the type of facilities to which the access service is to be connected at the Point of Termination (POT) and the type of signaling capability, if any. The signaling capability is provided as an optional feature as set forth in (C) following. One Channel Termination charge applies per customer designated premises at which the channel is terminated. This charge will apply even if the customer designated premises and the serving wire center are collocated in a Company building.

For DS3 High Capacity Service, the Channel Termination rates are made up of the DS3 Facility rate and the DS3 Channel Interface Connection rate. The Facility rate is dependent upon the capacity orders (i.e., Facility of 3, 6 or 9) and may be applicable at each customer designated premises. The capacity ordered is the maximum number of DS3 services that can be terminated on a given Facility at the customer designated premises (e.g., a capacity of 3 can terminate 1, 2, or 3 DS3 Channel Interface Connections). The DS3 Facility may be customer provided.

One DS3 Channel Interface Connection rate applies per customer designated premises at which the channel is terminated for each DS3 channel that is ordered. This charge applies whether or not the DS3 Facility is customer provided. These charges will apply even if the customer designated premises and the serving wire center are collocated in a Company building.

# (B) Channel Mileage

The Channel Mileage rate category recovers the costs associated with the end office equipment and the transmission facilities between the serving wire centers associated with two customer designated premises, between a serving wire center associated with a customer designated premises and a Company hub or between two Company hubs. Channel Mileage rates are made up of the Channel Mileage Facility rate and the Channel Mileage Termination rate.

Issued: September 23, 2004 Effective: September 24, 2004

1st Revised Page 146 Replaces Original Page 146

### **ACCESS SERVICE**

- 7. <u>Special Access Service</u> (Cont'd)
  - 7.2 Rate Regulations (Cont'd)
    - 7.2.1 Rate Categories (Cont'd)
      - (B) Channel Mileage (Cont'd)

### (1) Channel Mileage Facility

The Channel Mileage Facility rate recovers the per mile cost for the transmission path which extends between the Company serving wire centers and/or hub(s).

# (2) <u>Channel Mileage Termination</u>

The Channel Mileage Termination rate recovers the cost of end office equipment associated with terminating the facility (i.e., basic circuit equipment and terminations at serving wire centers and hubs). The Channel Mileage Termination rate will apply at the serving wire center(s) for each customer designated premises and Company hub where the channel is terminated. If the Channel Mileage is between Company bridging hubs, the Channel Mileage Termination rate will apply per Company designated hub. If the Channel Mileage is between the serving wire center for a customer designated premises and a WATS Serving Office, the Channel Mileage Termination rate will apply at both the serving wire center associated with the customer designated premises and the WATS Serving Office. When the Channel Mileage Facility is zero (i.e., collocated serving wire centers), neither the Channel Mileage Facility rate nor the Channel Mileage Termination rate will apply.

(C) Port Charges

(N/C)

(M)

(1) DS1 Line Port

When an end user is provided a DS1 (1.544 Mbps) local exchange service by the Telephone Company under the general and /or local exchange tariff (s), and where the end user provides the terminating channelization equipment, a DS1 Line Port rate will apply. The DS1 Line Port rate recovers the line port costs of the DS1 channel service to the extent these costs exceed the cost of a line port used for basic, analog service.

(M) (M1)

(M) Matter relocated from 1st Revised Page 232.

(M1) Matter relocated to Original Page 146.2.

Issued: September 23, 2004 Effective: September 24, 2004

- 7. Special Access Service (Cont'd)
  - 7.2 Rate Regulations (Cont'd)
    - 7.2.1 Rate Categories (Cont'd)
      - (C) Port Charges (cont'd)
        - (1) DS1 Line Ports (cont'd)

When an end user temporarily suspends its local exchange service that is associated with DS1 channel service, one-half of the DS1 Line Port rate per month will be temporarily suspended for the time period the local exchange service is suspended.

# (a) Rate Application

The DS1 Line Port rate is set forth in the Rate Sections, beginning in Section 16, following.

T T

This monthly rate applies to each DS1 (1.544 Mbps) channel service ordered from the Telephone Company's general and /or local exchange tariff, where the end user provides the terminating channelization equipment.

# (2) ISDN Line Ports

When an end user is provided Integrated Services Digital Network (ISDN) Basic Rate Interface (BRI) and/or ISDN Primary Rate Interface (PRI) Local exchange service by the Telephone Company under the general or local exchange tariff, ISD N Line Port rates apply, ISDN Line Port rates recover the costs fo ISDN Line ports to the extend these costs exceed the cost of a line port used for basic, analog service.

When an end user temporarily suspends its local exchange service that is associated with ISDN BRI and/or ISDN PRI, one-half of the ISDN Line port rate per month will be temporarily suspended for the time period the local exchange service is suspended.

# (a) Rate Application

The DS1 Line Port rate is set forth in the Rate Sections, beginning in Section 16, following.

T

This monthly rate applies to each ISDN service arrangement ordered from the Telephone Company's general or local exchange tariff, as described below.

Issued: March 30, 2007 Effective: April 1, 2007 Original Page 146.2

- 7. Special Access Service (Cont'd)
  - 7.2 Rate Regulations (Cont'd)
    - 7.2.1 Rate Categories (Cont'd)
      - (C) Port Charges (cont'd)
        - (2) ISDN Line Ports (cont'd)
          - (a) Rate Application (cont'd)
      - The ISDN BRI Line Port rate applies to each ISDN BRI arrangement
      - The ISDN PRI Line Port rate applies to each ISDN PRI arrangement.

(D) Optional Features and Functions

(C/M) (M1)

(M1)

(N)

(N)

The Optional Features and Functions rate category recovers the costs associated with optional features and functions which may be added to a Special Access Service to improve its quality or utility to meet specific communications requirements. These are not necessarily identifiable with specific equipment, but rather represent the end result in terms of performance characteristics which may be obtained. These characteristics may be obtained by using various combinations of equipment. Although the equipment necessary to perform a specified function may be installed at various locations along the path of the service, they will be charged for as a single rate element. Examples of Optional Features and Functions that are available include, but are not limited to, the following: Signaling Capability; Hubbing Functions; Conditioning; and Transfer Arrangements. A hub is a Company designated serving wire center at which bridging or multiplexing functions are performed. The bridging functions performed are to connect three or more customer designated premises in a multipoint arrangement. The multiplexing functions are to channelize analog or digital facilities to individual services requiring

(M1) Matter relocated from Original Page 146.

Issued: September 23, 2004 Effective: September 24, 2004

1st Revised Page 147

Replaces Original Page 147

- 7. <u>Special Access Service</u> (Cont'd)
  - 7.2 Rate Regulations (Cont'd)
    - 7.2.1 <u>Rate Categories</u> (Cont'd)
      - (D) Optional Features and Functions (Cont'd)

a lower capacity or bandwidth. NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4 identifies serving wire centers, hub locations and the type of bridging or multiplexing functions available.

Descriptions for each of the available Optional Features and Functions are set forth in 7.4 through 7.8 following.

# 7.2.2 <u>Types of Rates and Charges</u>

There are three types of rates and charges. These are monthly rates, daily rates, and nonrecurring charges. The rates and charges are described as follows.

# (A) Monthly Rates

Monthly rates are recurring rates that apply each month or fraction thereof that a Special Access Service is provided. For billing purposes, each month is considered to have 30 days.

#### (B) Daily Rates

Daily rates are recurring rates that apply to each 24-hour period or fraction thereof that a Program Audio or Video Special Access Service is provided for part-time use. For purposes of applying daily rates, the 24-hour period is not limited to a calendar day.

Part-time Video or Program Audio Service provided within a consecutive 30-day period will be charged the daily rate, not to exceed the monthly rate. For each day or partial day after a consecutive 30-day period of service, a charge equal to 1/30th of the monthly rate shall apply.

# (C) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for specific work activity (i.e., installation or change to an existing service). The types of nonrecurring charges that apply for Special Access Service are: installation of service; installation of optional features and functions; and service rearrangements. These charges are in addition to the Access Order Charge as specified in the Rate Sections, beginning in Section 16, following.

Issued: March 30, 2007 Effective: April 1, 2007

T

Т

### **ACCESS SERVICE**

- 7. Special Access Service (Cont'd)
  - 7.2 Rate Regulations (Cont'd)
    - 7.2.2 <u>Types of Rates and Charges</u> (Cont'd)
      - (C) Nonrecurring Charges (Cont'd)

#### (1) Installation of Service

Nonrecurring charges apply to each service installed. The nonrecurring charges for the installation of service are set for each channel type as a nonrecurring charge for the Channel Termination.

# (2) <u>Installation of Optional Features and Functions</u>

When optional features and functions are installed coincident with the initial installation of service, no separate nonrecurring charge is applicable. When optional features and functions are installed or changed subsequent to the installation of service, an Access Order Charge as specified in the Rate Sections, beginning in Section 16, following will apply per order.

(3) <u>Service Rearrangements</u>

Service rearrangements are changes to existing (installed) services which may be administrative only in nature as set forth following or that involve actual physical change to the service. Changes to pending orders are set forth in 5.4 preceding.

Changes in the physical location of the point of termination or customer designated premises are moves as set forth in 7.2.3 following.

Changes in the type of Service or Channel Termination which result in a change of the minimum period requirement will be treated as a discontinuance of the service and an installation of a new service.

Changes in ownership or transfer of responsibility from one customer to another will be treated as a discontinuance of the service and an installation of a new service. In the event the change in ownership or transfer of responsibility is as set forth in 2.1.2(A) preceding where there is not change in facilities or arrangements, the change will be treated as an administrative change.

Administrative changes will be made without charge(s) to the customer. Administrative changes are as follows:

- Change of customer name,
- change of customer or customer's end user premises address when the change of address is not a result of physical relocation of equipment,

Issued: March 30, 2007 Effective: April 1, 2007

T

T

T

T

#### **ACCESS SERVICE**

- 7. Special Access Service (Cont'd)
  - 7.2 <u>Rate Regulations</u> (Cont'd)
    - 7.2.2 <u>Types of Rates and Charges</u> (Cont'd)
      - (C) Nonrecurring Charges (Cont'd)
        - (3) <u>Service Rearrangements</u> (Cont'd)
        - Change in billing data (name, address, or contact name or telephone number),
        - Change of agency authorization,
        - Change of customer circuit identification,
        - Change of billing account number,
        - Change of customer test line number,
        - Change of customer or customer's end user contact name or telephone number, and
        - Change of jurisdiction.

All other service rearrangements will be charged as follows:

- If the change involves the addition of other customer designated premises to an existing service, the nonrecurring charge for the channel termination rate element will apply. The charge(s) will apply only for the location(s) that is being added. The charge(s) will be in addition to an Access Order Charge as set forth in the Rate Sections, beginning in Section 16, following.
- If the change involves the addition of an optional feature or function, or if the change involves changing the type of signaling on a Voice Grade service, and for all other changes, the Access Order Charge as set forth in the Rate Sections, beginning in Section 16, following will apply.

# 7.2.3 <u>Moves</u>

A move involves a change in the physical location of one of the following: The Point of Termination at the customer's premises; and the customer's premises.

The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.

### (A) Moves Within the Same Building

When the move is to a new location within the same building, the charge for the move will be an amount equal to one half of the nonrecurring (i.e., installation) charge for the service termination affected. There will be no charge in the minimum period requirements. This charge is in addition to the Access Order Charge as specified in the Rate Sections, beginning in Section 16, following.

Issued: March 30, 2007 Effective: April 1, 2007

### 7. <u>Special Access Service</u> (Cont'd)

7.2 Rate Regulations (Cont'd)

7.2.3 Moves (Cont'd)

### (B) Moves to a Different Building

Moves to a different building will be treated as a discontinuance and start of service, and all associated nonrecurring charges will apply. New minimum period requirements will be established for the new services. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

### 7.2.4 <u>Minimum Service Periods</u>

The minimum service period for all services except part-time Video and Program Audio services and DS3 High Capacity Service is one month and the full monthly rate will apply to the first month. Adjustments for the quantities of services established or discontinued in any billing period beyond the minimum period are as set forth in 2.4.1(F) preceding. The minimum service period for part-time Video and Program Audio services is continuous 24-hour period, not limited to a calendar day. The minimum service period for DS3 High Capacity service is twelve months.

#### 7.2.5 <u>Mileage Measurement</u>

The mileage to be used to determine the monthly rate for the Channel Mileage Facility is calculated on the airline distance between the locations involved, i.e.,

- the serving wire centers associated with two customer designated premises,
- a serving wire center associated with a customer designated premises and a Company hub,
- two Company hubs
- or between the serving wire center associated with a customer designated premises and a WATS Serving Office.

The serving wire center associated with a customer designated premises is the serving wire center from which this customer designated premises would normally obtain dial tone.

Mileage charges are shown with each channel type. To determine the rate to be billed, first compute the mileage using the V&H coordinates method, as set forth in the NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4, then multiply the resulting number of miles times the Channel Mileage Facility per mile rate, and add the Channel Mileage Termination rate for each termination. When the calculation results in a fraction of a mile, always round up to the next whole mile before determining the mileage and applying the rates. When more than one Company is involved in the provision of service, billing will be accomplished as set forth in 2.4.7 preceding.

Issued: October 20, 1997 Effective: October 21, 1997

# 7. Special Access Service (Cont'd)

# 7.2 Rate Regulations (Cont'd)

7.2.5 <u>Mileage Measurement</u> (Cont'd)

When hubs are involved, mileage is computed and rates applied separately for each section of the Channel Mileage, i.e.,

- customer designated premises serving wire center to hub,
- hub to hub and/or
- hub to customer designated premises serving wire center.

However, when any service is routed through a hub for purposes other than customer specified bridging or multiplexing (e.g., the Company chooses to so route for test access purposes), rates will be applied only to the distance calculated between the serving wire centers associated with the customer designated premises.

### 7.2.6 <u>Facility Hubs</u>

A customer has the option of ordering Voice Grade service or High Capacity services to a facility hub for channelizing to individual services requiring lower capacity facilities.

Different locations may be designated as hubs for different facility capacities, e.g., multiplexing from digital to digital may occur at one location while multiplexing from digital to analog may occur at a different location. When placing an Access Order, the customer will specify the desired hub.

NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4 identifies serving wire centers, hub locations, hub level and the type of multiplexing functions available.

Some of the types of multiplexing available include the following: from higher to lower bit rate; from higher to lower bandwidth; and from high capacity to voice frequency channels.

Point to point services may be provided on channels of these services to a hub. The transmission performance for the point to point service provided between customer designated premises will be that of the lower capacity or bit rate. For example, when a 1.544 Mbps channel is multiplexed to voice frequency channels, the transmission performance of the channelized services will be Voice Grade, not High Capacity.

The Company will commence billing the monthly rate for the service to the hub on the date specified by the customer on the Access Order. Individual channels utilizing these services may be installed coincident with the installation of the service to the hub or may be ordered and/or installed at a later date, at the option of the customer. The customer will

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 152 Replaces Original Page 152

### **ACCESS SERVICE**

# 7. Special Access Service (Cont'd)

7.2 Rate Regulations (Cont'd)

7.2.6 <u>Facility Hubs</u> (Cont'd)

be billed for a Voice Grade or a High Capacity Channel Termination, Channel Mileage (when applicable), and the multiplexer at the time the service is installed. Individual service rates (by service type) will apply for a Channel Termination and additional Channel Mileage (as required) for each channelized service. These will be billed to the customer as each individual service is installed.

Cascading multiplexing occurs when a High Capacity service is de-multiplexed to provide channels with a lesser capacity and one of the lesser capacity channels is further duplexed. For example, a 6.312 Mbps High Capacity service is de-multiplexed to four DS1 channels and then one of the DS1 channels is further de-multiplexed to 24 individual Voice Grade channels.

When cascading multiplexing is performed, whether in the same or a different hub, a charge for the additional multiplexing unit also applies. When cascading multiplexing is performed at different hubbing location, Channel Mileage charges also apply between the hubs.

The Company will designate hubs for Program Audio and Video Services. Full-time or part-time service may be provided between customer designated premises or between a customer designated premises and a hub and billed accordingly at the monthly rates set forth in the Rate Sections, beginning in Section 16, following for a Channel Termination, Channel Mileage and Optional Feature and Functions as applicable.

When the service is ordered to a hub, the customer may order a full-time or part-time Video and program Audio services as needed between that hub and additional customer designated premises. The rate elements required to provide the part-time service will be billed at daily rates for the duration of the service requested.

# 7.2.7 <u>Mixed Use Analog and Digital High Capacity Services</u>

Mixed use refers to a rate application applicable only when the customer orders High Capacity Special Access facilities between a customer designated premises and a Company hub where the Company performs multiplexing/de-multiplexing functions and the same customer then orders the derived channels as Special and Switched Access Services. If the customer has Switched Access Service between a customer designated premises and an end office that is multiplexed at a Company hub and subsequently orders the derived channels as Special and Switched Access Service, rates and charges will apply as if the service were ordered as mixed use.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

Replaces Original Page 153

### **ACCESS SERVICE**

- 7. <u>Special Access Service</u> (Cont'd)
  - 7.2 <u>Rate Regulations</u> (Cont'd)
    - 7.2.7 <u>Mixed Use Analog and Digital High Capacity Services</u> (Cont'd)

Except as noted previously, the High Capacity facility will be ordered, provided and rated as Special Access Service (i.e., Channel Termination, Channel Mileage, as appropriate, and Multiplexing Arrangement). The nonrecurring charge that applies when the mixed use facility is installed will be the nonrecurring charge associated with the appropriate Special Access High Capacity Channel Termination. Rating as Special Access will continue until such time as the customer chooses to use a portion of the available capacity for Switched Access Service (i.e., Switched or Special Access) nonrecurring charges will not apply to the individual channels of the mixed use facility.

When Special Access Service is provided utilizing a channel of the mixed use facility to a hub, High Capacity rates and charges will apply for the facility to the hub, as set forth preceding, and individual service rates and charges will apply from the hub to the customer designated premises. The rates and charges that will apply to the portion from the hub to the customer designated premises will be dependent on the specific type of Special Access Service that is provide. The applicable rates and charges will include a Channel Termination and Channel Mileage, if applicable. Rates and charges for optional features and functions associated with the service, if any, will apply for the appropriate channel type.

As each individual channel is activated for Switched Access Service, the High Capacity Special Access Channel Termination, Channel Mileage, and Multiplexing rates will be reduced accordingly.

Switched Access Service rates and charges as set forth in the Rate Sections, beginning in Section 16, following will apply for each channel of the standard use facility that is used to provide a Switched Access Service. Additionally, the Switched Access Service Entrance Facility, Direct Trunked Transport, and Multiplexing charges, if applicable, will be reduced by multiplying their respective rates by the ratio of derived Switched Access Service channels to the total number of Voice Grace channels that can be derived.

The customer must place an order for each individual Switched or Special Access Service utilizing the Mixed Use Facilities and specify the channel assignment for each such service.

Issued: March 30, 2007 Effective: April 1, 2007

# 7. Special Access Service (Cont'd)

7.2 <u>Rate Regulations</u> (Cont'd)

# 7.2.8 Service Area-Wide Special Access (SAWSA) Offer

#### 7.2.8.1 General Description

The Service Area-Wide Special Access (SAWSA) offering provides Customers with Incentive Credits in accordance with the terms and conditions as set forth in this Section 7.2.8.1, rates in section 16.3.

### 7.2.8.2 Services Available for SAWSA Offer

- (A) The SAWSA offer applies to special access services contained in GCI Communication Corp. Tariff F.C.C. No. 3 (Qualified Access Services).
- (B) When additional Qualified Access Services are added to the services available under Tariff F.C.C. No. 3, all billed, recurring revenues for such additional Qualified Access Services will be added to this offer for the purposes of calculating the Incentive Credits included in this offer.
- (C) All terms and conditions for the Qualified Access Services are governed by the respective tariff sections, except as noted in this offer.

#### 7.2.8.3 SAWSA Offer Terms and Conditions

The following terms and conditions apply to this offer:

# (A) Eligibility Criteria

- (1) The Qualified Access Services must be located within the operating territory of the Company;
- (2) Customer must agree to select Company as its sole provider of Qualified Access Services within the operating territory of Company, with the exception of self-provisioned services, and to take commercially reasonable steps to inform affiliates of the SAWSA arrangement;

Issued: December 2, 2008 Effective: December 3, 2008

- 7. Special Access Service (Cont'd)
  - 7.2 <u>Rate Regulations</u> (Cont'd)
    - 7.2.8 Service Area-Wide Special Access (SAWSA) Offer (Cont'd)
      - 7.2.8.3 SAWSA Offer Terms and Conditions (cont'd)
        - (A) Eligibility Criteria (cont'd)
          - (3) At the initiation of service, Customer must certify it has in operation at least 2,000 Qualified Access Service circuits within the operating territory of the Company, with at least 800 of such circuits provisioned as DS-1 capacity or greater ("Service Eligibility Requirement").

### (A) Terms and Conditions

- (1) Revenue commitments are based on billed, recurring charges for the Qualified Access Services and specifically exclude any non-recurring charges;
- (2) The Incentive Credits earned by the Customer under this offer shall be applied in the form of a credit to any other bills rendered by Company to Customer for any non-access services;
- (3) The Company reserves the right to change its rates for Qualified Access Services included under the offer;
- (4) Qualified Access Services are subject to certain rates, charges and general terms and conditions in other sections of Tariff F.C.C. No. 3, and such terms and conditions may be modified through the filing of tariff changes at any time during the Term Period; however, such tariff modifications will not change the terms and conditions described in this offer;
- (5) This offer is available from December 3, 2008 to January 2, 2009;
- (6) The Customer must meet the criteria described for Incentive Credits, as provided in Section 7.2.8.4;

To subscribe to this offer, the Customer must submit the eligibility certification required under Section 7.2.8.3(A)(2).

Issued: December 2, 2008 Effective: December 3, 2008

- 7. <u>Special Access Service</u> (Cont'd)
  - 7.2 <u>Rate Regulations</u> (Cont'd)

7.2.8 <u>Service Area-Wide Special Access (SAWSA) Offer</u> (Cont'd) 7.2.8.3 SAWSA Offer Terms and Conditions (cont'd)

#### (A) Termination

In addition to any basis for termination otherwise provided in other sections of Tariff F.C.C. No. 3, the SAWSA arrangement may be terminated during the Term Period or any Renewal Period for the following reasons:

- (1) Either Customer or Company may elect to terminate the arrangement under this offer upon the occurrence of any Special Control Event involving the other (Acquired Party). "Special Control Event" means the act, by any third party that is or comes to be an affiliate of a facilities-based provider of telecommunications services within the United States of America, of obtaining, after the date of the acceptance of this offer, ownership, management rights, or control (whether directly or indirectly) of more than fifty one percent (51%) of the voting power of the Acquired Party or its parent. Acquired Party must notify the other party of the occurrence of a Special Control Event within five (5) business days of the Acquired Party's first knowledge of such occurrence;
- (2) Company may elect to terminate any SAWSA arrangement upon the occurrence of any Affiliate Event involving any affiliate of Customer. "Affiliate Event" refers to the act or series of acts, by any affiliate of Customer that results in such affiliate's purchase outside of the SAWSA arrangement of more than twenty percent (20%) of its total recurring charges for Qualified Access Services within the operating territory of Company as measured at the end of each calendar quarter after December 31, 2009. Customer must notify Company of the occurrence of any Affiliate Event within five (5) business days of Customer's first knowledge of such occurrence.

Issued: December 2, 2008 Effective: December 3, 2008

- 7. Special Access Service (Cont'd)
  - 7.2 <u>Rate Regulations</u> (Cont'd)
    - 7.2.8 Service Area-Wide Special Access (SAWSA) Offer (Cont'd)

# 7.2.8.4 SAWSA Offer Incentive Credits

# (A) Incentive Credits Commitment

In order to qualify for the Incentive Credits, Customer must certify to Company the Service Eligibility Requirement. Notwithstanding the foregoing, Incentive Credits shall not be applied unless and until Customer is current in paying (or properly disputing) all invoices submitted for Services in accordance with Tariff F.C.C. No. 3, Section 2.4.

Issued: December 2, 2008 Effective: December 3, 2008

- 7. Special Access Service (Cont'd)
  - 7.3 Surcharge for Special Access
    - 7.3.1 General

Special Access Services provided under this tariff may be subject to the monthly Special Access Surcharge.

# 7.3.2 <u>Application</u>

- (A) The Special Access Surcharge will apply to each interstate Special Access Service that terminates on an end user's PBX or other device, where through a function of the device, the Special Access Service interconnects to the local exchange network. Interconnection functions include, but are not limited to, wiring and software functions, bridging, switching or patching of calls or stations. The Surcharge will apply irrespective of whether the interconnection function is performed in equipment located at the customer's premises or in a Centrex CO-type switch.
- (B) Special Access Service will be exempted from the Surcharge by the Company upon receipt of the customer's written certification for the following Special Access Service terminations:
  - (1) an analog channel termination that is used for radio or television program transmission; or
  - (2) a termination used for TELEX service; or
  - (3) a termination that by the nature of its operating characteristics could not make use of Company common lines such as terminations which are restricted through hardware or software; or
  - (4) a termination that interconnects either directly or indirectly to the local exchange network where the usage is subject to Carrier Common Line charges such as where the Special Access Service accesses only FGA and no local exchange lines, or Special Access Service between customer point of termination; or
  - (5) a termination that, the customer certifies to the Company, is not connected to a PBX or other device which interconnects the Special Access Service to a local exchange subscriber line.

Issued: October 20, 1997 Effective: October 21, 1997

- 7. Special Access Service (Cont'd)
  - 7.3 <u>Surcharge for Special Access</u> (Cont'd)

# 7.3.3 <u>Exemption of Special Access Service</u>

- (A) Special Access Services which are terminated as set forth in 7.3.2(B) preceding will be exempted from the Special Access Surcharge if the customer provides the Company with written exemption certification. The certification may be provided to the Company as follows:
- at the time the Special Access Service is ordered or installed;
- at such time as the service is terminated to a device which does not interconnect the service to local exchange facilities; or
- at such time as the service becomes associated with a Switched Access Service that is subject to Carrier Common Line Charges.
- (B) The exemption certification is to be provided by the customer ordering the service. The certification must be signed by the customer or authorized representative and include the category of exception as set forth in 7.3.2(B) preceding for each termination and the date which the exemption is effective.
- (C) The customer shall also notify the Company when an exempted Special Access Service is changed or terminated such that the exemption is no longer applicable.
- (D) The Company will work cooperatively with the customer to resolve any questions regarding the exemption certification. In addition, the Company may withhold exemptions of the service until the questions are resolved.

### 7.3.4 <u>Rate Regulations</u>

(A) The surcharge will apply as set forth in 7.3.2(A) preceding except that a surcharge will be assessed on a per voice grade equivalent basis for Special Access Services derived from High Capacity Special Access Services as illustrated in the following example:

Special Access Service					Monthly <u>Charge</u>	
DS1	24	X	\$25	= \$600.00		

The preceding example illustrates the maximum number of surcharges applicable to a DS1. If the customer claims exemption(s) as set forth in 7.3.3 preceding or is not utilizing all available voice grade equivalents and has spare capacity, the number of surcharges would be reduced accordingly.

Issued: October 20, 1997 Effective: October 21, 1997

- 7. Special Access Service (Cont'd)
  - 7.3 Surcharge for Special Access (Cont'd)
    - 7.3.4 Rate Regulations (Cont'd)
      - (A) (Cont'd)

In the case of multipoint Special Access Services, one Special Access Surcharge will apply for each termination of a Special Access Channel at an end user's premises.

- (B) The Company will bill the appropriate Special Access Surcharge to the ordering customer for each interstate Special Access Service installed unless exemption certification is provided as set forth in 7.3.3 preceding.
- (C) If a written certification is not received at the time the Special Access Service is obtained, the Surcharge will be applied. Exempt status will become effective on the certification date indicated by the customer, subject to the regulations set forth in (D) following.
- (D) The Company will cease billing the Special Access Surcharge when certification, as set forth in 7.3.3 preceding is received. If the status of the Special Access Service was changed prior to receipt of the exemption certification, the Company will credit the customer's account, not to exceed ninety (90) days based on the effective date of the change as specified by the customer in the letter of certification.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 157 Replaces Original Page 157

#### **ACCESS SERVICE**

# 7. Special Access Service (Cont'd)

7.4 Voice Grade Service

# 7.4.1 <u>Basic Channel Description</u>

A Voice Grade channel is a channel which provides voice frequency transmission capability in the nominal frequency range of 300 to 3000 Hz and may be terminated two-wire or four-wire. Voice Grade channels are provided between customer designated premises, between a customer designated premises and a Company hub or hubs, or between a cuatomer designated premises and a WATS Serving Office.

Voice Grade Special Access services are typically used for voice and voiceband data applications. Typical examples of voice grade circuits are foreign Exchange lines (station end only), multipoint private line, voice trunk type, two-point voice grade data (one-way or simultaneous two-way), multipoint voice grade data, and voice grade telephoto or facsimile. These examples of applications are not intended to limit a customer's use of the channel nor to imply that the channel is limited to a particular use.

Rates and charges for Special Access Voice Grade Service are as set forth in the Rate Sections, beginning in Section 16, following.

T T

# 7.4.2 <u>Technical Specifications Packages and Network Channel Interfaces</u>

Technical Specifications Packages are set forth in 14.2.1(A) following. Compatible network channel interfaces are set forth in 14.2.2(C)(1) following.

### 7.4.3 Optional Features and Functions

### (A) Central Office Bridging Capability

- (1) Voice Bridging (two-wire and four-wire)
- (2) Data Bridging (two-wire and four-wire)

The rates for these options are set forth in the Rate Sections, beginning in Section 16, following.

T T

#### (B) Conditioning

Conditioning provides more specific transmission characteristics for Voice Grade services. The rates for these options are set forth in the Rate Sections, beginning in Section 16, following.

T T

For two-point services, the parameters apply to each service as measured end-to-end. For Multipoint services, the parameters apply as measured on each mid-link or as measured on each end link. C-Type conditioning and Data Capability may be combined on the same service.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 158 Replaces Original Page 158

# **ACCESS SERVICE**

- 7. Special Access Service (Cont'd)
  - 7.4 <u>Voice Grade Service</u> (Cont'd)
    - 7.4.3 Optional Features and Functions (Cont'd)
      - (B) Conditioning (Cont'd)
        - (1) <u>C-Type Conditioning</u>

C-Type Conditioning is provided for the additional control of attenuation distortion and envelope delay distortion on data services. The attenuation distortion and envelope delay distortion specifications for C-Type Conditioning are delineated in Technical Reference TR-TSY-000335.

# (2) <u>Data Capability (D Conditioning)</u>

Data Capability provides transmission characteristics suitable for data communications. Specifically, Data Capability provices for the control of Signal to C-Notched Noise Ratio and intermodulation distortion. It is available for two-point services or three-point multipoint services.

The Signal to C-Notched Noise Ratio and intermodulation distortion parameter for Data Capability are delineated in Technical Reference TR-TSY-000335. The rate for this option is set forth in the Rate Sections, beginning in Section 16, following.

When a service equipped with Data Capability is used for voice communications, the quality of the voice transmission may not be satisfactory.

# (C) <u>Improved Return Loss</u>

(1) On Effective Four-Wire Transmission at Four-Wire Point of Termination (applicable to each Two-Wire port): Provides for fixed 600 ohm impedance, variable level range and simplex reversal.

Company equipment is required at the customer's premises where this option is ordered. The Improved Return Loss parameters are delineated in Technical Reference TR-TSY-000335. The rates for this option is set forth in the Rate Sections, beginning in Section 16, following.

(2) On Effective Two-Wire Transmission at Two-Wire Point of Termination: Provides for more stringent Echo Control specifications. In order for this option to be applicable, the transmission path must be four-wire at one POT and two-wire at the other POT. Placement of Company equipment may be required at the customer's premises with the two-wire POT. The Improved Return Loss parameters are delineated in Technical Reference TR-TSY-000335. The rates for this option is set forth in the Rate Sections, beginning in Section 16, following.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

T

T

T

 $\begin{matrix} T \\ T \end{matrix}$ 

1st Revised Page 159 Replaces Original Page 159

#### **ACCESS SERVICE**

# 7. Special Access Service (Cont'd)

7.4 Voice Grade Service (Cont'd)

7.4.3 Optional Features and Functions (Cont'd)

# (D) Signaling Capability

Signaling Capability provides for the ability to transmit signals from one customer premises to another customer premises on the same service. The rate for this option is set forth in the Rate Sections, beginning in Section 16, following.

Т

The following network channel interfaces for Voice Grade service do not require signaling capability: AH, DA, DB, DD, DE, DS, NO, PR and TF.

The following network channel interfaces for Voice Grade service require signaling capability: AB, AC, CT, DX, DY, EA, EB, EC, EX, GO, GS, LA, LB, LC, LO, LR, LS, RV and SF. The signaling capability charge will not apply when used in the provision of WATS access service.

# (E) Four-Wire/Two-Wire Conversions

When a customer requests that an effective four-wire channel be terminated with a two-wire channel interface at the customer designated premises, a four-wire to two-wire conversion is required. The customer will be charged the four-wire Channel Termination rate as set forth in the Rate Sections, beginning in Section 16, following when an effective four-wire is specified in the order for service. The rate for the conversion is included as part of the basic four-wire Channel Termination rate.

T

### 7.5 Program Audio Service

# 7.5.1 <u>Basic Channel Description</u>

A Program Audio channel is a channel with bandwidth measured in Hz for the transmission of a complex signal voltage. The actual bandwidth is a function of the channel interface selected by the customer. Only one-way transmission is provided. Program Audio channels are provided between customer designated premises or between a customer designated premises and a Company hub or hubs.

Program Audio Special Access services are typically used in full-time and part-time applications for radio broadcasting, noncommercial educational audio, and wired music. These examples of applications are not intended to limit a customer's use of the channel nor to imply that the channel is limited to a particular use.

Rates and charges for Special Access Program Audio Service are set forth in the Rate Sections, beginning in Section 16, following.

 $T \\ T$ 

Issued: March 30, 2007 Effective: April 1, 2007

#### 7. Special Access Service (Cont'd)

# 7.5 <u>Program Audio Service</u> (Cont'd)

7.5.2 <u>Technical Specifications Packages and Network Channel Interfaces</u> Technical Specifications Packages are set forth in 14.2.1(B) following. Compatible network channel interfaces are set forth in 14.2.2(C)(2) following.

### 7.6 <u>Video Service</u>

# 7.6.1 <u>Basic Channel Description</u>

A channel for the digital transmission of a standard North American Television Standards Committee (NTSC) video signal at a bit rate of 1.544 or 44.736 Mbps. The equipment necessary to provide Video Conferencing and Miscellaneous Video Distribution services on DS1/T1 facilities follow:

# (A) DS1 Video Teleconferencing - Duplex

This service provisions a full duplex (transmit and receive) video teleconferencing link over DS1/T1 facilities. The codec for this service operates at line rate of 64 Kbps to E1 (2.048 Mbps).

Customer premise site A - vidoe and audio (transmit and receive) signal from a standard (H.261) video teleconferencing unit is coupled via coax cable to mutiple rate (nx64 Kbps) video codec (line side) is coupled via coax to a DSU/CSU which terminated the T1 line provided on local central office facilities.

Central office facilities - Standard repeated or repeaterless T1 facilities are used between central offices and customer premises to provide video signal transport. metallic or fiber optic span line equipment can be used to transport the video signal between central offices.

Customer premise site B - same equipment as site A.

### (B) <u>DS1 Video Teleconferencing - Simplex</u>

This service provisions a simplex (transmit only) video teleconferencing link over DS1/T1 facilities. The codec for this service operates at line rates of 64 Kbps to E1 (2.048 Mbps).

Customer premise site A - video and audio (transmit only) signal from a standard (H.261) video teleconferencing unit is couples via coax cable to a multiple rate (nx64 Kbps) video codec unit (drop side). The video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 161 Replaces Original Page 161

#### **ACCESS SERVICE**

- 7. Special Access Service (Cont'd)
  - 7.6 Video Service (Cont'd)
    - 7.6.1 <u>Basic Channel Description</u> (Cont'd)
      - (B) DS1 Video Teleconferencing Simplex (Cont'd)

Central office facilities - same equipment as Duplex facilities above.

Customer Premise site B - video and audio (receive only) signal to a standard (H.261) video teleconferencing unit is coupled via coax cable to a multiple rate (nx64 Kbps) vid codec unit (drop side). The video codec (line side) is coupled via coax to DSU/CSU which terminates the line proviced on local central office facilities.

# (C) <u>DS1 Video Distribution - Simplex</u>

This service provisions a simplex (transmit only) video distribution link (video jukebox, local hockey or basketball game, etc.) over DS1/T1 facilities. The codec for this service operates at a line rate of T1 (1.544 Mbps).

Customer premise site A - video and audio (transmit only) signal from a standard NTSC video source is couple via coax cable to a 1.544 Mbps video codec unit (drop side). The video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities.

Central office facilities - same equipment as Duplex facilities above.

Customer premise site B - video and audio (receive only) signal to a standard NTSC video receiving unit is coupled via coax cable to a 1.544 Mbps video codec unit (drop side). The video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities. Rates and charges for Special Access Video Service are set forth in the Rate Sections, beginning in Section 16, following.

### 7.7 Digital Data Service

#### 7.7.1 Basic Channel Description

A Digital Data channel is a channel for duplex four-wire transmission of synchronous serial data at the rate of 2.4, 4.8, 9.6, or 56 Kbps. The actual bit rate is a function of the channel interface selected by the customer. The channel provides a cynchronous service with timing provided by the Company through the Company's facilities the customer in the received bit stream. Digital Data channels are provided as either hubbed or non-hubbed services between customer designated premises and a Company hub or hubs. The hubs providing hubbed digital service are identified in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4.

Issued: March 30, 2007 Effective: April 1, 2007

Effective: April 1, 2007

T

T

T

Т

### **ACCESS SERVICE**

- 7. Special Access Service (Cont'd)
  - 7.7 Digital Data Service (Cont'd)
    - 7.7.1 <u>Basic Channel Description</u> (Cont'd)

The customer may provide the Channel Service Unit-type equipment or other Network Channel Terminating Equipment associated with the Digital Data channel at the customer premises.

The Company will provide a channel capable of meeting a monthly average performance eqal to or greater than 99.875% error-free seconds (if provided through a Digital Data hub) while the channel is in service, if it is measured through a CSU equivalent which is deisgned, manufactured, and maintained to conform with the specifications contained in Technical Reference PUB 62310.

Rates and charges for Special Access Digital Data Service are set forth in the Rate Sections, beginning in Section 16, following.

# 7.7.2 <u>Technical Specifications Packages and Network Channel Interfaces</u>

Technical Specifications Packages are set forth in 14.2.1(D) following. compatible channel interfaces are set forth in 14.2.2(C)(4) following.

The following network channel interfaces (NCIs) define the bit rates that are available for a Digital Data channel:

<u>NCI</u>	Bit Rate
<del>DU-</del> 24	2.4 Kbps
DU-48	4.8 Kbps
DU-96	9.6 Kbps
DU-56	56.0 Kbps

### 7.7.3 Optional Features and Functions

The Optional Features and Functions described following is only available where Digital Data Service is provided via a hub.

#### Central Office Bridging Capability

The table set forth in 14.2.1(E) following shows the technical specifications packages with which the optional feature and function is available.

Issued: March 30, 2007 Effective: April 1, 2007

# 7. <u>Special Access Service</u> (Cont'd)

# 7.8 <u>High Capacity Service</u>

# 7.8.1 <u>Basic Channel Description</u>

A High Capacity channel is a channel for the transmission of nominal 64 Kbps<sup>1</sup> or 1.544, 6.132, 44.736, or 274.176 Mbps isochronous serial data. The actual bit rate is a function of the channel interface selected by the customer. High Capacity channels are provided between customer designated premises or between a customer designated premises and a Company hub or hubs.

The customer may provide the Network Channel Terminating Equipment associated with the High Capacity channel at the customer's premises.

A channel with technical specifications package HC1 will be capable of an error-free second performance of 98.75% over a continuous 24-hour period as measured at the 1.544 Mbps rate through a CSU equivalent which is designed, manufactured, and maintained to conform the specifications contained in Technical Reference PUB 62411.

Rates and charges for Special Access High Capacity Service are set forth in the Rate Sections, beginning in Section 16, following.

# 7.8.2 <u>Technical Specifications Packages and Network Channel Interfaces</u>

Technical Specifications Packages are set forth in 14.2.1(E) following. Compatible channel interfaces are set forth in 14.2.2(C)(4) following. The following network channel interfaces (NCIs) define the bit rates that are available for a High Capacity channel:

<u>NCI</u>	Bit Rate
$DU-15^2$	1.544 Mbps (DS1)
DU-27	274.176 Mbps (DS4)
DU-31	3.152 Mbps (DS1C)
DU-44	44.736 Mbps (DS3)
DU-63	6.312 Mbps (DS2)

<sup>&</sup>lt;sup>1</sup>Available only as a channel of 1.544 Mbps facility to a Company Digital Data hub or as a cross connect of two 2.4, 4.8, 9.6, 56.0 or 64.0 Kbps channels of two 1.544 Mbps facilities to a Digital Data hub(s). The customer must provide system and channel assignment data.

Issued: March 30, 2007 Effective: April 1, 2007

<sup>&</sup>lt;sup>2</sup> A 64.0 Kbps channel is available as a channel(s) of a 1.544 Mbps channel to a Company hub.

# 7. Special Access Service (Cont'd)

# 7.8 <u>High Capacity Service</u> (Cont'd)

# 7.8.3 Optional Features and Functions

# (A) Automatic Loop Transfer

Automatic Loop Transfer provides protection on a 1xN basis against failure of the facilities between a customer designated premises and the wire center serving that premises. Protection is furnished through the use of a switching arrangement that automatically switches to a spare channel line when a working line fails. The spare channel is not included as a part of the option. This option requires compatible equipment at both the serving wire center and the customer designated premises. The customer is responsible for providing the equipment at its designated premises.

# (B) Central Office Multiplexing

## (1) DS4 to DS1

An arrangement that converts a 274.176 Mbps channel to 168 DS1 channels using ditigal time division multiplexing.

# (2) <u>DS3 to DS1</u>

An arrangement that converts a 44.736 Mbps channel to 28 DS1 channels using ditigal time division multiplexing.

# (3) <u>DS2 to DS1</u>

An arrangement that converts a 6.312 Mbps channel to four DS1 channels using ditigal time division multiplexing.

## (4) <u>DS1C to DS1</u>

An arrangement that converts a 3.152 Mbps channel to two DS1 channels using ditigal time division multiplexing.

#### (5) DS1 to Voice

An arrangement that converts a 1.544 Mbps channel to 24 channels for use with Voice Grade Services. A channel(s) of this DS1 to the Hub can also be used for a Digital Data Service.

Issued: October 20, 1997 Effective: October 21, 1997

- 7. Special Access Service (Cont'd)
  - 7.8 <u>High Capacity Service</u> (Cont'd)
    - 7.8.3 Optional Features and Functions (Cont'd)
      - (B) Central Office Multiplexing (Cont'd)

#### (6) DS1 to DS0

An arrangement that converts a 1.544 Mbps channel to 23 64.0 Kbps channels using ditigal time division multiplexing.

# (7) DS0 to Subrate

An arrangement that converts a 64.0 Kbps channel to subspeeds of up to twenty 2.4 Kbps, ten 4.8 Kbps, or five 9.6 Kbps channels using digital time division multiplexing.

The table set forth in 14.2.1(E) following shows the technical specifications packages with which the optional features and functions are available.

# 7.9 <u>Individual Case Filings</u>

Certain services set forth in Special Access Service will be provided on an Individual Case Basis.

# 7.10 <u>Ultranet Service</u>

## 7.10.4 Description

Ultranet Service utilizes High Speed Ethernet over dedicated transport and Digital Subscriber Line ("DSL") technology over metallic local loop facilities to provide customers with high-speed data services that utilize the bandwidth of an existing Company provided analog telephone line (the "Ultranet Access Link") and packet based technology over dedicated transport facilities (the "Ultranet Backbone") for interconnection to networked internet protocol ("IP") data services.

Ultranet Service utilizes Company provided equipment located at an end customer's premise and at the Company Central Offices, to allow the Company to accept traffic from the Customer, and, subsequently, separate and send bidirectional voice and data transmissions to the appropriate voice and data networks.

Issued: October 15, 1999 Effective: October 16, 1999

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 N

| N

N

#### **ACCESS SERVICE**

#### 7. <u>Special Access Service</u> (Cont'd)

#### 7.10 Ultranet Service (Cont'd)

# 7.10.1 <u>Description</u> (Cont'd)

Ultranet Backbone service aggregates the data transmissions of multiple Ultranet Customers onto high-speed facilities and switches for bi-directional transmission between an Ultranet Backbone host and Ultranet end customer's designated premise.

The provisioning and continuing operation of Ultranet Services require certain physical arrangements of the Company's facilities, and is subject to the availability of such facilities. Data transmission and reception speeds described in this tariff for Ultranet Service are to be considered peak speeds. Actual speeds may be affected by loop length and other technical factors. Data transmission and reception speeds are therefore, not guaranteed or warranted. The wire center locations equipped with Ultranet Services are as set forth below.

# 7.10.1.1 Ultranet Access

Applying DSL technology to local loop metallic facilities, Ultranet Access enables Business Customers to retain their analog telephone lines while providing data transmission and reception speeds up to 768 kbps.

#### 7.10.1.2 Ultranet Backbone Service

Ultranet Backbone Service connects multiple Ultranet locations, providing high-speed host and Local Area Network ("LAN") interconnections. Ultranet Backbone Service supports bi-directional peak speeds of 100 Mbps. Ultranet Backbone Service supports only internet protocol ("IP") data packets.

## 7.10.2 Service Elements

## 7.10.2.1 Utranet Serving Wire Centers

Service is available in the following wire centers: North Wire Center Central Wire Center

N

Issued: October 15, 1999 Effective: October 16, 1999

# 7. Special Access Service (Cont'd)

#### 7.10 Ultranet Service (Cont'd)

## 7.10.2 Service Elements (Cont'd)

#### 7.10.2.2 Ultranet Access Link

Company-provided local service analog business telephone lines serve as the access facilities for Ultranet Access from the Customers' designated location to their serving wire center.

#### 7.10.2.3 Ultranet Access Node

The Ultranet Access Node is the chassis and cards that communicate with the termination equipment and the Ultranet Feeder Node.

## 7.10.2.4 Ultranet Termination Equipment

Provided by the Company, the Ultranet Termination Equipment provides connectivity from the end customer's premise over an Ultranet Access Link to the Ultranet Access Node.

#### 7.10.2.5 Ultranet VLAN Identifier

The Ultranet VLAN Identifier is assigned by the Company to provide a logical connection path between Ultranet Access and Ultranet Backbone services. Ultranet VLAN's use the 802.1q VLAN tagging standard and only exist within the Ultranet network.

## 7.10.3 <u>Ultranet Backbone</u>

#### 7.10.3.1 Ultranet Feeder Node

An Ultranet Feeder node is a backbone node collocated with an Ultranet Access Node to provide connectivity between the Ultranet Concentrator node and an Ultranet Access Node.

#### 7.10.3.2 Ultranet Concentrator Node

The Ultranet Concentrator Node is located at the Company's South Anchorage Distribution Center ("SADC"). It acts as the central hub for Ultranet Feeder Nodes and provides a point of interconnection to the Customer's host.

Issued: October 15, 1999 Effective: October 16, 1999

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Ņ

N

# Original Page 165.3

N

N

#### **ACCESS SERVICE**

# 7. Special Access Service (Cont'd)

#### 7.10 Ultranet Service (Cont'd)

## 7.10.3 Ultranet Backbone (Cont'd)

#### 7.10.3.3 Ultranet Backbone Access Port

The Ultranet Backbone Access Port provides connectivity to the Customer's equipment at speeds of 100 Mbps at the Ultranet Concentrator Node. A minimum of one 100 Mbps Ultranet Backbone Access Port charge applies for each 400 Mbps of Ultranet Backbone Network bandwidth.

#### 7.10.3.4 Ultranet VLAN Identifier

The Ultranet VLAN Identifier is assigned by the Company to provide a logical connection path between Ultranet Backbone customers. VLAN's use the 802.1q VLAN tagging standard and only exist within the Ultranet network.

#### 7.10.4 Ultranet Access Rate Elements

# 7.10.4.1 Ultranet Access Charge

A non-recurring and monthly recurring charge apply for Ultranet Access for each Ultranet Access Link. These charges include the related use of all Company-provided equipment and the initial establishment of an Ultranet VLAN Identifier.

#### 7.10.4.2 Ultranet Access Link

The rates and charges for Company-provided, analog, local service business telephone lines used as access links for Ultranet Services are in addition to the rates and charges for the other elements of a Customer's Ultranet Service. Access Link charges will typically be paid for the Customers' end users.

## 7.10.4.3 Ultranet VLAN Identifier Change Charge

A non-recurring charge will be applied for any change order for Ultranet VLAN Identifier.

Issued: October 15, 1999 Effective: October 16, 1999

#### 7. Special Access Service (Cont'd)

#### 7.10 Ultranet Service (Cont'd)

#### 7.10.5 Ultranet Backbone Service Rate Elements

# 7.10.5.1 Ultranet Feeder Node Charge

A non-recurring charge and a monthly recurring charge apply. The monthly recurring charge covers transport of data to the Ultranet Concentrator Node.

# 7.10.5.2 Ultranet Backbone Access Port Charge

A non-recurring charge and a monthly recurring charge apply. The monthly recurring charge covers transport of data from the Ultranet Concentrator node to the Customer collocated equipment.

## 7.10.5.3 Ultranet Backbone VLAN Change Charge

A non-recurring charge applies when an Ultranet Backbone Customer makes changes to VLAN's on the Ultranet Backbone.

## 7.10.6 Term Commitment

Ultranet Service is subject to a minimum term commitment of twelve (12) months and a commitment to order a minimum of 100 Ultranet Access Links no later than nine months following the start of the term commitment. If a Customer terminates Ultranet Service prior to the end of the initial twelve month period, or does not meet the minimum of 100 Access Links requirement, Customer is subject to early termination charge, or shortfall charges, as the case may be.

Following the initial twelve month period, Ultranet Service is provided to Customers on a month-to-month basis.

## 7.10.7 Ultranet Service Availability and Restrictions

Ultranet is available to Business Customers only.

Ultranet Service requires certain physical arrangements of the Company's facilities, and is subject to the availability of such facilities. Availability of Ultranet Services is restricted, by special plant configuration and material specifications, which may not be available at all Business Customer locations.

Issued: October 15, 1999 Effective: October 16, 1999

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503

N

N

# **ACCESS SERVICE**

8.	Reserved for Future Use	

Issued: October 20, 1997 Effective: October 21, 1997

# **ACCESS SERVICE**

8.	Reserved for Future Use	

Issued: October 20, 1997 Effective: October 21, 1997

# **ACCESS SERVICE**

8.	Reserved for Future Use	

Issued: October 20, 1997 Effective: October 21, 1997

# **ACCESS SERVICE**

8.	Reserved for Future Use	

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 170 Replaces Original Page 170

## **ACCESS SERVICE**

# 9. <u>Directory Assistance Service</u>

The Company will provide Directory Assistance (DA) Service to a customer from DA service locations. DA locations are either primary or subtending. Primary DA locations are those to which terminating DA calls for the NPA first complete. Primary DA locations either process the telephone number request or, if necessary, forward the call to a subtending DA location for processing. DA service rates are assessed by the primary DA locations only. Subtending DA locations are compensated by contractual arrangements between telephone companies.

# 9.1 General Description

Company provided DA Service is available to customers for their use in furnishing DA services to end users. It provides for the use of DA Service between the premises of the ordering customer and the DA location(s), use of DA access equipment, and use of DA operators to provide telephone numbers.

DA Service will be provided between the customer designated premises and the DA location by the Company. Rates and charges for DA Service are set forth in the Rate Sections, beginning in Section 16, following.

T T

# 9.1.1 <u>Description and Provision of Directory Assistance Service</u>

A Company DA operator, when furnished a name and locality, will provide or attempt to provide the telephone number listed in the Company DA records associated with the name given, at the rates and charges as set forth in the Rate Sections, beginning in Section 16, following. The Company's contact with the customer's end user shall be limited to that effort necessary to process a customer's end user's request for a telephone number; and the Company will not transfer, forward or redial a customer's end user call to any other location for any purpose other than the provision of DA Service.

T T

Each DA Service will consist of the following: An Interface Group equipped with an available Premises Interface at the customer's designated premises as set forth in 14.3.1 following; and Directory Transport between the premises of the ordering customer and the DA location.

M

M – Moved to Original Page 170.1.

M

Issued: March 30, 2007 Effective: April 1, 2007

- 9. <u>Directory Assistance Service</u> (Cont'd)
  - 9.1 General Description (Cont'd)
    - 9.1.1 <u>Description and Provision of Directory Assistance Service</u> (Cont'd)

M

When required by the Company, a separate DA Service trunk group will be provided for DA Service for each NPA. Separate trunk groups will be required when the Company notifies the customer that the mechanized search of its data base and its mechanized operator practices require a mechanized identification of the NPA code for which the customer's end user desires DA information.

Further, when an access tandem is available and is requested, the DA Service will be provided at customer choice: as a separate DA Service trunk group; or in combination with FGB or FGD Switched Access Service.

M

M – Moved from Original Page 170.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 171 Replaces Original Page 171

## **ACCESS SERVICE**

# 9. <u>Directory Assistance Service</u> (Cont'd)

9.1 General Description (Cont'd)

# 9.1.2 Ordering Options and Conditions

## (A) Ordering

Except as set forth following, DA Service provided under a Special Order is subject to the ordering conditions as set forth in Section 5 preceding. The customer shall determine and order the DA trunks and interface type of DA Services it needs for DA Service.

When DA Service is initially ordered, the customer shall order the service for at least six months. Thereafter, additional service may be ordered for a minimum of six months. Not later than three months prior to the end of the six-month period, the customer shall notify the Company if the service is to be discontinued at the end of the six-month period. If no notice is received from the customer, the Company will automatically extend the service for another six months and all appropriate charges as set forth in the Rate Sections, beginning in Section 16, following will apply for another six months.

T

#### (B) Cancellation of a Special Order

A customer may cancel a Special Order for DA Service on any date prior to the service date. The cancellation date is the date the Company receives written or verbal notice from the customer that the Special Order is to be cancelled. The verbal notice must be followed by written confirmation within 10 days.

When a customer cancels a Special Order for DA Service after the order date but prior to the start of service, the appropriate application of charges as set fort in Section 5 preceding apply for the Directory Access Service cancelled. In addition, a charge equal to any unrecoverable capital costs incurred by the Company will apply to the customer.

## (C) Changes to Special Orders

When a customer requests changes to a pending order for DA Service, such changes will be undertaken if they can be accommodated by the Company. The appropriate application of charges as set forth in Section 5 preceding apply for the DA Service changed. In addition, a charge equal to any other costs incurred by the Company because of the change will apply.

Issued: March 30, 2007 Effective: April 1, 2007

# 9. <u>Directory Assistance Service</u> (Cont'd)

# 9.1 General Description (Cont'd)

## 9.1.3 <u>Rate Categories</u>

There are two rate categories which apply to DA Service: Directory Assistance Service Call and Directory Transport Service.

#### (A) Directory Assistance Service Call

The DA Service Call rate category provides for the use of general DA Services such as operators and DA access equipment necessary to provide DA Service to a customer.

#### (B) <u>Directory Transport Service</u>

Directory Transport Service provides the transmission facilities and transport termination between the premises of the ordering customer and the DA location. For purposes of determining Directory Transport Mileage, distance will be measured form the wire center that normally serves the customer premises to the DA location(s).

Directory Transport is a two-way voice frequency transmission path composed of Switched Access Local Transport facilities. The two-way voice frequency path transports calls in the terminating direction (from the premises of the ordering customer to the DA location). The following rate elements, which are more fully described in 6.1.3(A) preceding, are applicable.

<u>Entrance Facility</u>: for the transport of the CA call from the customer's premises to the serving wire center of that premises.

<u>Direct Trunked Transport</u>: (i.e., Direct Trunked Facility and Direct Trunked Termination) for the transport of the DA call from the customer's serving wire center to the DA location without switching at a tandem, or from the serving wire center to the tandem.

<u>Tandem Switched Transport</u>: (i.e., Tandem Switched Facility, Tandem Switched Termination, and Tandem Switching) for the transport of the DA call from the customer's serving wire center to the DA location with switching at a tandem, or from the tandem to the DA location.

<u>Residual Interconnection Charge</u>: for the Local Transport costs that are not recovered by the Entrance Facility, Direct Trunked Transport, Tandem Switched Transport, Multiplexing, or dedicated signaling (i.e., SS7) rates.

Issued: October 20, 1997 Effective: October 21, 1997

#### **ACCESS SERVICE**

- 9. <u>Directory Assistance Service</u> (Cont'd)
  - 9.1 General Description (Cont'd)
    - 9.1.3 Rate Categories (Cont'd)
      - (B) <u>Directory Transport Service</u> (Cont'd)

Multiplexing: DS3 to DS1 Multiplexing charges apply when a High Capacity DS3 Entrance Facility or Direct Trunked Facility is connected with High Capacity DS1 Direct Trunked Transport. The DS3 to DS1 multiplexer will convert a 44.736 Mbps channel to 28 DS1 channels using digital time division multiplexing.

DS1 to Voice Grade Multiplexing charges apply when a High Capacity DS1 Entrance Facility or Direct Trunked Facility is connected with Voice Grade Direct Trunked Transport. A DS1 to Voice Grade Multiplexing charge does not apply when a High Capacity DS1 Direct Trunked Facility is terminated at an electronic end office and only Switched Access Service is provided over the DS1 facility (i.e., Voice Grade Special Access Channels are not derived). The DS1 to voice multiplexer will convert a 1.544 Mbps channel to 24 Voice Grade channels.

The customer will specify whether the Directory Access Service is to be routed directly to a DA location or through an access tandem switch appropriately equipped for DA measurement and served by DA trunks to the DA location when such an access tandem switch is available. The combination of FGB or FGD Switched Access Service with DA Service will only be provided at such available and appropriately equipped access tandem switches.

When Directory Transport is provided using a Direct Trunked Transport to the DA location, no address signaling is provided. When Directory Transport is provided with the use of an access tandem switch, wink start-start pulsing signaling is provided at the access tandem switch. When access tandem routing is provided, the customer shall address each call to the DA location using NPA+555-1212 or when required by the Company, 555-1212. Only NPA codes handled by the DA location served by the access tandem switch will be processed.

Directory Transport is provided with one of the Local Transport Interface Groups as set forth in 14.1.1 following.

#### 9.1.4 Special Facilities Routing

A Customer may request that DA Service be provided via Special Facilities Routing. The regulations, rates and charges for Special Facility Routing (Avoidance, Diversity and Cable Only) are set forth in Section 11 following.

Issued: October 20, 1997 Effective: October 21, 1997

#### 9. Directory Assistance Service (Cont'd)

# 9.1 General Description (Cont'd)

## 9.1.5 <u>Design Layout Report</u>

The Company will provide to the customer the makeup of the facilities and services provided under this section as DA Service. This information will be provided in the form of a Design Layout Report similar to that as set forth in 6.1.5 preceding. Design Layout Reports for DA Service will be provided only when specifically requested by the customer. The Design Layout Report will be provided to the customer at no charge and will be reissued or updated whenever the facilities provided for the customer's use are materially changed.

## 9.2 <u>Undertaking of the Company</u>

## 9.2.1 <u>Number of Telephone Number Requests</u>

A maximum of two (2) requests for telephone numbers will be accepted per call to DA, and DA operators will not transfer, forward or redial the call to another location for any purpose other than the provision of DA Service.

#### 9.2.2 <u>Telephone Number Availability</u>

A telephone number which is not listed in DA records will not be available to the customer's end user.

#### 9.2.3 Selection of DA Locations

The Company will specify the DA location which provides the DA Service for each Numbering Plan Area code (NPA). The DA locations are as shown in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4.

When it becomes necessary to change a DA location, as determined by the Company, the Company will notify the involved customers six months prior to the change. For such changes, the regulations as set forth in 2.1.7 preceding will apply.

#### 9.2.4 <u>Transmission Specifications</u>

Each DA Service transmission path is provided with standard transmission specifications, either Type A or B, as set forth respectively in 14.2.1(D) and (E) following. The specifications associated with the parameters are guaranteed to the DA location. The standard for a particular transmission path is dependent upon the following:

Issued: October 20, 1997 Effective: October 21, 1997

- 9. Directory Assistance Service (Cont'd)
  - 9.2 <u>Undertaking of the Company</u> (Cont'd)
    - 9.2.4 Transmission Specifications (Cont'd)
    - Whether DA Service is provided in combination with FGB or FGD Switched Access Service, or
    - When not provided in combination with Switched Access Service, whether routed directly or via an access tandem switch.

The available transmission specifications are set forth in 14.3.2 following.

# 9.2.5 <u>Testing</u>

# (A) Acceptance Testing

The acceptance testing capabilities for DA Service traffic routed through an access tandem are the same as those for the associated FGD end office switching. The acceptance testing for DA Service traffic routed directly or routed in separate trunk groups through an access tandem to the DA location will be the same as that for Switched Access Service as set forth in 6.2.4 preceding.

# (B) Routine Testing

Routine testing capabilities for DA Service traffic routed through an access tandem are the same as those for the associated FGD end office switching. Routine testing capabilities for DA Service traffic routed directly or routed in a separate trunk group through an access tandem to the DA location will be as set forth in 13.3.1(A)(3) following (Additional Manual Testing).

#### 9.2.6 Determination of Number of Transmission Paths

The number of Directory Transport transmission paths provided is based on the customer's order and is determined by the Company in a manner similar to Switched Access Service transmission paths as set forth in 6.2.5 preceding.

## 9.2.7 Supervisory Signaling

Trunk side switching is provided at the DA Service access location. The DA Service access location will provide trunk answer and disconnect supervisory signaling.

Issued: October 20, 1997 Effective: October 21, 1997

# 9. <u>Directory Assistance Service</u> (Cont'd)

### 9.3 Obligation of the Customer

In addition to the obligations of the customer as set forth in 2.3 preceding, the customer has certain specific obligations concerning the use of DA Service. These obligations are as follows:

## 9.3.1 <u>Jurisdictional Reports</u>

Directory Transport may, at the option of the customer, be provided for both interstate and intrastate communications. When the customer requests such mixed access, the interstate Directory Transport charges will be determined by the Company using the data furnished by the customer as set forth in 2.3.11 preceding.

# 9.3.2 <u>Supervisory Signaling</u>

The customer facilities at the premises of the ordering customer shall provide the necessary on-hook and off-hook supervision.

# 9.3.3 Ordering of Separate Trunk Groups

When requested by the Company, the customer shall order a separate trunk group for DA Service for each NPA. The conditions when the customer will be requested to order separate trunk groups for each NPA are set forth in 9.1.1 preceding.

#### 9.3.4 Notice of Discontinuance of Service

DA Service is ordered and renewed for a minimum period of six months at a time, as set forth in 9.1.2(A) preceding. Not later than three months prior to the end of any six-month period, the customer shall notify the Company if the service is to be discontinued at the end of that period.

#### 9.4 Rate Regulations

This section contains the specific regulations governing rates and charges that apply for DA Service.

#### 9.4.1 <u>Nonrecurring Charges</u>

Nonrecurring charges for DA Service are one-time charges that apply for a specific work activity (i.e., installation, change to an existing service and DA Service rearrangements).

Issued: October 20, 1997 Effective: October 21, 1997

#### TARIFF F.C.C. NO. 3

2nd Revised Page 177 Replaces 1st Revised Page 177

## ACCESS SERVICE

## 9. <u>Directory Assistance Service</u> (Cont'd)

# 9.4 Rate Regulations (Cont'd)

9.4.1 <u>Nonrecurring Charges</u> (Cont'd)

# (A) <u>Installation of Service</u>

Nonrecurring Local Transport Installation and Direct Trunked Transport Activated charges as set forth in the Rate Sections, beginning in Section 16, following are applied as set forth in 6.4.1(B)(1) preceding to each DA Service installed.

T

# (B) DA Service Rearrangements

All changes to existing services other than changes involving administrative activities will be treated as a discontinuance of the existing service and an installation of a new service.

#### 9.4.2 <u>Directory Assistance Service Call Charge</u>

The DA Service call charge as set forth in the Rate Sections, beginning in Section 16, following applies for each call to DA Service. A call is a call which has been answered by a TDA operator. The charge applies whether or not the DA operator provides the requested telephone number. The number of calls answered by DA operator will be accumulated by Company measuring equipment. A credit for the provision of an incorrect telephone number will be applied as set forth in 9.4.8 following.

## 9.4.3 Directory Transport Service

The Local Transport charges set forth in the Rate Sections, beginning in Section 16, following are also applicable to Directory Transport Service and will be assessed on the same basis as the Switched Access Local Transport rate elements set forth in 6.1.3(A) preceding.

T

- Entrance Facility
- Direct Trunked Transport
- Tandem Switched Transport
- Multiplexing
- Residual Interconnection Charge

#### 9.4.4 <u>Minimum Periods</u>

The minimum period for which DA Service and Directory Access Service is provided and for which charges apply is six months. A minimum period of six months applies for each additional period of service ordered or extended.

If DA Service is discontinued prior to the end of each six-month period, the charges that apply for the remaining months are the non-recoverable costs. Such costs include the

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 178 Replaces Original Page 178

## ACCESS SERVICE

- 9. <u>Directory Assistance Service</u> (Cont'd)
  - 9.4 Rate Regulations (Cont'd)
    - 9.4.4 Minimum Periods (Cont'd)

non-recoverable cost of equipment and material ordered, provided or used, plus the non-recoverable cost of installation and removal including the costs of engineering, labor supervision, transportation, rights-of-way and other associated costs less estimated net salvage.

The minimum period for which High Capacity DS3 Entrance Facilities or High Capacity or Direct Trunked Transport is provided is twelve months.

## 9.4.5 Minimum Monthly Charge

DA Service is subject to a minimum monthly charge. The minimum monthly charge is calculated as follows:

- The minimum monthly charge for DA Service calls is the charge as set forth in the Rate Sections, beginning in Section 16, following for the actual usage for the month.

Т

- For Directory Transport rate element, the minimum monthly charge the customer will be assessed will be the usage charges based on actual usage. For flat rated Directory Transport rate elements, the minimum monthly charges is the sum of the recurring charges prorated to the number of days or major fraction of days based on a 30-day month. Rates for Directory Transport are set forth in the Rate Sections, beginning in Section 16, following.

T

# 9.4.6 DA Service Rearrangements

Nonrecurring charges apply for service rearrangements. Service rearrangements and the regulations concerning the application of associated nonrecurring charges are set forth in 6.4.1(B)(3) preceding.

#### 9.4.7 Moves

A move involves a change in the physical location of the point of termination at the customer designated premises or of the customer designated premises. Moves will be treated as set forth in 6.4.4 preceding, and all associated nonrecurring charges will apply. Minimum period requirements will be established at the new location as set forth in 6.4.4 preceding. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

Issued: March 30, 2007 Effective: April 1, 2007

First Revised Page 179 Canceling Original Page 179

#### **ACCESS SERVICE**

- 9. Directory Assistance Service (Cont'd)
  - 9.4 Rate Regulations (Cont'd)
    - 9.4.8 <u>Credit Allowance for Service Outage and Incorrect Numbers</u>
      - (A) When the DA location or DA operator equipment or terminals are out of service due to a Company equipment failure, a credit allowance is provided. When an incorrect number is provided and a customer DA call has been answered by a DA operator, a credit allowance is provided. The credit allowances provided is equal to the rate for a DA Service call. The credit will be applied to the customer's charges.
      - (B) In addition to the credit as set forth in (A) preceding, when a DA operator or DA equipment provides an incorrect number for a call and the customer reports such occurrences to the Company, a credit allowance for the Switched Access portion of the call in the originating LATA of such DA call will apply. The credit will be as set forth in (C) following. When the customer reports such a call and the number requested, the number provided and the reason the number provided is incorrect, the number of calls for which a credit will apply will be developed by the Company in cooperation with the customer.
      - (C) When a DA call is not completed due to the failure of DA Service to DA location, DA access equipment or DA operator activities, a credit allowance for the Switched Access Service portion in the originating LATA of such DA call will apply. When the customer reports such a call and DA number dialed, time of the call and the date of the call, the number of calls for which a credit will apply will be developed by the Company in cooperation with the customer. Credit allowances for other service interruptions will be provided as set forth in 2.4.4 preceding.

## 9.5 <u>Directory Assistance Database Service</u>

The Telephone Company will provide standard directory listings to providers of Directory Assistance Service in an agreed upon format within 30 days of receipt of a valid request. Agreed upon customized listing formats shall be provided within 90 days of receipt of a valid format definition.

(N)

(N)

Issued: July 9, 2001 Effective: July 10, 2001

- 9. <u>Directory Assistance Service</u> (Cont'd)
  - 9.4 Directory Assistance Database Service (Cont'd)

The Telephone Company owns and maintains a database of its telephone end users with the following information:

- (1) end user name,
- (2) end user address, and
- (3) end user published or non-listed telephone number.

The Telephone Company uses the Directory Assistance List Information in its database to provide Directory Assistance (DA) Service to individuals who call the Telephone Company's DA service to obtain such information.

The Telephone Company will provide to the requesting DA provider the Directory Assistance List Information as contained in the Telephone Company's DA database for use solely to provision Directory Assistance services.

The DA List Information may not be used for marketing or other purposes. The DA Provider may not provide information contained in the Directory Assistance list to any unaffiliated third party, except in the provision of Directory Assistance Service to that third party.

The Telephone Company shall not be liable for errors or omissions contained in the Directory Assistance Provider database.

- 1. The Telephone Company will provide Directory Assistance Database Service in two arrangements:
  - (a) A one-time purchase of a universal list of all Telephone Company listed and non-listed end user's name, address (when available) and telephone number; or
  - (b) Daily updates of added, changed, or deleted directory listings of all Telephone Company listed and non-listed end user's name, address (when available) and telephone number, charged monthly.

Issued: July 9, 2001 Effective: July 10, 2001

(N)

1st Revised Page 179.2 Replaces Original Page 179.2

# ACCESS SERVICE

- Directory Assistance Service (Cont'd)
  - Directory Assistance Database Service (Cont'd)
    - 2. Non-published and non-Telephone Company end user information will not be provided in the Directory Assistance List Information.
    - 3. The Telephone Company will charge the following Directory Assistance Provider rates:

	$\Omega$	V)
Directory Assistance Database Listing *	Rate \$0.07 Per listing	
Programming Charge * This charge is to program the database to provide listings to a provider/customer for the first time.	\$3,000.00	
Customized Programming Charge * For additional programming/development	\$200.00 Per hour	
Directory Assistance Database * Daily Updates – Per Month	\$1,140.00	
GCI, and/or the Company that provides Directory empt from these charges.	Assistance Listings for GCI, is	

These charges will apply on a company basis.

4. The Telephone Company will utilize reasonable efforts to meet the transmission format requested by the DA provider. However, if the format requested requires additional programming or development, the DA Provider will be required to pay all costs associated with programming or development of the format. If the requested format is such that the Telephone Company is unable to provide the data in that format, the requesting provider will be required to accept the data in an already established format.

Issued: March 4, 2002 Effective: March 5, 2002

#### 10. Special Federal Government Access Services

#### 10.1 General

This section covers Special Access Services that are provided to a customer for use only by agencies or branches of the Federal Government and other users authorized by the Federal Government. Services provided to state emergency operations centers are included. These services provide for command and control communications, including communications for national security, emergency preparedness and presidential requirements. They are required to assure continuity of Government in emergency and crisis situations and to provide for national security.

Services for command and control communications and for national security and emergency preparedness sometimes require short notice and short duration service provisions. These provisions are especially needed to meet presidential requirements or in response to natural, man-made, or declared emergencies. Requirements of this type cannot be forecasted and are usually needed for a relatively short period. The provision of service under these conditions may require the availability of facilities, such as portable microwave equipment, which are provided on a temporary basis by the Company or customer.

# 10.2 Emergency Conditions

These services will be provided on the date requested or as soon as possible thereafter when the emergency falls into one of the following categories:

- State of crisis declared by the National Command Authorities (includes commitments made to the National Communications System in the "National Plan for Emergencies and Major Disasters").
- Efforts to protect endangered U.S. personnel or property both in the U.S. and abroad (includes space vehicle recovery and protection efforts).
- Communications requirements resulting from hostile action, a major disaster or a major civil disturbance.
- The director (Cabinet level) of a Federal department, Commander of a Unified Specified Command, or head of a military department has certified that a communications requirement is so critical to the protection of life and property or to the National Defense that it must be processed immediately.
- Political unrest in foreign countries which affect the national interest.
- Presidential service.

#### 10.3 Facility Availability

In order to insure communications during periods of emergency, the Company will, within the limits of good management, make available the necessary facilities to restore service in the event of damage or to provide temporary emergency service. In order to meet the requirements of agencies or branches of the Federal Government, the Company may utilize government-owned facilities, when necessary to provide service.

Issued: October 20, 1997 Effective: October 21, 1997

# 10. Special Federal Government Access Services (Cont'd)

#### 10.4 Federal Government Regulations

In accordance with Federal Government Regulations, all service provided to the Federal Government will be billed in arrears. However, this provision does not apply to other customers that obtain services under the provisions of this tariff to provide their services to the Federal Government.

## 10.5 Service Offerings to the Federal Government

The following unique services are provided to a customer for use only by agencies or branches of the Federal Government, other authorized users and state emergency operations centers. The rates and charges for these services shall be developed on an individual case basis and shall be consistent with the rates and charges for services offered in other sections of this tariff.

#### 10.5.1 Type and Description

# (A) Voice Grade Special Access Service

#### (1) <u>Voice Grade Secure Communications Type I</u>

Approximate bandwidth of 10 - 50,000 Hertz (Hz). Furnished for two-point secure communications on two-wire or four-wire metallic facilities between a customer designated premises and an end user's premises. Services are conditioned as follows:

T-3 Conditioning: The absolute loss (referenced to 1 milliwatt) with respect to frequency shall not exceed;

15 dB at 10 Hz 13 dB at 100 Hz 9 dB at 1,000 Hz 20 dB at 10,000 Hz 30 dB at 50,000 Hz

Additional conditioning (available in one or two directions on four-wire facilities only) to provide the following characteristics:

The absolute loss (referenced to 1 milliwatt) with respect to frequency shall not exceed:

0 dB at 1,000 Hz ± 1 dB between 1,000 Hz and 40,000 Hz ± 2 dB between 10 Hz and 50,000 Hz (+ means more loss)

Issued: October 20, 1997 Effective: October 21, 1997

- 10. Special Federal Government Access Services (Cont'd)
  - 10.5 Service Offerings to the Federal Government (Cont'd)
    - 10.5.1 Type and Description (Cont'd)
      - (A) Voice Grade Special Access Service (Cont'd)
        - (1) Voice Grade Secure Communications Type I (Cont'd)

The net loss of the conditioned service (with or without additional conditioning) shall not vary by more than four dB at 1,000 Hz from the levels specified preceding. Voice frequency signaling or supervisory tones can be transmitted.

#### (2) <u>Voice Grade Secure Communication Type II</u>

Approximate bandwidth 10 - 50,000 Hz. Furnished on four-wire metallic facilities for duplex operation for two-point secure communications between a customer designated premises and an end user's premises. Services are conditioned as follows:

G-1 conditioning: The absolute loss with respect to frequency and the net loss variation shall be the same as Voice Grade Secure Communications Type I series without additional conditioning. Voice frequency signaling or supervisory tones can be transmitted.

#### (3) <u>Voice Grade Secure Communications Type III</u>

Approximate bandwidth 10 - 50,000 Hz. Furnished on four-wire metallic facilities for duplex operation for two-point secure communications between a customer designated premises and an end user's premises. Services are conditioned as follows:

G-2 Conditioning: The absolute loss with respect to frequency and the net loss variation from the customer designated premises to the end user's premises shall be the same as Voice Grade Secure Communications Type I services without additional conditioning; from the end user's premises to the customer designated premises shall be the same as Voice Grade Secure Communications Type I services with additional conditioning. Voice frequency signaling or supervisory tones can be transmitted.

#### (4) Voice Grade Secure Communications Type IV

Approximate bandwidth 10 - 50,000 Hz. Furnished on four-wire metallic facilities for duplex operation for two-point secure communication between two customer designated premises. Services are conditioned as follows:

G-3 Conditioning: The absolute loss with respect to frequency and the net loss variation shall be the same in both directions of transmission as Voice Grade Secure Communications Type I services with additional conditioning. Voice frequency signaling or supervisory tones can be transmitted.

Issued: October 20, 1997 Effective: October 21, 1997

#### TARIFF F.C.C. NO. 3

T

1st Revised Page 183 Replaces Original Page 183

## **ACCESS SERVICE**

# 10. Special Federal Government Access Services (Cont'd)

10.5 Service Offerings to the Federal Government (Cont'd)

10.5.1 Type and Description (Cont'd)

## (B) Wideband Digital Special Access Service

Service arrangements for secured communications to accommodate the transmission of binary digital baseband signals in a random polar format.

# (1) Wideband Secure Communications Type I

For transmission at the rate of 18,750 bits per second.

## (2) Wideband Secure Communications Type II

For transmission at the rate of 50,000 bits per second.

# (3) Wideband Secure Communications Type III

To accommodate the transmission of restored polar two-level facsimile signals with a minimum signal element width of twenty micro-seconds at a rate of 50,000 bits per second.

To accommodate the transmission of binary digital baseband signals in a random polar format at the rate of 50,000 bits per second.

#### 10.5.2 Mileage Application

Mileage, when used for rate application between the serving wire centers of two customer designated premises, shall be determined by the V & H Coordinates Method as set forth in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4, and administered as set forth in 7.2.5 preceding.

#### 10.6 Rates and Charges

# 10.6.1 General

The rates and charges for special offerings to the federal government, such as those set forth in 10.5 preceding, are developed on an individual case basis and are set forth in the Rate Sections, beginning in Section 16, following.

Issued: March 30, 2007 Effective: April 1, 2007

#### TARIFF F.C.C. NO. 3

1st Revised Page 184 Replaces Original Page 184

#### **ACCESS SERVICE**

10. <u>Special Federal Government Access Services</u> (Cont'd) 10.6 <u>Rates and Charges</u> (Cont'd)

### 10.6.2 Voice Grade Special Access

The provision of T-3 and G conditioned services contemplates station and tandem switching operations, using customer provided equipment, as well as Special Access Service. Separate narrowband or voice grade services, where required by the customer provided equipment or switching operation, are furnished in accordance with the applicable sections of this tariff.

# 10.6.3 Move Charges

- (A) When a service without a termination charge associated with it, as set forth in the Rate Sections, beginning in Section 16, following, is moved to a different T building, the nonrecurring charge applies; when a service is moved to a new location in the same building, a charge of one-half the nonrecurring charge applies.
- (B) When service with a termination charge associated with it, as set forth in the Rate Sections, beginning in Section 16, following, is moved and is reinstalled at a new location, the customer may elect:
- to pay the unexpired portion of the termination charge for the service, if any, with the application of a nonrecurring charge and the establishment of a new termination charge for such service at the new location, or
- to continue service subject to the unexpired portion of the termination charge, if any, and pay the estimated costs of moving such service, provided that the customer requests these charges be quoted prior to ordering the service move.
   Charges for moving such service will be based on estimated costs attributable to the move.

Move charges include the estimated costs of removal, restoration of services or facilities necessitated by the move, transportation, storage, reinstallation, engineering, labor, supervision, materials, administration, and any other specific items of costs directly attributable to the move.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 185 Replaces Original Page 185

## ACCESS SERVICE

#### 11. Special Facility Routing of Access Services

#### 11.1 Description

The services provided under this tariff are provided over such routes and facilities as the Company may elect. Special Facility Routing is involved when, in order to comply with requirements specified by the customer, the Company provides Switched Access Service, Special Access Service or Special Federal Government Access Service in a manner which includes one or more of the following conditions:

#### 11.1.1 Diversity

Two or ore circuits must be provided over not more than two different physical routes.

#### 11.1.2 Avoidance

A circuit(s) must be provided on a route which avoids specified geographical locations.

#### 11.1.3 Diversity and Avoidance Combined

#### 11.1.4 Cable-Only Facilities

Certain Voice Grade services are provided on Cable-Only Facilities to meet the particular needs of a customer.

Service is provided subject to the availability of Cable-Only facilities. In the event of service failure, restoration will be made through the use of any available facilities as selected by the Company.

Avoidance and Diversity are available on Switched Access Service as set forth in Section 6 preceding; and Voice Grade Special Access Services as set forth in 7.4 preceding and Special Federal Government Access Services as set forth in 10.5 preceding. Cable-Only Facilities are available for Switched Access Service as set forth in Section 6 preceding; Voice Grade Special Access Services as set forth in 7.4 preceding and Special Federal Government Access Services as set forth in 10.5 preceding.

In order to avoid the compromise of special routing information, the Company will provide the required routing information for each specially routed service to only the ordering customer. If requested by the customer, this information will be provided when service is installed and prior to any subsequent changes in routing.

The rates and charges for Special Facilities Routing of Access Services are developed on an individual case basis. Such rates and charges for Special Facilities Routing of Access Services are as set forth in Rate Sections, beginning in Section 16, following and are in addition to all other rates and charges that may be applicable for services provided under other sections of this tariff.

T

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 186 Replaces Original Page 186

# **ACCESS SERVICE**

# 12. Specialized Service or Arrangements

# 12.1 General

Specialized Service or Arrangements may be provided by the Company, at the request of a customer, on an individual case basis if such service or arrangements meet the following criteria:

- The requested service or arrangements are not offered under other sections of this tariff.
- The facilities utilized to provide the requested service or arrangements are of a type normally used by the Company in furnishing its other services.
- The requested service or arrangements are provided within Company's serving area.
- The requested service or arrangements are compatible with other Company services, facilities, and its engineering and maintenance practices.
- This offering is subject to the availability of the necessary Company personnel and capital resources.

Rates and charges and additional regulations if applicable, for Specialized Service or Arrangements are provided on an individual case basis and are as set forth in Rate Sections, beginning in Section 16, following.

T

Т

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 187 Replaces Original Page 187

#### **ACCESS SERVICE**

# 13. Additional Engineering, Additional Labor and Miscellaneous Services

In this section, normally scheduled working hours are an employee's scheduled work period in any given calendar day (e.g., 8:00 am to 5:00 pm) for the application of rates based on working hours. A Miscellaneous Service Order charge as described in 5.4.2 preceding may be applicable to services ordered from this section.

#### 13.1 Additional Engineering

Additional Engineering, including engineering reviews as set forth in 5.4.3 preceding, will be undertaken only after the Company has notified the customer that additional engineering charges apply as set forth in the Rate Sections, beginning in Section 16, following, and the customer agrees to such charges.

T

Additional Engineering will be provided by the Company at the request of the customer only when:

- 13.1.1 A customer requests additional technical information after the Company has already provided the technical information normally included on Design Layout Report (DLR) as set forth in 6.1.5 and 7.1.6 preceding.
- 13.1.2 Additional engineering time is incurred by the Company to engineer a customer's request for a customized service as set forth in 7.1.2 preceding.
- 13.1.3 A customer requested Design Change requires the expenditure of additional engineering time. Such additional engineering time is incurred by the Company for the engineering review as set forth in 5.4.3 preceding. The charge for additional engineering time relating to the engineering review, which is undertaken to determine if a Design Change is indeed required, will apply whether or not the customer authorizes the Company to proceed with the Design Change. In this case the Design Change charge, as set forth in the Rate Sections, beginning in Section 16, following, does not apply unless the customer authorizes the Company to proceed with the Design Change.

T

# 13.2 Additional Labor

Additional Labor is that labor requested by the customer on a given service and agreed to by the Company as set forth in 13.2.1 through 13.2.5 following. The Company will notify the customer that additional labor charges as set forth in the Rate Sections, beginning in Section 16, following will apply before any additional labor is undertaken. When provisioning or restoring Telecommunications Service priority services, the Company will, when possible, notify the customer of the applicability of these Additional Labor charges.

T T

#### 13.2.1 Overtime Installation

Overtime installation is that Company installation effort outside of normally scheduled working hours.

Issued: March 30, 2007 Effective: April 1, 2007

1st Revised Page 188 Replaces Original Page 188

#### **ACCESS SERVICE**

# 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)

# 13.2 Additional Labor (Cont'd)

#### 13.2.2 Overtime Repair

Overtime repair is that Company effort performed outside of normally scheduled working hours.

#### 13.2.3 Stand By

Stand by includes all time in excess of one-half (1/2) hour during which Company personnel stand by to make installation acceptance tests or cooperative tests with a customer to verify facility repair on a given service.

# 13.2.4 Testing and Maintenance with Other Telephone Companies

Additional testing, maintenance or repair of facilities which connect other telephone companies is that which is in addition to the normal effort required to test, maintain or repair facilities provided solely by the Company.

#### 13.2.5 Other Labor

Other labor is that additional labor not included in 13.2.1 through 13.2.4 preceding and labor incurred to accommodate a specific customer request that involves only labor which is not covered by any other section of this tariff.

#### 13.3 Miscellaneous Services

# 13.3.1 <u>Testing Services</u>

Testing Services offered under this section of the tariff are optional and subject to rates and charges as set forth in the Rate Sections, beginning in Section 16, following. Other testing services, as described in 6.2.4 and 7.1.7 preceding, are provided by the Company in association with Access Service and are furnished at no additional charge.

Testing services are normally provided by Company personnel at Company locations. However, provisions are made in (B)(2) following for a customer to request Company personnel to perform testing services at the customer designated premises.

The offering of Testing Services under this of the tariff is made subject to the availability of the necessary qualified personnel and test equipment at the various test locations mentioned in (A) and (B) following.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
- 13.3 <u>Miscellaneous Services</u> (Cont'd)
- 13.3.1 <u>Testing Services</u> (Cont'd)

# (A) Switched Access Service

Testing Services for Switched Access are comprised of (a) tests which are performed during the installation of a Switched Access Service, i.e., Acceptance Tests, (b) tests which are performed after customer acceptance of such Access Services and which are without charge, i.e., routine testing and (c) additional tests which are performed during or after customer acceptance of such access services and for which additional charges apply, i.e., Additional Cooperative Acceptance Tests and in-service tests.

Routine tests are those tests performed by the Company on a regular basis, as set forth in 6.2.4 preceding which are required to maintain Switched Access Service. Additional inservice tests may be done on an automatic basis (no Company or customer technicians involved), on a manual basis (Company technician)s) involved at Company office(s) and Company or customer technician(s) involved at the customer designated premises).

Testing services are offered to Dial Tone Office for FGA, to the access tandem or end office for FGB (wherever the FGB service is ordered) and to the end office for FGD. Testing Services for Directory Assistance Service not routed through an access tandem is ordered to a Directory Assistance Location for each NPA.

## (1) Additional Cooperative Acceptance Testing

Additional Cooperative Acceptance Testing of Switched Access Service involves the Company provision of a technician at its office(s) and the customer provision of a technician at its premises, with suitable test equipment to perform the required tests.

Additional Cooperative Acceptance Tests may, for example, consist of the following tests:

- Impulse Noise
- Phase Jitter
- Signal to C-Notched Noise Ratio
- Intermodulation (Nonlinear) Distortion
- Frequency Shift (Offset)
- Envelope Delay Distortion
- Dial Pulse Percent Break

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 190 Replaces Original Page 190

## ACCESS SERVICE

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.3 Miscellaneous Services (Cont'd)
    - 13.3.1 Testing Services (Cont'd)
      - (A) Switched Access Service (Cont'd)

# (2) Additional Automatic Testing

Additional Automatic Testing (AAT) of Switched Access Services (Feature Groups B and D) is a service where the customer provides remote office test lines and 105 test lines with associated responders or their functional equivalent. The customer may order, at additional charges, gainslope and C-notched noise testing and may order the routine tests (1004 Hz loss, C-Message Noise and Balance) on an as needed or more than routine schedule.

The Company will provide an AAT report that lists the test results for each trunk tested. Trunk test failures requiring customer participation for trouble resolution will be provided to the customer on an as needed basis.

The Additional Tests, (i.e., gain slope, C-notched noise, 1004 Hz loss, C-Message Noise and Balance) may be ordered by the customer at additional charges, 60 days prior to the start of the customer prescribed schedule. The rates for Additional Automatic Tests are as set forth in the Rate Sections, beginning in Section 16, following.

T

T

# (3) Additional Manual Testing

Additional Manual Testing (AMT) of Switched Access Services (Feature Groups A, B and D and Directory Access Service not routed through an access tandem) is a service where the Company provides a technician at its office(s) and the Company or customer provides a technician at the customer designated premises with suitable test equipment to perform the required tests. Such additional tests will normally consist of gain-slope and C-notched noise testing. However, the Company will conduct any additional tests which the IC may request.

> M M

M – Moved to Original Page 190.1.

Issued: March 30, 2007 Effective: April 1, 2007

M

M

T/M

T/M

M

M

# **ACCESS SERVICE**

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.3 Miscellaneous Services (Cont'd)
    - 13.3.1 Testing Services (Cont'd)
      - (A) Switched Access Service (Cont'd)
        - (3) Additional Manual Testing (Cont'd)

The Company will provide an AMT report listing the test results for each trunk tested. Trunk test failures requiring customer participation for trouble resolution will be provided to the customer on a per occurrence basis.

The AMT may be ordered by the customer at additional charges, 60 days prior to the start of the testing schedule as mutually agreed to by the customer and the Company. The rates for AMT are as set forth in the Rate Sections, beginning in Section 16, following.

(4) <u>Obligation of the Customer</u>

The customer shall provide the Remote Office Test Line priming data to the Company, as appropriate, to support routine testing as set forth in 6.2.4(B) preceding or ATT as set forth in 13.3.1(A)(2) preceding.

Issued: March 30, 2007 Effective: April 1, 2007

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
- 13.3 <u>Miscellaneous Services</u> (Cont'd)
- 13.3.1 <u>Testing Services</u> (Cont'd)
- (A) <u>Switched Access Service</u> (Cont'd)
- (4) Obligation of the Customer (Cont'd)

The customer shall make the facilities to be tested available to the Company at times mutually agreed upon.

### (B) Special Access Service

The Company will provide assistance in performing specific tests requested by the customer.

# (1) Additional Cooperative Acceptance Testing

When a customer provides a technician at its premises or at an end user's premises, with suitable test equipment to perform the requested tests, the Company will provide a technician at is office for the purpose of conducting Additional Cooperative Acceptance Testing on Voice Grade Services. At the customer's request, the Company will provide a technician at the customer's premises or at the end user premises. These test may, for example, consist of the following:

- Attenuation Distortion (i.e., frequency response)
- Intermodulation Distortion (i.e., harmonic distortion)
- Phase Jitter
- Impulse Noise
- Envelope Delay Distortion
- Echo Control
- Frequency Shift

### (2) Additional Manual Testing

The Company will provide a technician at its premises, and the Company or customer will provide a technician at the customer's designated premises with suitable test equipment to perform the requested tests.

#### (3) Obligation of the Customer

When the customer subscribes to Testing Service as set forth in this section, the customer shall make the facilities to be tested available to the Company at time mutually agreed upon.

Issued: October 20, 1997 Effective: October 21, 1997

### TARIFF F.C.C. NO. 3

T

Т

1st Revised Page 192 Replaces Original Page 192

# **ACCESS SERVICE**

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.3 Miscellaneous Services (Cont'd)
    - 13.3.2 Maintenance of Service
      - (A) When a customer reports a trouble to the Company for clearance and no trouble is found in the Company's facilities, the customer shall be responsible for payment of a Maintenance of Service charge as set forth in the Rate Sections, beginning in Section 16, following for the period of time from when Company personnel are dispatched, at the request of the customer, to the customer designated premises to when the work is completed. Failure of Company personnel to find trouble in Company facilities will result in no charge if the trouble is actually in those facilities, but not discovered at the time.
      - (B) the customer shall be responsible for payment of a Maintenance of Service charge when the Company dispatches personnel to the customer designated premises, and the trouble is in equipment or communications systems provided by other than the Company or detariffed CPE provided by the Company.

In either (A) or (B) preceding, no credit allowance will be applicable for the interruption involved if the Maintenance of Service Charge applies.

### 13.3.3 Telecommunications Service Priority - TSP

Priority installation and/or restoration of National Security Emergency Preparedness (NSEP) telecommunications services shall be provided in accordance with part 64.401, Appendix A, of the Federal Communication Commission's (FCC's) Rules and Regulations.

In addition, TSP System service shall be provided in accordance with the guidelines set forth in "Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service Vendor Handbook" (NCSH 3/1/2) dated July 9, 1990, and "Telecommunications Service Priority System for National Security Emergency Preparedness Service User manual (NCSM 3-1-1).

The TSP System is a service, developed to meet the requirements of the Federal Government, as specified in the Service Vendor's Handbook and Service User's Manual which provides the regulatory, administrative and operational framework for the priority installation and/or restoration of NSEP telecommunications services. These include both Switched and Special Access Services. The TSP System applies only to NSEP telecommunications services and requires and authorizes priority action by the Company providing such services.

For Switched Access Service, the TSP System's applicability is limited to those services which the Company can discreetly identify for priority provisioning and/or restoration.

Issued: March 30, 2007 Effective: April 1, 2007

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.3 Miscellaneous Services (Cont'd)
    - 13.3.3 Telecommunications Service Priority TSP (Cont'd)

A TSP charge applies as set forth in the Rate Sections, beginning in Section 16, when a request to provide or change a TSP is received subsequent to the issuance of an Access Order to install the service.

T

Additionally, a Miscellaneous Service Order Charge as set forth in the Rate Sections, beginning in Section 16, will apply to TSP requests that are ordered subsequent to the initial installation of the associated access service.

T Т

A TSP charge does not apply when a TSP is discontinued or when ordered coincident with an Access Order to install or change service. In addition, Additional Labor rates as set forth in the Rate Sections, beginning in Section 16, may be applicable when provisioning or restoring Switched or Special Access Services with TSP.

Т

When the customer requests an audit or a reconciliation of the Company's TSP records, a Miscellaneous Service Order Charge as set forth in the Rate Sections, beginning in Section 16, and Additional Labor rates as set forth in the Rate Sections, beginning in Section 16, are applicable.

T T

# 13.3.4 Bill Name and Address Information

The term "telecommunications service providers" as used in this provision includes interexchange carriers, operator service providers, enhanced service providers and other providers of interstate telecommunications services. Telecommunications service providers may request Billing Name and Address (BNA) information of the Company or the Company's billing agent for a specifically stated Billed Telephone Number (BTN).

M – Moved to Original Page 193.1.

Issued: March 30, 2007 Effective: April 1, 2007

M

M

Т

M

M

# ACCESS SERVICE

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.3 Miscellaneous Services (Cont'd)
    - 13.3.4 Bill Name and Address Information (Cont'd)

BNA may be used only for billing purposes, order entry, customer service, fraud prevention and identification of customers who have moved from one location to another, per FCC Order 93-535, Docket 91-115. This information may not be used for marketing purposes and may not be disclosed to third parties other than governmental law enforcement agencies, per FCC Order 93-535, Docket 91-115.

The Company will provide BNA to telecommunications service providers on a perrequest basis, using rates specified in the Rate Sections, beginning in Section 16. BNA will be provided for all BTNs except where the subscriber's number is un-published or un-listed and the subscriber has notified the Company that they do not want their BNA released for calling card calls and/or collect or third party calls. In addition, the Company shall have the right to audit the operations, procedures and systems of any telecommunications service provider that receives BNA, upon reasonable notice at reasonable times, to ensure that the telecommunications service provider is not using or disclosing BNA in violation of the terms of this tariff and applicable FCC requirements. The Company will waive this audit right if the

M – Moved from Original Page 193.

Issued: March 30, 2007 Effective: April 1, 2007

### TARIFF F.C.C. NO. 3

1st Revised Page 194 Replaces Original Page 194

### **ACCESS SERVICE**

13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)

### 13.3 Miscellaneous Services (Cont'd)

# 13.3.4 Bill Name and Address Information (Cont'd)

telecommunications service provider provides a verified certificate that has posted a bond in the amount of \$1,000,000 and in a form reasonably acceptable to the Company, against damages to the Company resulting from any use or disclosure by the telecommunications service provider of the BNA in violation of the terms of this tariff or applicable FCC requirements. The Company may terminate any waiver of this audit right, if such bond expires, by giving written notice to the telecommunications service provider.

Requests for BNA must be submitted in writing. The request must be accompanied by: 1) Carrier Identification Code; 2) Specific BTNs for which BNA is requested; and 3) Contact name and number for verification.

BNA will be provided in written form, on paper copy, or diskette, or on magnetic tape where available.

### 13.4 Presubscription

Pursuant to the FCC's Memorandum Opinion and Order, CC Docket No. 83-1145, Phase I, adopted May 31, 1985, and released June 12, 1985, the Allocation Plan, outlined in the Appendix B of this Order, is available for inspection in the Public Reference Room of the Tariff Division at the FCC's Washington, D.C., location or may be obtained from the Commission's commercial contractor.

Presubscription is the process by which end user customers may select and designate to the Company an IC to access, without an access code, for intrastate or interstate calls. This IC is referred to as the end user's predesignated IC.

13.4.1 New users who are served by end offices equipped with Feature Group D will be asked to presubscribe to an IC at the time they place an order with the Company for Telephone Exchange Service.

They may select either of the following options. There will be no charge for this initial selection.

- -a primary interstate IC for all of its lines,
- -a primary intrastate IC for all of its lines,
- -a different interstate IC for each of its lines,
- -a different intrastate IC for each of its lines.

Only one IC may be selected for each individual line or lines terminating in the same hunt group. Subsequent to the installation of Telephone Exchange Service and after the end user's initial selection of a predesignated IC, for any change in selection, a nonrecurring charge as set forth in the Rate Sections, beginning in Section 16, following applies.

T

Issued: March 30, 2007 Effective: April 1, 2007

### TARIFF F.C.C. NO. 3

1st Revised Page 195 Replaces Original Page 195

# ACCESS SERVICE

- Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) 13.
  - 13.4 Presubscription (Cont'd)
    - 13.4.2 If the new end user fails to designate an IC as his predesignated IC prior to the date of installation of Telephone Exchange Service, the Company will (1) allocate the end user to an IC based upon current IC presubscription ratios, (2) require the end user to dial an access code (10XXX) for all interstate calls, or (3) block the end user from interstate calling. The end user will be notified which option will be applied if they fail to presubscribe to an IC. An allocated or blocked end user may designate another IC or initial IC as its predesignated IC one time at no charge if it is requested within six months after the installation of Telephone Exchange Service.

For any change in selection after six months from the installation of Telephone Exchange Service, a nonrecurring charge as set forth in the Rate Sections, beginning in Section 16, following applies.

- 13.4.3 If an IC elects to discontinue its Feature Group D Service offering prior to or within two years of the conversion, the IC will notify the Company of the cancellation. The IC will also notify all end users which selected them that they are canceling their service and that they should contact the Company to select a new primary IC. The IC will also inform the end user that it will pay the presubscription change charge. The canceling IC will then be billed by the Company the appropriate charge for each end user for a period of two years from the discontinuance of Feature Group D service.
- 13.4.4 If an IC elects to change a Carrier Identification Code (CIC) due to the surrendering of a CIC to the North American Numbering Plan Administration for reassignment, the presubscription change charge will be waived. The waiver is applied only when the IC surrenders the CIC on a nationwide basis. The waiver is effective until January 1, 1993.
- 13.4.5 If an IC elects to change or discontinue use of a CIC for any reasons other than those set forth in 13.4.4 above, the IC will identify to the Company any affected end users and advise the Company of the new CIC to be assigned to these end users. If the CIC change involves a change of carrier for any end users, the IC will notify the affected end users of the change. The Company will change the predesignated carrier code of each end user identified by the IC to the T new CIC and bill the IC the nonrecurring charge set forth in the Rate Sections, beginning in Section 16, following for each end user line or trunk that is changed.

### 13.5 Verification of Orders for Long Distance Telemarketing

No IC shall submit to the Company a Primary Interexchange Carrier (PIC) change order generated by telemarketing unless and until the order has first been confirmed by accordance with one of the following procedures:

Issued: March 30, 2007

Effective: April 1, 2007

T

Т

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
- 13.5 <u>Verification of Orders for Long Distance Telemarketing</u> (Cont'd)
- 13.5.1 The IC obtains the billed party's (e.g., an end user or the designator of the PIC for a pay telephone) written authorization to submit the PIC change order and confirms:
- The billed party's billing name and address and each telephone number to be covered by the PIC change order;
- The billed party's decision to change the PIC to the IC; and
- The billed party's understanding of the PIC change fee.
- The IC obtains the billed party's electronic authorization to submit the PIC change order. The billed party will place a call from the telephone number(s) on which the PIC is to be changed, to a toll free number that is dedicated to the IC's PIC verification process. The verification number will connect the billed party to a voice response unit that records the originating ANI and the required information described in 13.5.1 preceding.
- 13.5.3 An appropriately qualified and independent third party, operating in a location physically separate from the telemarketing representative, obtains the billed party's oral authorization to submit the PIC change order. This authorization must confirm the order and include appropriate verification data (e.g., the billed party's date of birth or social security number).
- Within three business days of the billed party's request for a PIC change, the IC must send them an information package by first class mail which includes:
- a statement that the enclosed information is being sent to confirm a telemarketing order placed by the billed party within the previous week,
- the name of the current and soliciting ICs,
- the terms, conditions or charges for the PIC change,
- the name, address and telephone number of both the customer and soliciting IC.
- a statement advising the billed party that, absent his response, the change will be implemented 14 days from the date the information package was mailed to them,
- the name, address and telephone number of a contact point at the FCC for consumer complaints.

The IC must provide a post paid postcard which the billed party can use to deny, cancel or confirm the order. The IC must wait 14 days after the information package is mailed to the billed party before submitting the PIC change order to the Company.

Issued: October 20, 1997 Effective: October 21, 1997

Т

T

Т

T

T

1st Revised Page 197 Replaces Original Page 197

# **ACCESS SERVICE**

13. <u>Additional Engineering, Additional Labor and Miscellaneous Services</u> (Cont'd) 13.6 <u>Unauthorized PIC Change</u>

If an IC requests a PIC change on behalf of a billed party (e.g., an end user or the designator of the PIC for a pay telephone), and the billed party subsequently denies requesting the change, and the IC is unable to substantiate the change with a letter of agency signed by the billed party; then:

- The billed party will be reassigned to their previously selected IC. No charge will apply to the billed party for this reassignment.
- The Unauthorized presubscription Change Charge as set forth in the Rate Sections, beginning in Section 16, will apply to the IC that requested the unauthorized PIC change. This charge is applied in addition to the \$5.00 PIC change charge.

# 13.7 Blocking Service

# 13.7.1 <u>International Blocking Service</u>

The Company will provide International Blocking Service to customers who obtain local exchange service from the Company under its general or local exchange tariffs and to customers who obtain Feature Group A Switched Access service under this tariff. This service is only provided at appropriately equipped Company end offices. Those offices providing International Blocking Service are identified in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4.

On each line or trunk for which International Blocking Service is ordered, the Company will block all direct dialed international calls that use the call sequence of 011+or 10XXX-011+. When capable, the Company will route the blocked calls to a recorded message.

An International Blocking Service charge as set forth in the Rate Sections, beginning in Section 16, following is applicable for each new or existing exchange line or trunk or Feature Group A Switched Access line to which International Blocking Service is added or removed. This charge does not apply when blocking is removed from an exchange line or trunk or Feature Group A Switched Access line at the same time that it is disconnected.

A Miscellaneous Service Order Charge as set forth in the Rate Sections, beginning in Section 16, will apply to orders adding or removing International Blocking Service that are placed subsequent to the initial installation of the associated exchange line(s). This charge does not apply when blocking is removed from an exchange line or trunk or Feature Group A Switched Access line at the same time that it is disconnected.

Issued: March 30, 2007 Effective: April 1, 2007

- 13. <u>Additional Engineering, Additional Labor and Miscellaneous Services</u> (Cont'd)
  13.7 Blocking Service (Cont'd)
- 13.7.2 Pay-Per-Call Toll Denial Service
- The Company will provide Pay-Per-Call Toll Denial Service to customers who obtain local exchange service from the Company under its local exchange tariff and to customers who obtain Feature Group A Switched Access service under this tariff. This service is only provided at appropriately equipped Company end offices. Those offices providing Pay-Per-Call Toll Denial Service are identified in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC., TARIFF FCC No. 4.
- On each line or trunk for which Pay-Per-Call Toll Denial Service is ordered, the Company will block all direct dialed calls placed to a 900 number. When capable, the Company will route the blocked calls to a recorded message. No charges will be assessed for Pay-Per Call Toll Denial Service.
- A Pay-Per Call Toll Service Restoral charge will apply per line, trunk, or Feature Group A Switched Access service to which pay-Per-Call Restoral is requested. Requests by subscribers to remove Pay-Per-Call Toll Denial Service must be in writing. This charge does not apply when blocking is removed from an exchange line or trunk or Feature Group A Switched Access line at the same time that it is disconnected.

Issued: October 20, 1997 Effective: October 21, 1997

2nd Revised Page 198.1 Replaces 1st Revised Page 198.1

# **ACCESS SERVICE**

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.8 Local Number Portability
    - 13.8.1 <u>Local Number Portability Query Service</u>

### Service

Local Number Portability ("LNP") provides users of telecommunication services the ability to retain their existing Telephone Number ("TN") when switching from one Local Service Provider ("LSP") to another, provided, the end user customer remains within the same rate center. LNP Provides for the completion of calls to ported telephone numbers regardless of where the call originates.

Local Number Portability Query Service ("LNPQS") is an Advanced Intelligent Network ("AIN") with capability which utilizes the Common Channel Signaling ("CCS") Network to query a LNP data base to secure network routing instructions before completion of a call. At a minimum, a LNP database contains Location Routing Number ("LRN") information about a telecommunication service user's choice of LSP by NXX code. The LRN is unique to the LSP's serving switch that will complete the call.

When more than one network is involved in completing a call, the network prior to the termination (i.e., the N-1 Network) is responsible for querying a LNP database to secure the appropriate LRN to route the call.

When the provider of the N-1 network forwards a non-queried call to an end office switch and the TN is a ported number, the switch will suspend the call processing, formulate and launch a query to the a LNP data base to secure the LRN of the ported number. When the necessary LRN has been returned from the LNP data base to the switch originating the query, call processing is resumed and the call is either processed in the Company's network or routed to the correct LSP's network for completion to the called party. The Company will assess the provider of the N-1 Network a LNPQS Default End Office Query Charge as set forth in the Rate Sections, beginning in Section 16, following. Access charges, as set forth in this tariff, apply to calls transiting the Company's network.

LNPQS is provided where facilities permit. LNPQS is being activated in Anchorage.

# **LNPQS Manner of Provisioning**

LNPQS uses the Location Routing Number ("LRN") architecture. The LRN associates an NPA-NXX-XXX number with each central office switch that services ported numbers. All switching types used by the Company will utilize LRN functionality using AIN capability. The LRN functionality is limited to circuit switched calls and excludes High Volume Call-in network NXX codes, 500, 700, 8XX, and 900 dialed service codes, until industry standards are defined.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503 Т

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
- 13.8 <u>Local Number Portability</u> (Cont'd) 13.8.1 Local Number Portability Query Service (Cont'd)

# LNPQS Manner of Provisioning (Cont'd)

When telecommunication service customers change from one LSP to another and retain the same TN, the recipient LSP (recipient switch) is responsible for providing complete LRN information to the Regional Service Management System/ Number Portability Administration Center ("RSMS/NPCA"). This information will include the porting TN, the LRN of the recipient switch, and Destination Point Codes for CLASS and LIDB Transaction Capability Application Part (TCAP) messages. The RSMS/NPAC will download the information to all LNP databases based on User Agreements between the RSMS/NPAC and LNP Service Providers.

# Limitations

- LNPQS is used on a call-by-call basis only for routing calls to number portable NXX codes and cannot be used for purposes other than those functions described herein. Customers may not store any LNP data base information in their own database, or elsewhere, for any reason.
- The following are excluded from number portability until industry standards are defined: High Volume Call-in network NXX codes, 911, 411, service codes 500, 566, 700, 8XX, 900, 936, and 992, across an NPA boundary, outside of the Telephone Company's serving area, cellular or mobile numbers, numbers used for mass calling events.

# Network Management

The Company will administer its network to ensure the provision of acceptable service provision levels to all telecommunications users of the Company's network services.

The Company maintains the right to apply automated or manual protective controls to its network on a competitively neutral basis. These protective controls result from occurrences such as failure or overload of its facilities, natural disasters, mass calling, or national security demands.

Issued: October 20, 1997 Effective: October 21, 1997

T

T

3rd Revised Page 198.3 Replaces 2nd Revised Page 198.3

### **ACCESS SERVICE**

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.8 <u>Local Number Portability</u> (Cont'd)
    - 13.8.1 Local Number Portability Query Service (Cont'd)

# **Rate Regulations**

LNPQS customers that deliver a non-queried call to the Company's end offices are billed an LNPQS default Query Charge. The LNPQS Default Query Charge recovers the cost of the Company's transport from an end office to the STP, the query of the LNP data base and the return of the query information to the originating end office switch. A LNPQS Default Query Charge is assessed on a per-query, per end-office basis regardless of the outcome of the query. LNPQS queries are aggregated and billed to the customer on a monthly basis. LNPQS Default Query Charges are set forth in the Rate Sections, beginning in Section 16, following.

# 13.8.2 Local Number Portability ("LNP") End User Charge

# **General Description**

The Company will assess a monthly number-portability charge to end users served by LNP-capable switches. LNP provides users of telecommunication services the ability to retain their existing telephone number ("TN") when switching from one Local Service Provider ("LSP") to another, provided, the end user customer remains within the same rate center. LNP provides for the completion of calls to ported telephone numbers regardless of where the call originates.

The charge applies to the Company's end users served by LNP-capable switches, effective with the tariff. The Company will assess the charge in each end office.

The monthly charge is assessed, as determined by the Company, to all end users of local exchange service, end users of Feature Group A or Circuit Switched Lineside Service, resellers, and customers that have ordered unbundled switch ports. The Basic Charge is assessed on a per line or per port basis, except:

a. When a custog wmer is provided Integrated Services Digital Network Primary Rate Interface ("ISDN-PRI") that permits the provision of up to 24 voice-grade equivalent channels over a single T-1 facility, the end user charge for ISDN-PRI is assessed per T-1 facility. when the called party answers;

Issued: March 30, 2007 Effective: April 1, 2007

### TARIFF F.C.C. NO. 3

2nd Revised Page 198.4 Replaces 1st Revised Page 198.4

# **ACCESS SERVICE**

- 13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)
  - 13.8 <u>Local Number Portability</u> (Cont'd)

13.8.2 <u>Local Number Portability ("LNP") End User Charge</u> (Cont'd) General Description (Cont'd)

When a customer is provided PBX Service, the end user charge is assessed per PBX trunk

The charge is not assessed to Lifeline Customers.

The charge is not assessed to local loops purchased as unbundled network elements.

The LNP rates are set forth in the Rate Sections, beginning in Section 16, following.

T

Issued: March 30, 2007 Effective: April 1, 2007

Original Page 199

# **ACCESS SERVICE**

# 14. Access Service Interface and Transmission Specifications

14.1 contains Switched Access Service Options (which are comprised of Interface Groups, Supervisory Signaling, Entry Switch Receive level and Local Transport Termination) and Transmission Specifications. 14.2 describes Special Access Service Network Channel (NC) codes and network Channel Interface (NCI) codes. 14.3 contains Interface Group, Premises Interface Code and Standard Transmission Specifications applicable to Directory Access Service.

# 14.1 Switched Access Service

Ten Interface Groups are provided for terminating the Local Transport Entrance Facility at the customer's designated premises. Each Interface Group provides a specified premises interface (e.g., two-wire, four-wire, DS1, etc.). Where transmission facilities permit, and at the option of the customer, the Entrance Facility may be provided with optional features as set forth in 14.1.1 following.

As a result of the customer's access order and the type of Company transport facilities serving the customer designated premises, the need for signaling conversions or two-wire to four-wire conversions, or the need to terminate digital or high frequency facilities in channel bank equipment may require that Company equipment be placed at the customer designated premises. For example, if a voice frequency interface is ordered by the customer and the Company facilities serving the customer designated premises are digital, then Company channel bank equipment must be placed at the customer designated premises in order to provide the voice frequency interface ordered by the customer.

### 14.1.1 Local Transport Interface Groups

Interface Groups are combination of technical parameters which describe the Company handoff at the point of termination at the customer designated premises. The technical specifications concerning the available interface groups are set forth in (A) through (D) following.

Interface Group 1 is provided with Type C Transmission Specifications, as set forth in 14.1.2(C) following, and Interface Groups 2 through 10 are provided with Type A or B Transmission Specifications, as set forth respectively in 14.1.2(D) and (E) following, depending on the Feature Group and whether the Access Service is routed directly or through an access tandem. All Interface Groups are provided with Data Transmission Parameters.

Only certain premises interfaces are available at the customer designated premises. The premises interfaces associated with the Interface Groups may vary among Feature Groups.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)

# (A) Interface Group 1

Interface Group 1, except as set forth in the following, provides two-wire voice frequency transmission at the point of termination at the customer designated premises. The interface is capable of transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

Interface Group 1 is not provided in association with FGD when the first point of switching is an access tandem. In addition, Interface Group 1 is not provided in association with FGB or FGD when the first point of switching provides only four-wire terminations.

The transmission path between the point of termination at the customer designated premises and the customer's serving wire center may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency bandwidth of 300 to 3000 Hz.

The interface is provided with loop supervisory signaling. When the interface is associated with FGA, such signaling will be loop start or ground start signaling. When the interface is associated with FGB or FGD, such signaling except for two-way calling which is E&M signaling, will be reverse battery signaling.

# (B) Interface Group 2

Interface Group 2 provides four-wire voice frequency transmission at the point of termination at the customer designated premises. The interface is capable of transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

The transmission path between the point of termination at the customer designate premises and the customer's serving wire center may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

The interface is provided with loop supervisory signaling. When the interface is associated with FGA, such signaling will be loop start or ground start signaling. When the interface is associated with FGB or FGD, such signaling, except for two-way calling which is E&M signaling, will be reverse battery signaling.

Issued: October 20, 1997 Effective: October 21, 1997

# 14. Access Service Interface and Transmission Specifications (Cont'd)

- 14.1 Switched Access Service (Cont'd)
  - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)

# (C) Interface Groups 3 through 5

Interface Groups 3 through 5 provide analog transmission at the point of termination at the customer designated premises. The various interfaces are capable of transmitting electrical signals at the frequencies illustrated following, with the capability to channelize voice frequency transmission paths.

ACCESS SERVICE

Certain frequencies within the bandwidth of the Interface Groups are reserved for Company use, e.g., pilot and carrier group alarm tones. Before the first point of switching, the Company will provide multiplex equipment to derive the transmission paths of frequency bandwidth of approximately 300 to 3000 Hz.

The interfaces are provided with individual transmission path SF supervisory signaling.

			Maximum No. of
Interface Group	Transmission	Analog	Channelized Voice
<u>I.D. No.</u>	Frequency Bandwidth	Hierarchy Level	Freq. Trans. Paths
3	60-108 kHz	Group	12
4	312-552 kHz	Supergroup	60
5	564-3084 kHz	Mastergroup	600

# (D) Interface Group 6 through 10

Interface Groups 6 through 10 provide digital transmission at the point of termination at the customer designated premises. The various interfaces are capable of transmitting electrical signals at the nominal bit rates illustrated following, with the capability to channelize voice frequency transmission paths.

Before the first point of switching, when analog switching utilizing analog terminations is provided, the Company will provide multiplex and channel bank equipment to derive transmission paths of a frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Company will provide a DS1 signal(s) in D3/D4 format.

Issued: October 20, 1997 Effective: October 21, 1997

1st Revised Page 202 Replaces Original Page 202

# **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)
      - (D) Interface Group 6 through 10 (Cont'd)

The interfaces are provided with individual transmission path bit stream supervisory signaling.

			Maximum No. of
Interface Group	Nominal Bit	Digital	Channelized Voice
<u>I.D. No.</u>	Rate (Mbps)	Hierarchy Level	Freq. Trans. Paths
6	1.544	DS1	24
7	3.152	DS1C	48
8	6.312	DS2	96
9	44.736	DS3	672
10	274.176	DS4	4032

# (E) <u>Local Transport Optional Features</u>

Where transmission facilities permit, the Company will, at the option of the customer, provide the following features in association with Local Transport. An Access Order Charge as specified in the Rate Sections, beginning in Section 16, following is applicable on a per order basis when nonchargeable optional features are added subsequent to the installation of service.

<u>Customer Specified Entry Switch Receive Level</u>: Customer Specified Entry Switch Receive Level allows the customer to specify the receive transmission level at the first point of switching. The range of transmission levels which may be specified is describe in Technical Reference TR-NPL-000334. This feature is available with Interface Groups 2 through 10 for Feature Groups A and B.

<u>Customer Specification of Transport Termination</u>: Customer Specification of Transport Termination allows the customer to specify, for Feature Group B routed directly to an end office or access tandem, a four-wire termination of the Transport at the first point of switching in lieu of a Company selected two-wire termination. This option is available only when the Feature Group B arrangement is provided with Type B Transmission Specifications.

M – Moved to Original Page 202.1.

Issued: March 30, 2007

M M

T

Effective: April 1, 2007

Original Page 202.1

# ACCESS SERVICE

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)
      - (E) <u>Local Transport Optional Features</u> (Cont'd)

<u>Supervisory Signaling</u>: Supervisory Signaling allows the customer to order an optional supervisory signaling arrangement for each transmission path provided where the transmission parameters permit, and where signaling conversion is required by the customer to meet its signaling capability.

The Interface Groups, as described in (A) through (D) preceding, represent industry standard arrangements. Where transmission parameters permit, the customer may select the following optional signaling arrangements in place of signaling arrangements normally associated with the Interface Groups.

Moved from Original Page 202.

Issued: March 30, 2007 Effective: April 1, 2007

By: Cynthia L Lynch Tariffs and Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503  $\mathbf{M}$ 

M

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.1 Local Transport Interface Groups (Cont'd)
      - (E) Local Transport Optional Features (Cont'd)
        - For Interface Groups 1 and 2 associated with FGB or FGD

DX Supervisory Signaling E&M Type I Supervisory Signaling, E&M Type II Supervisory Signaling, or E&M Type III Supervisory Signaling,

• For Interface Group 2 associated with FGB or FGD and in addition to the preceding.

SF Supervisory Signaling, or Tandem Supervisory Signaling

• For Interface Groups 3 through 5

Optional Supervisory Signaling Not Available

• For Interface Groups 6 through 10

These Interface Groups may, at the option of the customer, be provided with individual transmission path SF supervisory signaling where such signaling is available in Company central offices. Generally such signaling is available only where the first point of switching provides an analog (i.e., non digital) interface to the transport termination.

These optional Supervisory Signaling arrangements are not available in combination with the SS7 optional feature as described in 6.8.3 preceding.

Additionally, in (F) following, there is a matrix of available Premises Interface Codes as a function of Interface Group, Company Switch Supervisory Signaling and Feature Group.

# (F) Available Premises Interface Codes

Following is a matrix showing premises interface codes which are available for each Interface Group. Their availability is a function of the Company switch supervisory signaling and Feature Group. For explanations of these codes, see the Parameter Codes and Options as set forth in 14.2.2(A) following.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 <u>Switched Access Service</u> (Cont'd)
    - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)
      - (F) Available Premises Interface Codes (Cont'd)

Interface	Company Switch Supervising Signaling	Premises Interface Code		ature Gr B	oup D
<u>Group</u>	Switch Supervising Signating	interface Code	<u>A</u>	ь	<u> </u>
1	LO	2LS2	X		
	LO	2LS3	X		
	GO	2GS2	X		
	GO	2GS3	X		
	LO, GO,	2DX3	X		
	LO, GO,	4EA3-E	X		
	LO, GO	4EA3-M	X		
	LO, GO,	6EB3-E	X		
	LO, GO	6EB3-M	X	37	17
	RV,EA,EB,EC	2DX3		X	X
	RV,EA,EB,EC	4EA3-E		X	X
	RV,EA,EB,EC	4EA3-M		X	X
	RV,EA,EB,EC	6EB3-E		X	X
	RV,EA,EB,EC	6EB3-M		X	X
	EA,EB,EC	6EC3		37	X
	RV	2RV3-O		X	X
	RV	2RV3-T		X	X
	SS7	2NO2			X
2	LO, GO	4SF2	X		
	LO, GO	4SF3	X		
	LO	4LS2	X		
	LO	4LS3	X		
	LO	6LS2	X		
	GO	4GS2	X		
	GO	4GS3	X		
	GO	6GS2	X		
	LO, GO	4DX2	X		
	LO, GO,	4DX3	X		
	LO, GO,	6EA2-E	X		
	LO, GO	6EA2-M	X		
	LO, GO,	8EB2-E	X		
	LO, GO	8EB2-M	X		
	LO, GO	6EX2-B	X		
	RV, EA, EB, EC	4SF2		X	X
	RV, EA, EB, EC	4SF3		X	
	RV, EA, EB, EC	4DX2		X	X

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)
      - (F) Available Premises Interface Codes (Cont'd)

Interface	Company Switch Supervising Signaling	Premises Interface Code		iture Gr B	-
<u>Group</u>	Switch Supervising Signating	interface Code	<u>A</u>	ь	<u>D</u>
2 (cont'd)	RV, EA, EB, EC	4DX3		X	
2 (conc a)	RV, EA, EB, EC	6DX2			X
	RV, EA, EB, EC	6EA2-E		X	X
	RV, EA, EB, EC	6EA2-M		X	X
	RV, EA, EB, EC	8EB2-E		X	X
	RV, EA, EB, EC	8EB2-M		X	X
	EA, EB, EC	8EC2-M			X
	RV	4RV2-O		X	X
	RV	4RV2-T		X	X
	RV	4RV3-O		X	
	RV	4RV3-T		X	
	SS7	2NO2			X
3	LO, GO	4AH5-B	X		
	RV, EA, EB, EC	4AH5-B		X	X
	SS7	4AH5-B			X
4	LO, GO	4AH6-C	X		
	RV, EA, EB, EC	4AH6-C		X	X
SS7	4AH6-C			X	
5	LO, GO	4AH6-D	X		
	RV, EA, EB, EC	4AH6-D		X	X
	SS7	4AH6-D			X
6	LO, GO	4DS9-15		X	
	LO, GO	4DS9-15L		X	
	RV,EA,EB,EC	4DS9-15		X	X
	RV,EA,EB,EC	4DS9-15L		X	X
	SS7	4DS9-15			X
7	LO, GO	4DS9-31	X		
	LO, GO	4DS9-31L	X		
	RV, EA, EB, EC	4DS9-31		X	X
	RV, EA, EB, EC	4DS9-31L		X	X
	SS7	4DS9-31			X

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 <u>Switched Access Service</u> (Cont'd)
    - 14.1.1 <u>Local Transport Interface Groups</u> (Cont'd)
      - (F) Available Premises Interface Codes (Cont'd)

Interface	Company	Premises	Fea	ture Gi	oup
<u>Group</u>	Switch Supervising Signaling	Interface Code	<u>A</u>	В	D
8	LO, GO	4DS0-63	X		
	LO, GO	4DS0-63L	X		
	RV, EA, EB, EC	4DS0-63		X	X
	RV, EA, EB, EC	4DS0-63L		X	X
	SS7	4DS0-63			X
9	LO, GO	4DS6-44	X		
	LO, GO	4DS6-44L	X		
	RV, EA, EB, EC	4DS6-44		X	X
	RV, EA, EB, EC	4DS6-44L		X	X
	SS7	4DS6-44			X
10	LO, GO	4DS6-27	X		
	LO, GO	4DS6-27L	X		
	RV, EA, EB, EC	4DS6-27		X	X
	RV, EA, EB, EC	4DS6-27L		X	X
	SS7	4DS6-27			X

### 14.1.2 <u>Standard Transmission Specifications</u>

Descriptions of the transmission specifications available with each Feature Group as a function of the Interface Group selected by the customer, are set forth in (A) through (D) following. Descriptions of each of these Standard Transmission Specifications and the two Data Standard Transmission Parameters mentioned are set forth respectively in (E) through (G) and 14.1.3(A) and (B) following.

### (A) Feature Group A

FGA is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the first point of switching. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.2 <u>Standard Transmission Specifications</u> (Cont'd)

# (B) Feature Group B

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission Specifications are provided with Interface Groups 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

# (C) Feature Group D

FGD is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed to the end office of either Type B or C is provided.
- When routed to an access tandem only Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with interface Groups 2 through 10.

Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer designated premises and the end office when directly routed to the end office. Type DA Data Transmission Parameters are provided for the transmission path between the customer designated premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

# (D) Type A Transmission Specifications

Type A Transmission Specifications is provided with the following parameters:

- (1) Loss Deviation: The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is +/- 2.0 dB.
- (2) Attenuation Distortion: The maximum Attenuation Distortion in the 404 to 2804 Hz frequency band relative to the loss at 1004 Hz is -1.0 B to +3 dB.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.2 <u>Standard Transmission Specifications</u> (Cont'd)
      - (D) Type A Transmission Specifications (Cont'd)
        - (3) C-Message Noise: The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

Route Miles	<u>C-Message Noise</u>
less than 50	32 dBrnCO
51 to 100	34 dBrnCO
101 to 200	37 dBrnCO
201 to 400	40 dBrnCO
401 to 1000	42 dBrnCO

- (4) C-Notch Noise: The maximum C-Notch Noise, utilizing a -16 dBmO holding tone, is less than or equal to 45 dBrnCO.
- (5) Echo Control: Echo Control, identified as Equal Level Echo Path Loss, and expressed as Echo Return Loss and Singing Return Loss, is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. It is equal to or greater than the following:

	Echo	Singing
	Return Loss	Return Loss
POT to Access Tandem	21 dB	14 dB
POT to End Office		
- Direct	N/A	N/A
- Via Access Tandem	16 dB	11 dB

(6) <u>Standard Return Loss</u>: Standard Return Loss expressed as Echo Return Loss and Singing Return Loss on two-wire ports of a four-wire point of termination shall be equal to or greater than:

Echo Return Loss	Singing Return Loss
5 dB	2.5 dB

- (E) <u>Type B Transmission Specifications</u>: Type B Transmission Specifications are provided with the following parameters:
  - (1) <u>Loss Deviation</u>: The maximum Loss deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is  $\pm 2.5$  dB.
  - (2) <u>Attenuation Distortion</u>: The maximum Attenuation Distortion in the 404 to 2804 Hz frequency band relative to loss at 1004 Hz is -2.0 dB to +4.0 dB.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.2 <u>Standard Transmission Specifications</u> (Cont'd)
      - (E) Type B Transmission Specifications (Cont'd)
        - (3) C-Message Noise: The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

	C-Messag	ge Noise*
Route Miles	Type B1	Type B2
less than 50	32 dBrnCO	35 dBrnCO
51 to 100	33 dBrnCO	37 dBrnCO
101 to 200	35 dBrnCO	40 dBrnCO
201 to 400	37 dBrnCO	43 dBrnCO
401 to 1000	39 dBrnCO	45 dBrnCO

- (4) <u>C-Notch Noise</u>: The maximum C-Notch Noise, utilizing a -16 dBmO holding tone is less than or equal to 47 dBrnCO.
- (5) <u>Echo Control</u>: Echo Control, identified as Impedance Balance for FGA and FGB and Equal Level Echo Path Loss for FGD, and expressed as Echo Return Loss (ERL) and Singing Return Loss (SRL), is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. The ERL and SRL also differ by Feature Group, type of termination, and type of transmission path. They are greater than or equal to the following:

	Echo	Singing
	Return Loss	Return Loss
POT to Access Tandem		
- Terminated in 4-Wire trunk	21 dB	14 dB
- Terminated in 2-Wire trunk	16 dB	11 dB
POT to End Office		
- Direct	16 dB	11 dB
- Via Access Tandem		
* For FGB access	8 dB	4 dB

(6) <u>Standard Return Loss</u>: Standard Return Loss, expressed as Echo Return Loss and Singing Return Loss, on two-wire ports of a four-wire point of termination shall be equal to or greater than:

Echo Return Loss Singing Return Loss

5 dB 2.5 dB

Issued: October 20, 1997 Effective: October 21, 1997

# Original Page 210

# **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)
    - 14.1.2 <u>Standard Transmission Specifications</u> (Cont'd)
      - (F) Type C Transmission Specifications

Type C Transmission Specifications are provided with the following parameters:

- (1) <u>Loss Deviation</u>: The maximum Loss Deviation of the 1004 Hz Loss relative to the Expected Measured Loss (EML) is +/- 3.0 dB.
- (2) <u>Attenuation Distortion</u>: The maximum Attenuation Distortion in the 404 to 2804 Hz frequency band relative to loss at 1004 Hz is -2.0 dB to +5.5 dB.
- (3) <u>C-Message Noise</u>: The maximum C-Message Noise for the transmission patch at the route miles listed is less than or equal to:

	C-Message	Noise*
Route Miles	Type C1	Type C2
less than 50	32 dBrnCO	38 dBrnCO
51 to 100	33 dBrnCO	39 dBrnCO
101 to 200	35 dBrnCO	41 dBrnCO
201 to 400	37 dBrnCO	43 dBrnCO
401 to 1000	39 dBrnCO	45 dBrnCO

- (4) <u>C-Notch Noise</u>: The maximum C-Notch Noise, utilizing a -16 dBmO holding tone is less than or equal to 47 dBrnCO.
- (5) <u>Echo Control</u>: Echo Control, identifies as Return Loss and expressed as Echo Return Loss and Singing Return Loss is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. It is equal to or greater than the following:

	Echo Return Loss	Singing Return Loss
POT to Access Tandem	13 dB	6 dB
POT to End Office		
- Direct	13 dB	6 dB
<ul><li>Via Access Tandem (for FGB only)</li></ul>	8 dB	4 dB

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 Switched Access Service (Cont'd)

### 14.1.3 Data Transmission Parameters

Two types of data Transmission Parameters, i.e., Type DA and Type DB, are provided for the Feature Group arrangements. Type DB is provided with Feature Groups A and B and also with Feature Group D when Feature Group D is directly routed to the end office. Type DA is only provided with Feature Group D and only when routed via an access tandem. Following are descriptions of each.

- (A) Data Transmission Parameters Type DA
  - (1) <u>Signal to C-Notched Noise Ratio</u>: The Signal to C-Notched Noise Ratio is equal to or greater than 33 dB.
  - (2) <u>Envelope Delay Distortion</u>: The maximum Envelope Delay Distortion for the frequency banks and route miles specified is:

#### 604 to 2804 Hz

less than 50 route miles 500 microseconds equal to or greater than 50 route miles 900 microseconds

#### 1004 to 2404 Hz

less than 50 route miles 200 microseconds equal to or greater than 50 route miles 400 microseconds

- (3) <u>Impulse Noise Counts</u>: The Impulse Noise Counts exceeding a 65 dBrnCO threshold in 15 minutes is no more than 15 counts.
- (4) <u>Intermodulation Distortion</u>: The Second Order (R2) and Third Order (r3) Intermodulation Distortion products are equal to or greater than:

Second Order (R2) 33 dB Third Order (R3) 37 dB

- (5) <u>Phase Jitter</u>: The Phase Jitter over the 4-300 Hz frequency band is less than or equal to 50 peak-to-peak.
- (6) Frequency Shift: The maximum Frequency Shift does not exceed -2 to +2 Hz.

Issued: October 20, 1997 Effective: October 21, 1997

# Original Page 212

# **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.1 <u>Switched Access Service</u> (Cont'd)
    - 14.1.3 <u>Data Transmission Parameters</u> (Cont'd)
      - (B) <u>Data Transmission Parameters Type DB</u>
        - (1) <u>Signal to C-Notched Noise Ratio</u>: The signal to C-Notched Noise Ratio is equal to or greater than 30 dB.
        - (2) <u>Envelope Delay Distortion</u>: The maximum Envelope Delay Distortion for the frequency bands and route miles specified is:

604 to 2804 Hz

less than 50 route miles 800 microseconds equal to or greater than 50 route miles 1000 microseconds

1004 to 2404 Hz

less than 50 route miles 320 microseconds equal to or greater than 50 route miles 500 microseconds

- (3) <u>Impulse Noise Counts</u>: The Impulse Noise counts exceeding a 67 dBrnCO threshold in 15 minutes is no more than 15 counts.
- (4) <u>Intermodulation Distortion</u>: The Second Order (R2) and Third Order (R3) Intermodulation Distortion products are equal to or greater than:

Second Order (R2) 31 dB Third Order (R3) 34 dB

- (5) <u>Phase Jitter</u>: The Phase Jitter over the 4-300 Hz frequency band is less than or equal to 70 peak-to-peak.
- (6) Frequency Shift: The maximum Frequency Shift does not exceed -2 to +2 Hz.

### 14.2 Special Access Service

This section explains and lists the codes that the customer must specify when ordering Special Access Service, Switched Access, Entrance Facilities and Voice Grade and High Capacity Direct Trunked Transport. These codes provide a standardized means to relate the services being ordered to Special Access Service offerings contained in Section 7 preceding.

When ordering, the type of Special Access Service or Switched Access Entrance Facility or Direct Trunked Transport is described by two code sets, the Network Channel (NC) code and the Network Channel Interface (NCI) codes.

Issued: October 20, 1997 Effective: October 21, 1997

Original Page 213

# **ACCESS SERVICE**

14. Access Service Interface and Transmission Specifications (Cont'd)

14.2 Special Access Service (Cont'd)

The Network Channel (NC) code consists of two elements. Element one is a Channel Service Code (character positions 1 and 2) that describes the channel service type in an abbreviated form. Element two is an Optional Feature Code (character positions 3 and 4) that identifies option codes available for each channel service code, such as C-conditioning or Improved Return Loss.

The Network Channel Interface (NCI) is used to identify interface specifications associated with a particular channel. This code describes the total wires, protocol, impedance, protocol options and transmission level point(s) reflecting physical and electrical characteristics between the Company and the customer.

On the following three (3) pages are examples which explain the specific characters of the codes and which reference matrices and charts used in developing the codes. Included in the matrices are Service Designator (SD) codes which are used to identify variations of service within service types (e.g., TG1 = Telegraph). The SD and NC codes are displayed as components of the matrices designated as Technical Specifications packages in (A) through (E) following. Through the use of these matrices, SD codes may be converted to NC codes for service ordering purposes.

A chart is also provided in 14.2.2 following which contains information necessary to develop NCI codes.

Comprehensive lists of allowed Network Channel (NC) and Network Channel Interface (NCI) codes are contained in Special Report SR-ISD-000307. However, not all services contained in this Special Report may be offered by the Company at this time.

Lastly, 14.2.2(C) following provides a list of compatible Network Channel Interfaces inasmuch as the Network Channel Interfaces associated with a given service need not always be the same, but all must be compatible.

<u>Example No. 1</u>: If the customer wishes to order a 4-wire voice grade circuit with 600 Ohms impedance, capable of data transmission, and with improved return loss, the customer might specify the following:

<u>NCI</u> <u>SECNCI</u>

LG-R 04DB2 04DA2-S

NC Code:

LG = Voice Grade Channel Service, VG6

-R = Improved Return Loss

Issued: October 20, 1997 Effective: October 21, 1997

14. Access Service Interface and Transmission Specifications (Cont'd)

14.2 Special Access Service (Cont'd)

NCI Code:

04 = Number of physical wires at CDP

DB = Data stream in VF frequency band at the customer designated main terminal

location 600 Ohms impedance

SECNCI (Secondary NCI Code):

04 = Number of physical wires at CDP

DA = Data stream in VG frequency at the customer designated secondary terminal

location

2 = 600 Ohms impedance

S = Sealing current option for 4-wire transmission

In the above example the NCI (Network Channel Interface) code is the interface requested at the customer's POT (Point of Termination) and the SECNCI (Secondary Network Channel Interface) code represents the interface at the end office serving the End User.

<u>Example No. 2</u>: If the customer wishes to order a FX circuit to a station, with 600 Ohms impedance, loop start signaling, which is 4-wire at the CDP and 2-wire at the end-user, the customer might specify:

<u>NCI</u> <u>SECNCI</u> LC-- 04LO2 02LS2

NC Code:

LC = Voice Grade Channel Service, VG2

--= No Optional Features

NCI Code:

04 = Number of physical wires at CDP LO = Loop start, loop signaling - open end

2 = 600 Ohms impedance

SECNCI (Secondary NCI Code):

02 = Number of physical wires at CDP LS = Loop start signaling - closed end

2 = 600 Ohms impedance

<u>Example No. 3</u>: If the customer wishes to order a 1.544 Mbps Hi-cap facility with no channel options such as CO multiplexing, the customer might specify the following:

 NC
 NCI
 SECNCI

 HC- 04DS9-15
 04DS9-15

Issued: October 20, 1997 Effective: October 21, 1997

### 14. Access Service Interface and Transmission Specifications (Cont'd)

14.2 Special Access Service (Cont'd)

NC Code:

HC = High Capacity Channel Service, HC1

-- = No Optional Features

NCI. SECNCI Code:

04 = Number of physical wires at CDP

DS = Digital hierarchy interface 9 = 100 Ohms impedance 15 = 1.544 Mbps (DS1) format

The preceding three examples use information contained in Special Report SR-ISD-000307.

### 14.2.1 Network Channel (NC) Codes

In order to determine the NC code appropriate for the service to be ordered, the type of Special Access Service the customer wishes must be identified. This identification is accomplished by a Service Designator (SD) code. The broad categories of Service Designator codes (e.g., VG, etc.) are set forth in Section 7 preceding. Variations within service type (e.g., VG1, etc.) are described in the various Technical Publications cited following.

Having determined the specific service type to be ordered and its SD code, and having used the appropriate Technical Publication, the customer should match the SD code to the NC code using the following matrices. Once the NC code has been determined the Network Channel Interface (NCI) code may be developed using the information set forth in 14.2.2 following and the guidelines concerning specific parameters available for each service type as set forth in the specified Technical Publication.

# (A) Technical Specifications Packages Voice Grade Service

						Packa	age V	G-						
SD Code	$C^*$	1	2	3	4	5	6	7	8	9	10	11	12	W
NC Code	LQ	LB	LC	LD	LE	LF	LG	LH	LJ	LK	LN	LP	LR	SE
<u>Parameter</u>														
Attenuation														
Distortion	X	X	X	X	X	X	X	X	X	X	X	X	X	X
C-Message Noise	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Echo Control	X	X	X	X		X		X	X			X	X	X
Envelope Delay														
Distortion	X						X	X	X	X	X	X	X	X
Frequency Shift	X						X	X	X	X	X	X	X	X
Impulse Noise	X					X	X	X	X	X	X	X	X	X

Issued: October 20, 1997 Effective: October 21, 1997

Original Page 216

# **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.1 <u>Network Channel (NC) Codes</u> (Cont'd)
      - (A) Technical Specifications Packages Voice Grade Service (Cont'd)

						Pack	age V	G-						
SD Code	$C^*$	1	2	3	4	5	6	7	8	9	10	11	12	W
NC Code	LQ	LB	LC	LD	LE	LF	LG	LH	LJ	LK	LN	LP	LR	SE
<u>Parameter</u>														
Intermodulation														
Distortion	X						X	X	X	X	X	X		X
Loss Deviation	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Phase Hits, Gain														
Hits & Dropouts	$\mathbf{X}$													
Phase Jitter	X						X	X	X	X	X	X		X
Signal-to-C														
Message Noise					X									
Signal-to-C														
Notch Noise	X					X	X	X	X	X	X	X	X	X

The technical specifications for these parameters (except for dropouts, phase hits, and gain hits) are described in Technical References TR-NPL-000334 and TR-NPL-000335. The technical specifications for dropouts, phase hits, and gain hits are described in Technical Reference PUB41004 Table 4.

						Pack	age V	G-						
SD Code	$C^*$	1	2	3	4	5	6	7	8	9	10	11	12	W
NC Code	LQ	LB	LC	LD	LE	LF	LG	LH	LJ	LK	LN	LP	LR	SE
Optional Features and	l Funct	ions												
Central Office Bridgin	ng													
Capability	X		X			X	X				X	X	X	
Conditioning:														
C-Type	X					X	X	X	X	X	X			
Data Capability	X						X	X			X			
Improved Return Los	S													
for Effective 4-Wire														
Transmission	X	X	X	X	X	X	X	X	X	X	X	X	X	
For Effective 2-Wire														
Transmission	X		X	X				X						
Improved 2-Wire														
Voice Transmission														X
Signaling														
Capability	X	X	X	X				X	X	X				
* TP1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 .	1 1.	41		· C · · · · · ·	1 11	. c	1 . 1. 1					

<sup>\*</sup> The desired parameters are selected by the customer from the list of available parameters.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.1 <u>Network Channel (NC) Codes</u> (Cont'd)
      - (B) <u>Technical Specifications Packages Program Audio Service</u>

			Packa	ge		
SD Code	APC <sup>2</sup>	k	AP1	AP2	AP3	AP4
NC Code	<u>PQ</u>	<u>PE</u>	<u>PF</u>	<u>PJ</u>	<u>PK</u>	
<u>Parameter</u>						
Actual Measured Loss	X	X	X	X	X	
Amplitude Tracking		X				
Crosstalk	X	X	X	X	X	
Distortion Tracking	X					
Gain/Frequency Distortion	X	X	X	X	X	
Group Delay	X					
Noise	X	X	X	X	X	
Phrase Tracking	X					
Short-Term Gain Stability	X					
Short-Term Loss	X					
Total Distortion	X	X	X	X	X	
Optional Features and Functions						
Central Office Bridging Capability	X	X	X	X	X	

The technical specifications are described in Technical Reference TR-NPL-000337 and associated Addendum.

### (C) <u>Technical Specifications Packages Video Service</u>

#### 1. DS1 Video Teleconferencing - Duplex

This service provisions a full duplex (transmit and receive) video teleconferencing link over DS1/T1 facilities. The codec for this service operates at line rate of 64 Kbps to E1 (2.048 Mbps).

Customer premise site A - video and audio (transmit and receive) signal from a standard (H.261) video teleconferencing unit is couples via coax cable to multiple rate (nx64Kbps) video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities.

Issued: October 20, 1997 Effective: October 21, 1997

<sup>\*</sup> The desired parameters are selected by the customer from the list of available parameters.

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.1 Network Channel (NC) Codes (Cont'd)
      - (C) <u>Technical Specifications Packages Video Service</u> (Cont'd)
        - 1. <u>DS1 Video Teleconferencing Duplex</u> (Cont'd)

Central office facilities - Standard repeated or repeaterless T1 facilities are used between central offices and customer premises to provide video signal transport. Metallic or fiber optic span line equipment can be used to transport the video signal between central offices.

Customer premise site B - same equipment as site A.

### 2. Teleconferencing - Simplex

This service provisions a simplex (transmit only) video teleconferencing link over DS1/T1 facilities. The codec for this service operates at line rates of 64 Kbps to E1 (2.048 Mbps).

Customer premise site A - video and audio (transmit only) signal from a standard (H.261) video teleconferencing unit is coupled via coax cable to a multiple rate (nx64 Kbps) video codec unit (drop site). The video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities.

Central office facilities - Same equipment as Duplex facilities above.

Customer premise site B - video and audio (receive only) signal to a standard (H.261) video teleconferencing unit is couples via coax cable to a multiple rate (nx64 Kbps) video codec unit (drop side). The video codec (line side) is coupled via coax to DSU/CSU which terminates the line provided on local central office facilities.

#### 3. DS1 Video Distribution - Simplex

This service provisions a simplex (transmit only) video distribution link (video jukebox, local hockey or basketball game, etc.) over DS1/T1 facilities. The codec for this service operates at a line rate of T1 (1.544 Mbps).

Customer premise site A - video and audio (transmit only) signal from a standard NTSC video source is coupled via coax cable to a 1.544 Mbps video codec unit (drop side). The video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities.

Central office facilities - Same as Duplex facilities above.

Issued: October 20, 1997 Effective: October 21, 1997

T T

1st Revised Page 219 Replaces Original Page 219

# **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.1 Network Channel (NC) Codes (Cont'd)
      - (C) Technical Specifications Packages Video Service (Cont'd)
        - 3. <u>DS1 Video Distribution Simplex</u> (Cont'd)

Customer premise site B - video and audio (receive only) signal to a standard NTSC video receiving unit is coupled via coax cable to a 1.544 Mbps video codec unit (drop side). The video codec (line side) is coupled via coax to a DSU/CSU which terminates the T1 line provided on local central office facilities.

Rates and charges for Special Access Video Service are set forth in the Rate Sections, beginning in Section 16, following.

(D) Technical Specifications Packages Digital Data Service

		Packa	age					
SD Code	D1	D2	D3	D4				
NC Code	XA	XB	XG	XH				
Parameter/Hubbed Error-Free Seconds	X	X	X	X				
Optional Features and Functions/Hubbed								
Central Office Bridging Capability	X	X	X	X				

The Company will provide a channel capable of meeting a monthly average performance equal to or greater than 99.875% error-free seconds (if provided through a Digital Data hub) while the channel is in service, if it is measured through a CSU equivalent which is designed, manufactured, and maintained to conform with the specifications contained in Technical Reference PUB 62310.

Voltages which are compatible with Digital Data Service are delineated in Technical Reference TR-NPL-000341.

Issued: March 30, 2007 Effective: April 1, 2007

Original Page 220

# **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.1 Network Channel (NC) Codes (Cont'd)
      - (D) Technical Specifications Packages High Capacity Service

			Packa	ige		
SD Code	HC0	HC1	HC10	C HC2	HC3	HC4
NC Code	HS	HC	HD	HE	HF	HG
Parameter						
Error-Free Seconds		X				
Optional Features and Functions						
Automatic Loop Transfer		X				
Central Office Multiplexing:						
DS4 to DS1						X
DS3 to DS1					X	
DS2 to DS1				X		
DS1C to DS1			X			
DS1 to Voice		X				
DS1 to DS0		X				
DS0 to Subrate*	X					
Transfer Arrangement		X				

A channel with technical specifications package HC1 will be capable of an error-free second performance of 98.75% over a continuous 24 hour period as measured at the 1.544 Mbps rate through a CSU equivalent which is designed, manufactured, and maintained to conform with the specifications contained in Technical Reference PUB 62411.

#### 14.2.2 Network Channel Interface (NCI) Codes

The electrical interface with the Company for Special Access Services is defined by an interface code. There are interface codes for both the customer designated premises and the point of termination. Three examples of NCI codes are found in 14.2 preceding.

# (A) Parameter Codes and Options

<b>Parame</b>	<u>ter</u>	
Code	<b>Option</b>	Definition
AB -		accepts 20 Hz ringing signal at customer's point of termination
AC -		accepts 20 Hz ringing signal at customer's end user's point of termination

<sup>\*</sup> Available only on a channel of 1.544 Mbps facility to a Company hub.

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (A) Parameter Codes and Options (Cont'd)

Param		
<u>Code</u>	<u>Option</u>	<u>Definition</u>
AH -		analog high capacity interface
7111	- B	60 kHz to 108 kHz (12 channels)
	- C	312 kHz to 552 kHz (60 channels)
	- D	564 kHz to 3084 kHz (600 channels)
CT -	Ъ	Centrex Tie Trunk Termination
DA -		data stream in VF frequency band at customer's point of termination
DB -		data stream in VF frequency band at customer's point of termination
DC -		direct current or voltage
DC	- 1	monitoring interface with series RC combination (McCulloh format)
	- 2	Company energized alarm channel
DS -	2	digital hierarchy interface
DS	- 15	1.544 Mbps (DS1) format per Bellcore GR-54 plus D4
	- 15E	8-bit PCM encoded in one 64 kbps of the DS1 signal
	- 15F	8-bit PCM encoded in two 64 kbps of the DS1 signal
	- 15G	8-bit PCM encoded in three 64 kbps of the DS1 signal
	- 15H	14/11-bit PCM encoded in six 64 kbps of the DS1 signal
	- 15J	1.544 Mbps format per Bellcore GR-54
	- 15K	1.544 Mbps format per Bellcore GR-54 plus extended framing format
	- 15L	1.544 Mbps (DS1) with SF signaling
	- 27	274.176 Mbps (DS4)
	- 27L	274.176 Mbps (DS4) with SF signaling
	- 31	3.152 Mbps (DS1C)
	- 31L	3.152 Mbps (DS1C) with SF signaling
	- 44	44.736 Mbps (DS3)
	- 44L	44.736 Mbps (DS3) with SF signaling
	- 63	6.312 Mbps (DS2)
	- 63L	6.312 Mbps (DS2) with SF signaling
DU -		digital access interface
	- 24	2.4 kbps
	- 48	4.8 kbps
	- 19	19.2 kbps
	- 56	56.0 kbps
	- 96	9.6 kbps
DU	- A	1.544 Mbps format per Bellcore GR-54
	- B	1.544 Mbps format per Bellcore GR-54 plus D4
	- C	1.544 Mbps format per Bellcore GR-54 plus extended framing format

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (A) Parameter Codes and Options (Cont'd)

Parame	<u>eter</u>	
Code	<b>Option</b>	Definition
DX -		duplex signaling interface at customer's point of termination
DY -		duplex signaling interface at customer's end user's point of termination
EA -	E	Type I E&M Lead Signaling. Customer at POT or customer's end user at
		POT originates on E Lead.
EA -	M	Type I E&M Lead Signaling. Customer at POT or customer's end user at
		POT originates on M Lead.
EB -	Е	Type II E&M Lead Signaling. Customer at POT or customer's end user at
		POT originates on E Lead.
EB -	M	Type II E&M Lead Signaling. Customer at POT or customer's end user at
		POT originates on M Lead.
EC -		Type III E&M signaling at customer POT
EX -	A	tandem channel unit signaling for loop start or ground start and customer
		supplies open end (dial tone, etc.) functions.
EX -	В	tandem channel unit signaling for loop start or ground start and customer
		supplies closed end (dial pulsing, etc.) functions.
GO -		ground start loop signaling - open end function by customer or customer's
		end user.
GS -		ground start loop signaling - closed end function by customer or customer's
		end user.
IA -		E.I.A. (25 pin RS-232)
LA -		end user loop start loop signaling-Type A OPS registered port open end.
LB -		end user loop start loop signaling-Type B OPS registered port open end.
LC -		end user loop start loop signaling-Type C OPS registered port open end.
LO -		loop start loop signaling - open end function by customer or customer's end
		user
LR -		20 Hz automatic ringdown interface at customer with Company provided
		PLAR
LS -		loop start loop signaling - closed end function by customer or customer's end
		user
NO -		no signaling interface, transmission only
PG -		program transmission - no dc signaling
	- 1	nominal frequency from 50 to 15000 Hz
	- 3	nominal frequency from 200 to 3500 Hz
	- 5	nominal frequency from 100 to 5000 Hz
	- 8	nominal frequency from 50 to 8000 Hz

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 <u>Special Access Service</u> (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes</u> (Cont'd)
      - (A) Parameter Codes and Options (Cont'd)

Parame	<u>eter</u>	
Code	<b>Option</b>	Definition
PR		protective relaying*
RV -	0	reverse battery signaling, one way operation, originate by customer
	- T	reverse battery signaling, one way operation, terminate function by customer
		or customer's end user
SF -		single frequency signaling with VF band at either customer POT or
		customer's end user POT
	- 2	20.0 milliamperes
	- 3	3.0 milliamperes
	- 6	62.5 milliamperes
TF -		telephotograph interface
TT -		telegraph/teletypewriter interface at either customer POT or customer's end
		user POT
	- 2	20.0 milliamperes
	- 3	3.0 milliamperes
	- 6	62.5 milliamperes

(B) <u>Impedance</u>: The nominal reference impedance with which the channel will be terminated for the purpose of evaluating transmission performance:

Value (ohms)	Code(s)
110	0
150	1
600	2
900	3+
135	5
75	6
124	7
Variable	8
100	9

<sup>\*</sup>Available only for the transmission of audio tone protective relaying signals used in the protection of electric power systems during fault conditions.

Issued: October 20, 1997 Effective: October 21, 1997

<sup>+</sup>For those interface codes with a 4-wire transmission path at the customer designated POT, rather than a standard 900 ohm impedance the code (3) denotes a customer provided transmission equipment termination. Such terminations were provided to customers in accordance with the FCC Docket No. 20099 Settlement Agreement.

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (C) Compatible Network Channel Interfaces
        - (1) <u>Voice Grade</u>

Compati	ble CIs	Compatible CIs		Compatible CIs	
2AB2	2AC2	2DB2	2DA2	2LR2	2LR2
2AB3	2AC2	2DB3	2DA2	2LR3	2LR2
2CT3	2DY2 4DS8 4DX2 4DX3 4DY2	2DX3	2LA2 2LB2 2LC2 2LO3 2LS2	2LS	2GS 2LS 4GS 4LS
	4EA2-E 4EA2-M 4SF2	2GO2	2LS3 2GS2	2LS2	2LA2 2LB2 2LC2
	4SF3 6DX2 6DY2 6DY3	2GO3	2GS3 2GS2 2GS3	2LS3	2LA2 2LB2 2LC2
	6EA2-E 6EA2-M 6EB2-E 6EB2-M	2GS	2GS 2LS 4GS	2NO2	2DA2 2NO2
	6EB3-E 8EB2-E	21.02	4LS	2NO3	2NO2 2PR2
	8EB2-M 8EC2 9DY2	2LO2	2LS2 2LS3	2TF3	2TF2
	9DY3 9EA2 9EA3	2LO3	2LS2 2LS3		
4AB2	2AC2 4AB2 4AC2 4SF2				
4AB3	2AC2 4AC2 4SF2				

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (C) Compatible Network Channel Interfaces (Cont'd)
        - (1) <u>Voice Grade</u> (Cont'd)

Compatible CIs		<u>Compatil</u>	Compatible CIs		Compatible CIs	
4AC2	2AC2 4AC2					
		4DS8-	2AC2	4DS8-	4DG2	
			2DA2		4LR2	
			2DY2		4LS2	
			2GO2		4NO2	
4DA2	4DA2		2GO3		4PR2	
			2GS2		4RV2-T	
4DB2	2DA2		2GS3		4SF2	
	2NO2		2LA2		4SF3	
	2PR2		2LB2		4TF2	
	4DA2		2LC2		6DA2	
	4DB2		2LO2		6DY2	
	4NO2		2LO3		6DY3	
	4PR2		2LR2		6EA2-E	
	6DA2		2LS2		6EA2-M	
			2LS3		6EB2-E	
4DD3	2DE2		2NO2		6EB2-M	
	4DE2		2PR2		6GS2	
			2RV2-T		6LS2	
			2TF2		8EB2-E	
			4AC2		8EB2-M	
			4DA2		9DY2	
			4DE2		9DY3	
			4DX2		9EA2	
			4DX3		9EA3	
			4DY2			
			4EA2-E			
15110	anva	ID TIO	4EA2-M	15110	CD 110	
4DX2	2DY2	4DX2	8EB2-E	4DX3	6DY2	
	2LA2		8EB2-M		6DY3	
	2LB2		9DY2		6EA2-E	
	2LC2		9DY3		6EA2-M	
	2LO3		9EA2		6EB2-E	
	2LS2		9EA3		6EB2-M	
	2LS3				6LS2	

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (C) Compatible Network Channel Interfaces (Cont'd)
        - (1) Voice Grade (Cont'd)

Compatible	e CIs	<u>Compatib</u>	le CIs	<u>Compatib</u>	ole CIs
	2RV2-T 4DX2 4DY2 4EA2-E 4EA2-M 4LS2 4RV2-T	4DX3	2DY2 2LA2 2LB2 2LC2 2LO3 2LS2 2LS3		8EB2-E 8EB2-M 9DY2 9DY3 9EA2 9EA3
	4SF2 4SF3 6DY2 6DY3 6EA2-E 6EA2-M 6EB2-E 6EB2-M 6LS2		2RV2-T 4DX2 4DX3 4DY2 4EA2-E 4EA2-M 4LS2 4RV2-T 4SF2 4SF3	4DY2	2DY2 4DY2
4EA2-E	2DY2 4DY2 4EA2-E 4EA2-M 4SF2 6DY2 6DY3 6EB2-E	4EA3-E	2DY2 4DY2 4EA2-E 4EA2-M 4SF2 6DY2 6DY3 6EA2-E	4GO2	2GO2 2GO3 2GS2 2GS3 4GS2 4SF2 6GS2
	6EB2-M 8EB2-E 8EB2-M 9DY2 9DY3		6EA2-M 6EB2-E 6EB2-M 8EB2-E 8EB2-M 9DY2	4GO3	2GO2 2GS2 2GS3 4GS2 4SF2 6GS2
4EA2-M	2DY2 4DY2 4EA2-M 4SF2 6DY2 6DY3		9DY3 9EA2 9EA3	4GS	2GS 2LS 4GS 4LS

Issued: October 20, 1997 Effective: October 21, 1997

- 14. <u>Access Service Interface and Transmission Specifications</u> (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (C) Compatible Network Channel Interfaces (Cont'd)
        - (1) Voice Grade (Cont'd)

Compatibl 4EA2-M	6EB2-E 6EB2-M 8EB2-E 8EB2-M	Compatible	le CIs	Compatibl	e CIs
4LO2	9DY2 9DY3 2LS2 2LS3 4LS2 4SF2 6LS2	4LS3	2LA2 2LB2 2LC2 2LO2 2LO3 4SF2	4SF2	2LO3 2LR2 2LS2 2LS3 2RV2-T 4AC2
4LO3	2LS2 2LS3 4LS2 4SF2 6LS2	4NO2	2DA2 2DE2 2NO2 4DA2 4DE2		4DY2 4LS2 4RV2-T 4SF2 6DY2 6DY3
4LR2	2LR2 4LR2 4SF2	ADAMA O	4NO2 6DA2		6GS2 9DY2 9DY3
4LR3	2LR2 4LR2 4SF2	4RV2-O	2RV2-T 4RV2-T 4SF2	4SF3	2DY2 2GO3 2GS2 2GS3
4LS	2GS 2LS 4GS 4LS	4SF2	2AC2 2DY2 2GS2 2GS3 2LA2		2LA2 2LB2 2LC2 2LO3 2LR2
4LS2	2LA2 2LB2 2LC2 2LO2 2LO3		2LB2 2LC2		
4SF3	2LS2 2LS3	6DA	4DA2 6DA2	6DY3	2DY2 4DY2

Issued: October 20, 1997 Effective: October 21, 1997

- 14. <u>Access Service Interface and Transmission Specifications</u> (Cont'd) 14.2 <u>Special Access Service</u> (Cont'd)
  - 14.2.2 <u>Network Channel Interface (NCI) Codes</u> (Cont'd)
    - (C) <u>Compatible Network Channel Interfaces</u> (Cont'd) (1) <u>Voice Grade</u> (Cont'd)

2RV2-T
4EA2-E       4EA2-M       4EA2-E       6EA2-E       2AC2         4GS2       4LR2       4EA2-M       2DY2         4LS2       4SF2       2LA2         4RV2-T       6DY2       2LB2         4SF2       6DY3       2LC2         4SF3       6EA2-E       2LO3         6DY2       6EA2-M       2LS2         6DY3       6EB2-E       2LS3         6EB2-B       6EB2-M       2RV2-T         6EB2-M       8EB2-E       4AC2         6GS2       8EB2-M       4DY2         6LS2       9DY2       4EA2-E         9DY3       9EA2       4LS2         9EA3       4RV2-T         9EA3       4RV2-T         9EA3       4RV2-T         4TF2       2TF2       4DY2       6DY3         4TF2       2TF2       4DY2       6DY3         6EA2-B       6EA2-B       6EA2-B         6EA2-B       6EA2-M       6DY3         6EA2-B       6EA2-M       6EA2-B         6EA2-B       6EA2-B       6EA2-B         6EA2-B       6EA2-M       6EA2-B         6EA2-B       6EA2-B       6EA2-B         6EB2-B<
4EA2-M       4EA2-E       6EA2-E       2AC2         4GS2       4LR2       4EA2-M       2DY2         4LS2       4SF2       2LA2         4RV2-T       6DY2       2LB2         4SF3       6EA2-E       2LO3         6DY2       6EA2-M       2LS2         6DY3       6EB2-E       2LS3         6EB2-B       6EB2-M       2RV2-T         6EB2-M       8EB2-E       4AC2         6GS2       8EB2-M       4DY2         6LS2       9DY2       4EA2-E         9DY3       9EA2       4EA2-M         9EA2       9EA3       4RV2-T         9EA3       9EA2       4SF3         4TF2       4DY2       6DY2         4TF2       4DY2       6DY2         6EA2-E       6EA2-M       6DY2         6EA2-E       6EA2-M       6DY2         6EB2-M       6DY3       6EA2-E         6EB2-M       6DY3       4DY2         6EB2-M       6DY3       4DY2         6EB2-M       6EB2-M       6EB2-M         6EB2-E       6EB2-E       4EA2-M         8EB2-E       6EB2-E       4EA2-M         8EB2-B
4GS2 4LR2 4LR2 4LS2 4SF2 2LA2 4RV2-T 6DY2 2LB2 4SF3 6DY3 2LC2 4SF3 6DY2 6EA2-M 6DY3 6EB2-E 6GS2 6GS2 6GS2 6GS2 6GS2 6GS2 6GS2 6GS2
4LR2 4EA2-M 2DY2 4LS2 4SF2 2LA2 4RV2-T 6DY2 2LB2 4SF2 6DY3 2LC2 4SF3 6EA2-E 2LO3 6DY2 6EA2-M 2LS2 6DY3 6EB2-E 6EB2-M 2RV2-T 66E32 8EB2-M 4DY2 6LS2 9DY2 9DY3 4EA2-E 9DY3 9EA2 9EA3 4RV2-T 9EA3 6DY2 2DY2 4SF3 4TF2 2TF2 4DY2 6DY2 4TF2 6EB2-M 6DY2 6DY3 6EA2-E 6EB2-M 6DY2 6DY3 6EA2-E 6EB2-M 6DY2 6DY3 6EA2-E 6EB2-M 6DY2 6DY3 6EA2-E 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-M 6EA2-M 6DY2 6EB-3E 4EA2-M 8EB2-M 6EB2-M 4EA2-E 8EB2-B 6EB2-B 4EA2-M 8EB2-B 6EB2-B 4EA2-M 8EB2-M 6EB2-M 4SF2 9DY2 6EB2-M 4SF2
4LS2 4SF2 2LB2 4RV2-T 6DY2 2LB2 4SF2 6DY3 2LC2 4SF3 6EA2-E 2LO3 6DY2 6EB2-E 6EB2-M 2RV2-T 6EB2-M 8EB2-E 4EA2-M 9DY2 9DY3 4EA2-E 9DY2 9DY3 4FS3 4TF2 2TF2 4DY2 6DY2 4TF2 6EB2-M 6DY2 6EB-3E 2DY2 4TF2 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY3 4EA2-E 8EB2-E 6EB2-M 6DY2 6EB-3E 2DY2 6ES2-M 6DY2 6EB2-M 4DY2 6EA2-E 6EB2-M 6DY3 4EA2-E 8EB2-E 6EB2-M 6DY3 4EA2-E 8EB2-E 6EB2-M 6DY3 4EA2-E 8EB2-B 6EA2-M 4EA2-E 8EB2-B 6EA2-M 4EA2-E 8EB2-B 6EB2-B 4EA2-M 8EB2-B 6EB2-B 4EA2-M 8EB2-M 6EB2-M 4SF2
4RV2-T 4SF2 6DY3 2LC2 4SF3 6EA2-E 2LO3 6DY2 6EA2-M 2LS2 6DY3 6EB2-E 6EB2-B 6EB2-B 6EB2-M 6EB2-B 6GS2 6GS2 6GS2 6B2-B 9DY2 6LS2 9DY2 9DY3 4EA2-B 9DY3 9EA2 9EA3 4TF2 2TF2 6DY2 4DY2 6DY2 6EA2-B 6DY2 4TF2 6EB2-B 6EA2-B 6EB2-B 6EB2
4SF3 6EA2-E 2LO3 6DY2 6EA2-M 2LS2 6DY3 6EB2-E 2LS3 6EB2-E 6EB2-M 2RV2-T 6EB2-M 8EB2-E 4AC2 6GS2 8EB2-M 4DY2 6LS2 9DY2 4EA2-E 9DY2 9DY3 4EA2-M 9DY3 9EA2 9EA3 4RV2-T 9EA3 4SF2 4TF2 2TF2 4DY2 6DY2 6DY2 4TF2 6DY2 6DY2 6DY2 6EA2-E 6EB2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY3 4DY2 6EA2-E 6EB2-M 6DY3 4DY2 6EA2-E 8EB2-E 6EB2-E 6EB2-E 4EA2-M 8EB2-M 6EB2-M 6EB2-M 4SF2 8EB2-M 6EB2-M 6EB2-M 4SF2 8EB2-M 6EB2-M 6EB2-M 4SF2 8EB2-M 6EB2-M 6EB2-M 4SF2
6DY2       6EA2-M       2LS2         6DY3       6EB2-E       2LS3         6EB2-E       6EB2-M       2RV2-T         6EB2-M       8EB2-E       4AC2         6GS2       8EB2-M       4DY2         6LS2       9DY2       4EA2-E         9DY3       9EA2       4LS2         9EA2       9EA3       4RV2-T         9EA3       4SF2       4SF3         4TF2       2TF2       4DY2       6DY2         4TF2       6DY2       6DY3       6EA2-E         6EA2-E       6EA2-M       6DY3       6EA2-M         6EA2-B       6EB2-M       6DY3       4DY2         6ES2-B       6EA2-M       4DY2       6EB-3E       2DY2         6EB2-M       6DY3       4DY2       6EA2-M       4EA2-E         8EB2-B       6EB2-M       4EA2-E       4EA2-M         8EB2-B       6EB2-E       4EA2-M       4EA2-E         8EB2-M       6EB2-M       4SF2       6DY2
6DY3 6EB2-E 6EB2-M 6EB2-M 8EB2-E 4AC2 6GS2 8EB2-M 6LS2 9DY2 9DY3 9DY3 9EA2 9EA2 9EA3 4TF2 4TF2 4TF2 4TF2 6EB2-E 6EB2-B 6EA2-E 6EB2-B 6EA2-E 6EB2-B 6EA2-B 6EB2-B 8EB2-B 8E
6EB2-E 6EB2-M 8EB2-E 4AC2 6GS2 8EB2-M 4DY2 6LS2 9DY2 4EA2-E 9DY2 9DY3 4EA2-M 9DY3 9EA2 4LS2 9EA2 9EA3 4RV2-T 9EA3 6DY2 2DY2 4SF3 4TF2 2TF2 4DY2 6DY2 4TF2 6EB2-E 6EA2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY3 4DY2 6LS2 6EA2-M 4EA2-M 8EB2-M 6EB2-M 6EB2-M 4EA2-M 8EB2-M 6EB2-M 6EB2-M 8EB2-M 6EB2-M 4SF2 9DY2 6LS2 6DY2
6EB2-M 8EB2-E 4AC2 6GS2 8EB2-M 4DY2 6LS2 9DY2 4EA2-E 9DY2 9DY3 4EA2-M 9DY3 9EA2 4LS2 9EA2 9EA3 4RV2-T 9EA3 4SF2 4TF2 2TF2 4DY2 6DY2 6DY2 4TF2 6EB2-B 6EA2-M 6DY2 6EB-3E 2DY2 6EA2-E 6EB2-M 6DY3 4EA2-M 6EA2-E 8EB2-E 6EB2-E 6EB2-E 4EA2-M 8EB2-M 6EB2-M 6DY2 9DY2 6LS2 6DY2 6EB2-M 6DY3 4DY2 6EB2-M 6DY3 4DY2 6EB2-M 6DY3 4DY2 6EB2-M 6EB2-M 4EA2-E 8EB2-B 6EB2-B 4EA2-M 8EB2-M 6EB2-M 4SF2 9DY2 6LS2 6DY2
6GS2 8EB2-M 4DY2 6LS2 9DY2 4EA2-E 9DY2 9DY3 4EA2-M 9DY3 9EA2 4LS2 9EA2 9EA3 4RV2-T 9EA3 4SF2 4TF2 2TF2 4DY2 6DY2 4TF2 6DY2 6DY2 6DY3 6EA2-E 6EB2-B 6EA2-M 6DY2 6EB-3E 2DY2 6EB2-M 6DY3 4DY2 6LS2 6EA2-M 4EA2-M 8EB2-M 6EB2-M 6EB2-M 4EA2-M 8EB2-M 6EB2-M 6EB2-M 4SF2 9DY2 6LS2 6EB2-M 4SF2 9DY2 6LS2 6EB2-M 4SF2
6LS2 9DY2 4EA2-E 9DY2 9DY3 4EA2-M 9DY3 9EA2 4LS2 9EA2 9EA3 4RV2-T 9EA3 4SF2 4TF2 2TF2 4DY2 6DY2 4TF2 6DY2 6DY2 6EA2-E 6EA2-E 6EB2-B 6EA2-M 6DY2 6EB-3E 2DY2 6EB2-M 6DY3 4DY2 6EB2-M 6EB2-E 8EB2-E 6EB2-E 6EB2-E 8EB2-M 6EB2-M 4EA2-M 8EB2-M 6EB2-M 6DY2 9DY2 6LS2 6EB2-M 8EB2-M 6EB2-M 8EB2-M 6EB2-M 6EB2-M 6EB2-M 8EB2-M 6EB2-M 8EB2-M 6EB2-M 6EB2-M 6EB2-M 8EB2-M 6EB2-M 6EB2-M 6EB2-M 8EB2-M 6EB2-M
9DY2 9DY3 4EA2-M 9DY3 9EA2 4LS2 9EA2 9EA3 4RV2-T 9EA3 4SF2 4TF2 2TF2 4DY2 6DY2 6DY3 4TF2 6EA2-E 6EB2-E 6EA2-M 6DY2 6EB2-M 6EA2-E 8EB2-E 6EB2-E 6EB2-E 4EA2-M 8EB2-M 6EB2-M 6DY2 6DY2 9DY3 4EA2-M 6EB2-M 6EB2-M 6EB2-M 6EB2-M 6EB2-M 8EB2-M 6EB2-M 6EB2-M 9DY2 6LS2 6EB2-M 8EB2-M 6EB2-M 6EB2-M 6EB2-M 8EB2-M 6EB2-M
9DY3 9EA2 4LS2 9EA2 9EA3 4RV2-T 9EA3 4SF2 4TF2 2TF2 4DY2 6DY2 6DY2 4TF2 6DY2 6DY2 6DY2 6EA2-E 6EB2-E 6EA2-M 6DY2 6EB-3E 2DY2 6EB2-M 6DY3 4DY2 6LS2 6EB2-E 6EB2-E 6EA2-M 8EB2-H 6EB2-H 6EB2-H 4EA2-M 8EB2-M 6EB2-M 6DY2 6EB2-M 9DY2 6LS2 6EB2-M 4SF2 9DY2 6LS2 6DY2
9EA2       9EA3       4RV2-T         9EA3       4SF2         4TF2       6DY2       4SF3         4TF2       4DY2       6DY2         6EA2-E       6EA2-B       6EA2-B         6EA2-B       6EB2-B       6EB2-B       6EB2-B         6EB2-B       6EB2-B       6EB2-B       4EA2-B         8EB2-B       6EB2-B       4EA2-B         8EB2-M       6EB2-B       4EA2-B         9DY2       6LS2       6EB2-M         6EB2-M       6EB2-M       6EB2-M
9EA3 4TF2 2TF2 4DY2 6DY2 4TF2 6DY2 6DY2 4TF2 6DY2 6DY2 6EA2-E 6EA2-B 6EA2-E 6EB2-M 6EB2-M 6EB2-B 6EB
4TF2 2TF2 4DY2 6DY2 6DY2 6DY3 6EA2-E 6EA2-E 6EB2-H 6EA2-M 6EB2-E 6EB2-E 6EB2-E 6EB2-E 6EB2-E 6EB2-E 6EB2-E 6EB2-E 6EB2-E 4EA2-M 8EB2-M 6EB2-M
4TF2       2TF2       4DY2       6DY2         4TF2       6DY2       6DY3         6EA2-E       6EA2-M       6EA2-M         6EA2-E       6EB2-E       6EB2-M       6EB3E         6EA2-M       6EA2-M       4DY2         6EA2-M       6EA2-M       4EA2-E         8EB2-E       6EB2-E       4EA2-M         8EB2-M       6EB2-M       4SF2         9DY2       6LS2       6DY2
4TF2 6DY2 6DY3 6EA2-E 6EA2-B 6EA2-E 6EB2-B 6EB2-M 6DY2 6EB2-M 6DY2 6EB3-B 6EB3-B 6EA2-M 6DY3 4DY2 6LS2 6EA2-M 6EB2-B 8EB2-B 6EB2-B 6EB2-B 8EB2-M 6EB2-M 6EB2
6EA2-E 6EA2-B 6EA2-E 6EB2-B 6EB2-M 6DY2 6LS2 6EB2-M 6EB2-M 6EB2-M 6EB2-B 8EB2-B 8EB2-B 6EB2-B 6EB2-B 6EB2-B 6EB2-M
6EA2-E       6EB2-E       6EA2-M       6DY2       6EB-3E       2DY2         6EB2-M       6DY3       4DY2         6LS2       6EA2-M       4EA2-E         8EB2-E       6EB2-E       4EA2-M         8EB2-M       6EB2-M       4SF2         9DY2       6LS2       6DY2
6EA2-E       6EB2-E       6EA2-M       6DY2       6EB-3E       2DY2         6EB2-M       6DY3       4DY2         6LS2       6EA2-M       4EA2-E         8EB2-E       6EB2-E       4EA2-M         8EB2-M       6EB2-M       4SF2         9DY2       6LS2       6DY2
6EB2-M6DY34DY26LS26EA2-M4EA2-E8EB2-E6EB2-E4EA2-M8EB2-M6EB2-M4SF29DY26LS26DY2
6LS26EA2-M4EA2-E8EB2-E6EB2-E4EA2-M8EB2-M6EB2-M4SF29DY26LS26DY2
8EB2-E       6EB2-E       4EA2-M         8EB2-M       6EB2-M       4SF2         9DY2       6LS2       6DY2
8EB2-M 6EB2-M 4SF2 9DY2 6LS2 6DY2
9DY2 6LS2 6DY2
9DY3 8EB2-E 6DY3
8EB2-M 6EA2-E
6EA2-M 2AC2 9DY2 6EA2-M
2DY2 9DY3 8EB2-E
2LA2 8EB2-M
2LB2 6EB2-E 2DY2 9DY2
2LC2 4DY2 9DY3
2LO3 4SF2 9EA2

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes (Cont'd)</u>
      - (C) Compatible Network Channel Interfaces (Cont'd)
        - (1) <u>Voice Grade</u> (Cont'd)

<u>Compatil</u>	Compatible CIs		Compatible CIs		Compatible CIs	
_	2LS2	_	6DY2	_	9EA3	
	2LS3		6DY3			
	2RV2-T		6EB2-E	6EX2-A	2GS2	
	4AC2		6EB2-M		2GS3	
	4DY2		9DY2		2LS2	
	4EA2-E		9DY3		2LS3	
	4EA2-M				4GS2	
	4RLS2	6EB2-M	SDY2		4LS2	
	4RV2-T		4DY2		4SF2	
	4SF2		4SF2		6GS2	
	4SF3		6DY2		6LS2	
			6DY3			
			6EB2-M			
			9DY2			
			9DY3			
6EX2-B	2GO3	8EB2-E	2AC2	8EB2-M	2AC2	
	2LA2		2DY2		2DY2	
	2LB2		2LA2		2LA2	
	2LC2		2LB2		2LB2	
	2LO2		2LC2		2LC2	
	2LO3		2LO3		2LO3	
	2LR2		2LS2		2LS2	
	4LR2		2LS3		2LS3	
	4SF2		2RV2-T		2RV2-T	
			4AC2		4AC2	
6GO2	2GO2		4DY2		4DY2	
	2GS2		4LS2		4LS2	
	2GS3		4RV2-T		4RV2-T	
	4GS2		4SF2		4SF2	
	4SF2		4SF3		4SF3	
	6GS2		6DY2		6DY2	
			6DY3		6DY3	
6LO2	2LS2		6EB2-E		6EB2-E	
	2LS3		6EB2-M		6BE2-M	
	4LS2		6LS2		6LS2	
	4SF2		8EB2-E		8EB2-M	
	6LS2		8EB2-M		9DY2	
			9DY2		9DY3	

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes</u> (Cont'd)
      - (C) Compatible Network Channel Interfaces (Cont'd)
        - (1) Voice Grade (Cont'd)

<u>Compati</u>	Compatible CIs		Compatible CIs		Compatible CIs	
6LS2	2LA2 2LB2 2LC2 2LO2 2LO3 4SF2		9DY3			
8EC2	2DY2 4DY2 4EA2-E 4EA2-M 4SF2 6DY2 6DY3 6EA2-E 6EA2-M 6EB2-E 6EB2-M 8EB2-E 8EB2-M 9DY2 9DY3 9EA2 9EA3	9DY2 9DY3	2DY2 4DY2 6DY3 9DY2  2DY2 4DY2 6DY3 9DY2  6DY3 9DY2  9DY3  2DY2 4DY2 4EA2-E 4EA2-M 6DY2 6DY3 6EA2-E 6EA2-M 6EB2-E 6EB2-M 8EB2-E 8EB2-M 9DY2 9DY3 9EA2 9EA3	9EA3	2DY2 4DY2 4EA2-E 4EA2-M 6DY2 6DY3 6EA2-E 6EA2-M 6EB2-E 8EB2-M 9DY2 9DY3 9EA3	

Issued: October 20, 1997 Effective: October 21, 1997

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes</u> (Cont'd)
      - (C) Compatible Network Channel Interfaces (Cont'd)

#### (2) Program Audio

Compatible CIs		Compatible C	<u>CIs</u>
2PG2-1	2PG1-1 2PG2-1	4DS8-15E	2PG1-3 2PG2-3
2PG2-3	2PG1-3 2PG2-3	4DS8-15F	2PG1-5 2PG2-5
2PG2-5	2PG1-5 2PG2-5	4DS8-15G	2PG1-8 2PG2-8
2PG2-8	2PG2-3 2PG1-8 2PG2-8	4DA8-15H	2PG2-8 2PG1-1 2PG2-1

### (3) <u>Digital Data</u>

Compatibl	e CIs	<b>Compatibl</b>	e CIs	<b>Compatibl</b>	e Cis
4DS8-15	4DS8-15+	4DU5-24	4DU5-24	6DU5-24	6DU5-24
	4DU5-24				
	4DU5-48	4DU5-48	4DU5-48	6DU5-48	6DU5-48
	4DU5-56				
	4DU5-96	4DU5-96	4DU5-96	6DU5-56	6DU5-56
	6DU5-24				
	6DU5-48				
	6DU5-96	4DU8-56	4DU5-56	6DU5-96	6DU5-96

<sup>+</sup>Available only as a cross connect of two digital channels at appropriate digital speeds at a Company hub.

#### (4) <u>High Capacity</u>

<u>Compatible</u>	<u>: CIs</u>	Compatible CIs	
4DSO-63	4DSO-63	4DS8-15J	4DU8-A
	4DU8-A, B or C		6DU8-A
	6DU8-A, B or C		
		4DS8-15K	4DU8-B
4DS6-27	4DS6-27		4DU8-C
	4DU8-A, B or C		6DU8-B
	6DU8-A, B or C		6DU8-C

Issued: October 20, 1997 Effective: October 21, 1997

2nd Revised Page 232 Replaces 1st Revised Page 232

## **ACCESS SERVICE**

- 14. Access Service Interface and Transmission Specifications (Cont'd)
  - 14.2 Special Access Service (Cont'd)
    - 14.2.2 <u>Network Channel Interface (NCI) Codes</u> (Cont'd)
      - (C) Compatible Network Channel Interfaces (Cont'd)
        - 4. High Capacity (Cont'd)

<u>Compatibl</u>	<u>e CIs</u>	Compatible C	<u>'Is</u>
4DS6-44	4DS6-44	4DS8-31	4DS8-31
	4DU8-A, B or C		4DU8-A, B or C
	6DU8-A, B or C		6DU8-A, B or C
4DS8-15	4DS8-15+	4DU8-A, B or	r C
	4DU8-B		4DU8-A, B or C
	6DU8-8		

+Available only as a cross connect of two individual channels of 1.544 Mbps facilities at a Company hub.

(M)

(M)

(M) Matter relocated to 1st Revised Page 146 and Original Page 146.1

Issued: September 23, 2004 Effective: September 24, 2004

1st Revised Page 233 Replaces Original Page 233

### **ACCESS SERVICE**

### 14. Access Service Interface and Transmission Specifications (Cont'd)

(C)

### 14.3 <u>Directory Access Service</u>

#### 14.3.1 Interface Group and Premise Interface Codes

(L)

(L)

When Directory Access Service is combined with Feature Group B or D Switched Access Service, the Premises Interface Code for the combination will be the available Premises interface Code provided for the Feature Group B or D Switched Access Service ordered by the customer. Premises Interface Codes are described in 14.1.1(F) preceding.

When Directory Access Service is provided as a separate trunk group (not in combination with Switched Access Service) Interface Groups 2 through 10 as set forth in 14.1.1 preceding are available. Only the following Premises Interface codes are available when Directory Access Service is provided as a separate trunk group:

4DS9-15	6EA2-E	4RV2-O
4DS9-31	6EA2-M	4AH5-B
4DSO-63	4SF3	4AH6-C
4DS6-44		4AH6-D
4DS6-27		

#### 14.3.2 **Standard Transmission Specifications**

Following is a matrix illustrating the transmission specifications available with Directory Access Service. Descriptions of the standard Transmission Specifications, Type A and B, are set forth respectively in 14.1.2(E) and (F) preceding.

	Transn	11SS1ON
Directory Access Service Provided	Specific	cations
Combination with Switched Access Service	Type A	Type B
- Feature Group B (Interface Groups 2 through 10)		X
- Feature Group D	X	

Directory Access Service Not

Combined with Switched Access Service

- Routed Direct to DA location (Interface Groups 2 through 10)
- Routed via an access tandem

(Interface Groups 2 through 10

X

X

(L) Matter relocated from 1st Revised Page 232

Issued: August 27, 2004 Effective: September 8, 2004

### **ACCESS SERVICE**

### 15. Special Construction

When special construction of facilities is required, the provisions of this tariff apply in addition to all regulations, rates and charges as set forth in the appropriate service tariff.

### 15.1 Regulations

### 15.1.1 Filing of Charges

Rates, charges and liabilities for special construction to provide facilities for use for one month or more are filed in 15.1.8, following, as appropriate.

Rates, charges and liabilities for the construction of facilities for use for less than one month are filed in supplements to this tariff.

### 15.1.2 Ownership of Facilities

The Company providing specially constructed facilities under the provisions of this tariff retains ownership of all such facilities.

#### 15.1.3 Interval to Provide Facilities

Based on available information and the type of service ordered, the Company will establish a completion date for the specially constructed facilities. If the scheduled completion date cannot be met due to circumstances beyond the control of the Company, a new completion date will be established and the customer will be notified.

### 15.1.4 Special Construction Involving Both Interstate and Intrastate Facilities

When special construction involves facilities to be used to provide both interstate and intrastate services, charges for the portion of the construction used to provide interstate service shall be in accordance with this tariff. Charges for the portion of the construction used to provide intrastate service shall be in accordance with the appropriate intrastate tariff.

#### 15.1.5 Payments for Special Construction

### (A) Payment of Charges

All bills associated with special construction charges are due in accordance with the regulations of the Company.

#### **ACCESS SERVICE**

### 15. Special Construction (Cont'd)

#### 15.1 Regulations (Cont'd)

### 15.1.5 Payments for Special Construction (Cont'd)

#### (B) Start/End of Billing

Billing of recurring charges for specially constructed facilities starts on the day after the facilities are made available for use. Billing accrues through and includes the day that the specially constructed facilities are discontinued.

### (C) <u>Credit Allowance for Service Interruptions</u>

In the event of a service interruption involving a specially constructed facility, the customer shall receive a recurring monthly charge credit in accordance with the credit allowance provisions in the appropriate service tariff associated with the affected services.

When an interruption continues due to the failure of the customer to authorize the replacement of facilities subject to a Replacement Charge, as specified in 15.1.8(A)(4) following, the credit allowance will be terminated on the seventh calendar day after the Company has provided the customer with written notification of the need for replacement. The credit allowance will resume on the day after the Company receives written authorization for the replacement from the customer.

### 15.1.6 Liabilities and Charges for Special Construction

#### (A) General

This section describes the various charges and liabilities that may apply when the Company provides special construction of facilities in accordance with an order for service. Written approval of all liabilities and charges must be provided to the Company prior to the start of construction.

#### (B) <u>Conditions Requiring Special Construction</u>

Special construction is required when 1) facilities are not available to meet an order for service, 2) the Company constructs facilities, and 3) one or more of the following conditions exists:

- The Company has no other requirement for the facilities requested.
- It is requested that service be furnished using a type of facility, or via a route, other than that which the Company would normally utilize in furnishing the requested service.

### **ACCESS SERVICE**

15.	Special Construction (Cont'd)	
15.1	Regulations (Cont'd)	
15.1.6	<u>Liabilities and Charges for Special Construction</u> (Cont'd)	
(B)	Conditions Requiring Special Construction (Cont'd)	
•	More facilities are requested than would normally be required to satisfy an order.	
	• • • • • • • • • • • • • • • • • • • •	

It is requested that construction be expedited, resulting in added cost to the Company.

# 15.1.7 Development of Liabilities and Charges

Special construction charges and liabilities will be developed based on estimated costs, except when actual costs are requested in writing prior to the start of special construction.

In order to meet a scheduled service date when actual costs are requested, an initial special construction filing may be made based on estimated costs. Such a filing will be revised when actual costs are available.

### 15.1.8 Types of Liabilities and Charges

Depending on the specifics associated with each individual case, one or more of the following special construction charges and/or liabilities may be applicable:

## (A) <u>Nonrecurring Charge</u>

A nonrecurring charge always applies and includes one or more of the following components:

#### (1) <u>Case Preparation Charge</u>

A nonrecurring charge always includes a case preparation charge component to cover the administrative expenses associated with preparing a special construction case and the associated tariff filing.

#### (2) Expediting Charge

A nonrecurring charge may include an expediting charge when it is requested that special construction be completed on an expedited basis. The charge equals the difference in estimated cost between expedited and nonexpedited construction.

### (3) <u>Optional Payment</u>

An optional payment charge may be included in the nonrecurring charge in association with a type of facility or route other than that which the Company

#### **ACCESS SERVICE**

15.	Special Construction (Cont'd)
15.1	Regulations (Cont'd)
15.1.8	Types of Liabilities and Charges (Cont'd)
(A)	Nonrecurring Charge (Cont'd)
(3)	Ontional Payment (Cont'd)

would normally use in furnishing the requested service if lower recurring monthly charges are desired for the specially constructed facilities. This charge is equal to the excess installed cost or the total nonrecoverable cost, whichever is less. This election must be made in writing before special construction starts. If this election is coupled with the actual cost option, the optional payment charge will reflect the actual cost of the specially constructed facilities.

#### (4) Replacement Charge

If any portion of specially constructed facilities for which an optional payment charge has been paid requires replacement involving capital investment, a replacement charge will apply. This charge will be in the same ratio to the total replacement cost as the initial optional payment charge was to the installed cost of the original specially constructed facilities. If any portion of the facilities subject to the replacement charge fails, service will not be restored until notification is provided in writing that replacement is required and such replacement is ordered.

#### (5) Rearrangement Charge

If the Company is requested to rearrange existing specially constructed facilities, a nonrecurring charge equal to the cost of any additional special construction will apply.

### (6) <u>Special construction of Facilities for Use for less than One Month</u>

When the Company is requested to construct facilities to provide service for less than one month, a nonrecurring charge only applies. In addition to the case preparation charge component, this nonrecurring charge recovers all elements of cost, including engineering, shipping of equipment, equipment installation, line-up, equipment leasing, space rental, equipment removal, and any other costs associated with the construction of the facilities.

### (B) <u>Maximum Termination Liability and Termination Charge</u>

A Maximum Termination Liability is equal to the nonrecoverable costs associated with specially constructed facilities and is the maximum amount which could be applied as a Termination Charge if all specially constructed facilities were discontinued before the Maximum Termination Liability expires.

Issued: October 20, 1997 Effective: October 21, 1997

#### **ACCESS SERVICE**

15.	<u>Special Construction</u> (Cont'd)
15.1	Regulations (Cont'd)
15.1.8	Types of Liabilities and Charges (Cont'd)
(B)	Maximum Termination Liability and Termination Charge (Cont'd)

The Maximum Termination Liability is filed with the initial tariff filing in decreasing amounts at ten-year intervals over the average account life of the facilities. In the event that the average account life of the facilities is not an even multiple of ten, the last increment will reflect the appropriate number of years remaining.

#### Example Illustrating a 27-Year Average Account Life

Maximum Termination	Effective	Expiration	
Liability		<u>Date</u>	<u>Date</u>
\$10,000	06/01/84	06/01/94	
7,000	06/01/94	06/01/04	
3.000	06/01/04	06/01/11	

Prior to the expiration of each liability period, the customer has the option to (A) terminate the special construction case and pay the appropriate charges, or (B) extend the use of the specially constructed facilities for the new liability period.

The Company will notify the customer six months in advance of the expiration date of each ten-year liability period.

The customer must provide the Company with written notification at least 30 days prior to the expiration of the liability period if termination is elected. Failure to do so will result in an automatic extension of the special construction case to the next liability period at the filed Maximum Termination Liability amount.

A Termination Charge may apply when all services using specially constructed facilities which have a tariffed Maximum Termination Liability are discontinued prior to the expiration of the liability period. The charge reflects the unamortized portion of the nonrecoverable costs at the time of termination, adjusted for net salvage and possible reuse. Administrative costs associated with the specific case of special construction and any costs for restoring a location to its original condition are also included. A Termination Charge may never exceed the filed Maximum Termination Liability.

A partial termination of specially constructed facilities will be provided at the election of the customer. The amount of the Termination Charge associated with such partial termination is determined by multiplying the termination charge which would result if all services using the specially constructed facilities were discontinued, at the time partial termination is elected, by the percentage of specially constructed facilities to be partially terminated. A tariff filing will be made following a partial termination to list remaining Maximum Termination Liability amounts and the number of specially constructed facilities the customer will remain liable for.

Issued: October 20, 1997 Effective: October 21, 1997

#### **ACCESS SERVICE**

- 15. <u>Special Construction</u> (Cont'd) 15.1 <u>Regulations</u> (Cont'd)
- 15.1.8 <u>Types of Liabilities and Charges</u> (Cont'd)
- (B) <u>Maximum Termination Liability and Termination Charge</u> (Cont'd)

#### Example

A customer with a filed Maximum Termination Liability of \$100,000 for 3,600 specially constructed facilities requests a partial termination of 900 facilities. The Termination Charge for all facilities, at the time of election, is \$60,000. The partial termination charge, in this example, is \$60,000 x 900/3,600, or \$15,000.

#### (C) <u>Annual Underutilization Liability and Underutilization Charge</u>

Prior to the start of special construction, the Company and the customer will agree on (1) the quantity of facilities to be provided, and (2) the length of the planning period during which the customer expects to place the facilities in service. The planning period is hereinafter referred to as the Initial Liability Period (ILP). The ILP is listed in the tariff with an effective and expiration date.

Underutilization occurs only if, at the expiration date of the ILP and annually thereafter, less than 70 percent of the specially constructed facilities are in service at filed tariff service rates.

An annual underutilization liability amount is filed on a per unit basis (e.g., per cable pair) for each case of special construction. This amount is equal to the annual per unit cost and includes depreciation, maintenance, administration, return, taxes, and any other costs identified in the supporting documentation provided at the time the special construction case is filed.

#### **Example**

Upon the expiration of the ILP, the number of underutilized facilities, if any are multiplied by the annual underutilization liability amount. This product is then multiplied by the number of years (including any fraction thereof) in the ILP to determine the underutilization charge.

Annually thereafter, the number of underutilized facilities, if any, existing on the anniversary of the ILP expiration date will be multiplied by the annual underutilization charge for the preceding 12-month period.

A customer orders 100 services, and the special construction of a 600 pair building riser cable is agreed to, based on the customer's 5-year facility requirements. The ILP, in this example, would be filed at 5 years. The annual underutilization liability is filed at \$15.00 per pair. If 400 pairs were in service at the end of the ILP, there would be an underutilization of 20 pairs, i.e., 420 (70% of 600) - 400 = 20. The total underutilization charge for the first 5 years would be \$200.00, or

\$15.00 per pair x 20 pairs x 5 years.

Issued: October 20, 1997 Effective: October 21, 1997

15.

Original Page 240

#### ACCESS SERVICE

15.1	Regulations (Cont d)	
15.1.8	Types of Liabilities and Charges (Cont'd)	
(C)	Annual Underutilization Liability and Underutilization Charge (Cont'd)	
If 420 pair	rs are in service at the end of the sixth year, there is no underutilization, i.e., $420 - 420 = 0$ .	

Special Construction (Cont'd)

### (1) Charge for Route or Type other than Normal

When special construction is requested using a route or type of facility other than that which the Company would normally use, a recurring monthly charge, in addition to the monthly rates for service is applicable. The charge is equal to the difference between the recurring costs of the specially constructed facilities and the recurring costs of the facilities the Company would have normally used.

(a) When an Optional Payment Charge as set forth 15.1.8(A)(3) preceding has been elected, the recurring monthly charge will be reduced to include specially constructed facility operating expenses only.

(b) If the actual cost option as set forth in 15.1.7 preceding has been elected, the recurring charge will be adjusted to reflect the actual cost of the new construction when the costs have been determined. This adjusted recurring charge is applicable from the start of service.

#### (D) <u>Lease Charge</u>

This charge applies when the Company leases equipment in order to meet service requirements. The amount of the charge is equal to the net added cost to the Company caused by the lease.

#### (E) Cancellation Charge

If a service order with which special construction is associated is cancelled prior to the start of service, a cancellation charge will apply. The charge will include all nonrecoverable costs incurred by the Company in association with the special construction up to and including the time of cancellation.

#### 15.1.9 Deferral of Start of Service

The Company may be requested to defer the start of service which will use specially constructed facilities subject to the provision set forth in the service tariff under which service is being provided. Requests for special construction deferral must be in writing and are subject to the following regulations:

Issued: October 20, 1997 Effective: October 21, 1997

### **ACCESS SERVICE**

- 15. <u>Special Construction</u> (Cont'd)
- 15.1 <u>Regulations</u> (Cont'd)
- 15.1.9 <u>Deferral of Start of Service</u> (Cont'd)

### (A) <u>Construction Has Not Begun</u>

If the Company has not incurred any installation costs before receiving a request for deferral, no charge applies.

# (B) <u>Construction Has Begun</u>

If the construction of facilities has begun before the Company receives a request for deferral, charges will vary as follows:

### (C) All Services Are Deferred

When all services which will use specially constructed facilities are deferred, a charge based on the costs incurred by the Company during each month of the deferral will apply. Those costs include the recurring costs for that portion of the facilities already completed and any other costs associated with the deferral. The cost of any components of the nonrecurring charge which have been completed at the time of deferral will also apply.

### (D) Some Services Are Deferred

When some services which will use the specially constructed facilities are deferred, the construction case will be completed and all special construction charges will apply.

### 15.1.10 Construction Complete

If the construction of facilities has been completed before the Company receives a request for deferral, all special construction charges will apply.

Issued: June 30, 2009

### TARIFF F.C.C. NO. 3

Effective: July 1, 2009

10th Revised Page 242.0 Replaces 9th Revised Page 242.0

# **ACCESS SERVICE**

 $\mathbf{C}$ 16. for Future Use  $\mathbf{M}$ M **M1 M1** M - Matter relocated to 21st Revised Page 258. M1 – Matter relocated to Original Page 261.1 and Original Page 261.2.

# TARIFF F.C.C. NO. 3

1st Revised Page 242.1 Replaces Original Page 242.1

# **ACCESS SERVICE**

		-	<b>-</b> -
16.	tor	Future	Use

M - Matter relocated to 21st Revised Page 258.

M – Matter relocated to Original Page 261.1 and Original Page 261.2.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 27th Revised Page 242

Replaces 26th Revised Page 242

# **ACCESS SERVICE**

17. <u>Reserved for Future Use</u>

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 10th Revised Page 243 Replaces 9th Revised Page 243

# **ACCESS SERVICE**

17.	Reserved 1	for F	uture	Use

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 14th Revised Page 244 Replaces 13th Revised Page 244

# **ACCESS SERVICE**

17. Reserved for Future Use
-----------------------------

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 14th Revised Page 245 Replace 13th Revised Page 245

# **ACCESS SERVICE**

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 3rd Revised Page 245.1 Replaces 2nd Revised Page 245.1

# **ACCESS SERVICE**

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 13th Revised Page 246 Replaces 12th Revised Page 246

# **ACCESS SERVICE**

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 12th Revised Page 247 Replaces 11th Revised Page 247

## **ACCESS SERVICE**

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 12th Revised Page 248 Replaces 11th Revised Page 248

# **ACCESS SERVICE**

17.	Reserved for Futur	re Use
1/.	Itobol vou loi i utu	

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 10th Revised Page 249 Replaces 9th Revised Page 249

# **ACCESS SERVICE**

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 4th Revised Page 251.1 Replaces 3rd Revised Page 251.1

# **ACCESS SERVICE**

17	7.	Reserved	for	Future	Use
1	/ <b>.</b>	IXCOCI VCU	101	1 uture	-

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3
7th Revised Page 252
Replacing 6th Revised Page 252

# **ACCESS SERVICE**

17	Reserved for Future Us	_
1 /	Reserved for chille us	. —

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 4th Revised Page 253 Replaces 3rd Revised Page 253

# **ACCESS SERVICE**

17	Reserved for Future U	00
1 /	Neserveu tot rittile u	<b>\</b> _

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 3rd Revised Page 254 Replaces 2nd Revised Page 254

# **ACCESS SERVICE**

17. Reserved for Future Use
-----------------------------

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 3rd Revised Page 255 Replaces 2nd Revised Page 255

# **ACCESS SERVICE**

17	Reserved for Future II	cΔ

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 5th Revised Page 255.1 Replaces 4th Revised Page 255.1

# **ACCESS SERVICE**

,	17	D 1	C	г .	TT
	17.	Reserved	tor	Future	Use

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 5th Revised Page 256 Replaces 4th Revised Page 256

# **ACCESS SERVICE**

17	Reserved for Future Us	10
1 /	Reserved for chille us	. —

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

TARIFF F.C.C. NO. 3 5th Revised Page 257 Replaces 4th Revised Page 257

# **ACCESS SERVICE**

17	Reserv	zed for	Future	Use

Matter consolidated into one rate section – Section 18, starting on page 258.

Issued: June 30, 2009 Effective: July 1, 2009

66th Revised Page 258 Replaces 65th Revised Page 258

### **ACCESS SERVICE**

#### 18. Rates and Charges

### 18.1 Federal Universal Service Charge

#### 18.1.1 End User Access Service

Regulations concerning End User Access Service are set forth in Section 4 preceding.

(A) End User Common Line (EUCL)

Residence

- Individual line or trunk, each \$6.50

(B) End User Common Line (EUCL)

Single Line Business

- Individual line or trunk, each \$6.50

(C) End User Common Line (EUCL)

Multiline Business including Centrex

CO and CO-Like Ordered

- Individual line or trunk, each

- Anchorage	\$8.84
- Fairbanks	\$8.84
- Juneau	\$8.98
- Ft. Wainwright/Eielson	\$7.24
- Glacier State	\$8.76
- Sitka	\$8.94
- All other areas	\$9.20

#### 18.1.2 Federal Universal Service Charge (FUSC)

Regulations concerning Federal Universal Service Charge (FUSC) are set forth in Section 4 proceeding.

FUSC Surcharge Factor 19.6% (R)

#### 18.1.3 Federal Universal Service Charge (FUSC)

See Section 16.1 for rates.

(A) <u>Multiline Business (MLB) End User Common Line (EUCL) Federal Universal Service Charge (FUSF)</u>

Matanuska-Susitna 19.6% (R)

Issued: March 16, 2020 Effective: April 01, 2020

18th Revised Page 259 Replaces 17th Revised Page 259

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

# 18.2 <u>Switched Access Service</u>

Seward

18.2.1 <u>Nonrecurring Charges</u> (A) <u>Local Transport - Installation</u> Entrance Facility	NRC	Tariff Section Reference
- Voice Grade Two Wire     Arctic Slope     Copper Valley     Cordova     Ft. Wainwright/Eielson     Juneau     Anchorage     Fairbanks     Glacier State     Sitka     Ketchikan     Nome     Matanuska-Susitna	\$488.17 (R) \$488.17 (R) \$933.82 \$197.52 \$123.55 \$166.24 \$140.43 \$121.63 \$163.54 \$335.74 \$488.17 (R) \$481.03	6.4.1(B)(1)
- Voice Grade Four Wire     Arctic Slope     Copper Valley     Cordova     Ft. Wainwright/Eielson     Juneau     Anchorage     Fairbanks     Glacier State     Sitka     Ketchikan     Nome     Matanuska-Susitna	\$488.17 (R) \$488.17 (R) \$488.17 (R) \$933.82 \$197.52 \$123.55 \$166.24 \$140.43 \$121.63 \$163.54 \$335.74 \$488.17 (R) \$481.03	

Issued: July 01, 2019 Effective: July 02, 2019

\$488.17 (R)

10th Revised Page 259.01 Replaces 9th Revised Page 259.01

# **ACCESS SERVICE**

18.	Rates and	Charges (	(Cont'd)
-----	-----------	-----------	----------

18.2 Switched Access Service (Cont'd)

18.2.1 Nonrecurring Charges

	) <u>Local Transport – Installation</u> (cont'd) <u>trance Facility</u>	<u>NRC</u>	Tariff Section Reference
_ L	ligh Capacity DS1		6.4.1(B)(1)
- 1.	Arctic Slope	\$358.01 (R)	
	Copper Valley	\$358.01 (R)	
	Cordova	\$684.81	
	Ft. Wainwright/Eielson	\$229.73	
	Juneau	\$160.11	
	Anchorage	\$158.48	
	Fairbanks	\$169.45	
	Glacier State	\$146.11	
	Sitka	\$164.75	
	Ketchikan	\$246.22	
	Nome	\$358.01 (R)	
	Matanuska-Susitna	\$352.76	
	Seward	\$358.01 (R)	
- H	ligh Capacity DS3*		
	Arctic Slope	\$482.75 (R)	
	Copper Valley	\$482.75 (R)	
	Cordova	\$923.46	
	Ft. Wainwright/Eielson	\$268.63	
	Juneau	\$168.03	
	Anchorage	\$474.14	
	Fairbanks	\$190.99	
	Glacier State	\$165.41	
	Sitka	\$222.42	
	Ketchikan	\$332.01	
	Nome	\$482.75 (R)	
	Matanuska-Susitna	\$475.69	
	Seward	\$482.75 (R)	

<sup>\*</sup>Where facilities are available

Issued: July 01, 2019 Effective: July 02, 2019

9th Revised Page 259.02 Replaces 8th Revised Page 259.02

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

18.2 Switched Access Service (Cont'd)

18.2.1 Nonrecurring Charges

		Tariff
		Section
	NRC	Reference
(B) <u>Interim NXX Translation per Order</u>		6.4.1(B)(2)
Arctic Slope	\$238.67 (R)	
Copper Valley	\$238.67 (R)	
Cordova	\$456.54	
Ft. Wainwright/Eielson	\$43.96	
Juneau	\$43.96	
Anchorage	\$43.96	
Fairbanks	\$43.96	
Glacier State	\$43.96	
Sitka	\$43.96	
Ketchikan	\$0.00	
Nome	\$238.67 (R)	
Matanuska-Susitna	\$235.17	
Seward	\$238.67 (R)	
	, ,	
(C) FGD Conversion of Multifrequency		
Address Signaling to SS7 Signaling or SS7		
Signaling to Multifrequency Address Signaling		6.4.1(B)(3)
- Per 24 Trunks Converted, or Fraction thereof,		
on a per Order Basis		
Arctic Slope	\$479.49 (R)	
Copper Valley	\$479.49 (R)	
Cordova	ICB	
Ft. Wainwright/Eielson	\$183.00	
Juneau	\$183.00	
Anchorage	\$222.00	
Fairbanks	\$183.00	
Glacier State	\$183.00	
Sitka	\$183.00	
Ketchikan	\$480.57	
Nome	\$479.49 (R)	
Matanuska-Susitna	\$472.47	
Seward	\$479.49 (R)	
	` ′	

Issued: July 01, 2019 Effective: July 02, 2019

7th Revised Page 259.03 Replaces 6th Revised Page 259.03

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

18.2 Switched Access Service (Cont'd)

18.2.1 Nonrecurring Charges

(D) Direct Trunked Transport Activation	<u>NRC</u>	Tariff Section Reference 6.4.1(B)(1)
- Per 24 Trunks Activated, or Fraction thereof,		
on a per Order Basis		
Arctic Slope	\$497.93 (R)	
Nome	\$497.93 (R)	
Matanuska-Susitna	\$490.64	
Ft. Wainwright	\$176.50	
Juneau	\$196.66	
Anchorage	\$16.22	
Fairbanks	\$183.11	
Glacier State	\$182.30	
Sitka	\$177.76	
Seward	\$497.93 (R)	
Ketchikan	\$342.45	
Cordova	\$490.64	
Copper Valley	\$497.93 (R)	

Issued: July 01, 2019 Effective: July 02, 2019

20th Revised Page 259.1 Replaces 19th Revised Page 259.1

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

18.2 <u>Switched Access Service</u> (Cont'd)

18.2.2 <u>Local Transport</u> <u>Entrance Facility</u> - per Termination	Monthly Section Rate Reference 6.1.3(A)(1)
- Voice Grade Two-Wire	
Anchorage	\$18.25
Arctic Slope	\$47.68 (R)
Copper Valley	\$82.70 (R)
Cordova	\$158.20
Fairbanks	\$19.70
Ft. Wainwright/Eielson	\$21.22
Glacier State	\$16.45
Juneau	\$14.79
Ketchikan	\$56.88
Nome	\$30.51 (R)
Matanuska-Susitna	\$30.97
Seward	\$47.68 (R)
Sitka	\$11.83
- Voice Grade Four-Wire	
Anchorage	\$18.25
Arctic Slope	\$76.30 (R)
Copper Valley	\$132.34 (R)
Cordova	\$253.15
Fairbanks	\$30.39
Ft. Wainwright/Eielson	\$33.96
Glacier State	\$26.32
Juneau	\$21.24
Ketchikan	\$91.02
Nome	\$48.83 (R)
Matanuska-Susitna	\$49.56
Seward	\$76.30 (R)
Sitka	\$18.92

Issued: July 01, 2019 Effective: July 02, 2019

# TARIFF F.C.C. NO. 3

10th Revised Page 259.1.01 Replaces 9th Revised Page 259.1.01

ACCESS SERVICE		
18. Rates and Charges (Cont'd)		
18.2 <u>Switched Access Service</u> (Cont'd)		
18.2.2 <u>Local Transport</u> (cont'd)		Tariff
	Monthly	Section
	Rate	Reference
Entrance Facility - per Termination (cont'd)		6.1.3(A)(1)
- High Capacity DS1		
Ft. Wainwright/Eielson	\$92.62	
Nome	\$148.75 (R)	
Arctic Slope	\$232.45 (R)	
Ketchikan	\$277.29	
Matanuska-Susitna	\$151.00	
Seward	\$232.45 (R)	
Copper Valley	\$403.18 (R)	
Juneau	\$82.60	
Anchorage	\$48.95	
Fairbanks	\$104.68	
Glacier State	\$94.08	
Sitka	\$61.93	
Cordova	\$771.24	
- High Capacity DS3*	0.10.10	
Ft. Wainwright/Eielson	\$960.60	
Nome	\$1,358.18 (R)	
Arctic Slope	\$2,122.41 (R)	
Ketchikan	\$2,531.83	
Matanuska-Susitna	\$378.77	
Seward	\$2,122.41 (R)	
Copper Valley	\$3,681.34 (R)	
Juneau	\$730.49	
Anchorage	\$721.14	
Fairbanks	\$944.07	
Glacier State	\$829.27	
Sitka	\$565.12	

Cordova

Issued: July 01, 2019 Effective: July 02, 2019

\$7,041.94

<sup>\*</sup>Where facilities are available

### TARIFF F.C.C. NO. 3

9th Revised Page 259.1.02 Replaces 8th Revised Page 259.1.02

# **ACCESS SERVICE**

18. Rates and Charges (Cont'd)	
18.2 <u>Switched Access Service</u> (Cont'd)	
18 2.2 Local Transport (cont'd)	

- Facility of 3 DS3s

Ft. Wainwright/Eielson	N/A
Nome	N/A
Arctic Slope	N/A
Ketchikan	N/A
Matanuska-Susitna	N/A
Seward	N/A
Copper Valley	N/A
Juneau	N/A
Anchorage	\$646.13
Fairbanks	N/A
Glacier State	N/A
Sitka	N/A
Cordova	N/A

# - Channel Interface Connection,

Per DS3 Channel Installed\*

Ft. Wainwright/Eielson	\$960.60
Nome	\$1,358.18 (R)
Arctic Slope	\$2,122.41 (R)
Ketchikan	\$2,531.83
Matanuska-Susitna	\$2,091.34
Seward	\$2,122.41 (R)
Copper Valley	\$3,681.34 (R)
Juneau	\$730.49
Anchorage	\$721.14
Fairbanks	\$944.07
Glacier State	\$829.27
Sitka	\$565.12
Cordova	N/A

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>Where facilities are available

Fairbanks

Sitka Cordova

**Glacier State** 

# TARIFF F.C.C. NO. 3

7th Revised Page 259.1.03 Replaces 6th Revised Page 259.1.03

18. Rates and Charges (Cont'd) 18.2 Switched Access Service (Cont'd) 18.2.2 Local Transport (cont'd)  Direct Trunked Transport - Direct Trunked Facility - per Mile	Monthly <u>Rate</u>	Tariff Section Reference 6.1.3(A)(2)
- Voice Grade Two-Wire and Four-Wire Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$1.51 \$2.16 (R) \$3.40 (R) \$4.05 \$2.21 \$3.40 (R) \$5.88 (R) \$0.95 \$1.00 \$1.35 \$1.17 \$1.58 \$11.26	
- High Capacity DS1 Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage	\$6.08 \$10.17 (R) \$15.93 (R) \$19.00 \$10.34 \$15.93 (R) \$27.63 (R) \$4.24	

Issued: July 01, 2019 Effective: July 02, 2019

\$5.65

\$4.87 \$6.34

\$52.84

16th Revised Page 259.1.1 Replaces 15th Revised Page 259.1.1

# ACCESS SERVICE

18. Rates and Charges (Cont'd)		
18.2 Switched Access Service (Cont'd)		
18.2.2 <u>Local Transport</u> (Cont'd)		Tariff
* * * * * * * * * * * * * * * * * * * *	Monthly	Section
Direct Trunked Transport	<u>Rate</u>	Reference

<u>Direct Trunked Transport</u> <u>Rate</u> <u>Reference</u> - <u>Direct Trunked Facility</u> - per Mile (cont'd) <u>Rate</u> 6.1.3(A)(2)

- High Capacity DS3*	
Ft. Wainwright/Eielson	\$41.39
Nome	\$88.76 (R)
Arctic Slope	\$138.74 (R)
Ketchikan	\$165.49
Matanuska-Susitna	\$90.12
Seward	\$138.74 (R)
Copper Valley	\$240.63 (R)
Juneau	\$36.96
Anchorage	\$93.51
Fairbanks	\$47.45
Glacier State	\$42.44
Sitka	\$55.26

# - <u>Direct Trunked Termination</u> - per Termination 6.1.3(A)(2)

\$460.28

\$113.26

- Voice Grade Two-Wire and Four-Wire	
Ft. Wainwright/Eielson	\$15.19
Nome	\$21.84 (R)
Arctic Slope	\$34.14 (R)
Ketchikan	\$40.72
Matanuska-Susitna	\$22.17
Seward	\$34.14 (R)
Copper Valley	\$59.20 (R)
Juneau	\$9.50
Anchorage	\$10.09
Fairbanks	\$13.59
Glacier State	\$11.77
Sitka	\$15.83

<sup>\*</sup>Where facilities are available

Cordova

Cordova

Issued: July 01, 2019 Effective: July 02, 2019

# TARIFF F.C.C. NO. 3

20th Revised Page 259.2 Replaces 19th Revised Page 259.2

# **ACCESS SERVICE**

18. Rates and Charges (Cont'd)			
18.2 Switched Access Service (Cont'd)			Tariff
18.2.2 Local Transport (Cont'd)		Monthly	Section
18.2.2 <u>Local Hansport</u> (Cont u)	Rate	Reference	Section
- <u>Direct Trunked Termination</u> - per Termination (cont'		6.1.3(A)(2)	
- <u>Direct Trunked Termination</u> - per Termination (cont.)	u)	0.1.3(A)(2)	
- High Capacity DS1			
Ft. Wainwright/Eielson	\$31.58		
Nome	\$52.88 (R)		
Arctic Slope	\$82.63 (R)		
Ketchikan	\$98.57		
Matanuska-Susitna	\$53.68		
Seward	\$82.63 (R)		
Copper Valley	\$143.32 (R)		
Juneau	\$22.01		
Anchorage	\$37.88		
Fairbanks	\$29.32		
Glacier State	\$25.28		
Sitka	\$32.91		
Cordova	\$274.15		
Coldova	Ψ271.13		
Will Good Door			
- High Capacity DS3*	44.50.00		
Ft. Wainwright/Eielson	\$158.30		
Nome	\$339.56 (R)		
Arctic Slope	\$530.58 (R)		
Ketchikan	\$632.94		
Matanuska-Susitna	\$344.68		
Seward	\$530.58 (R)		
Copper Valley	\$920.32 (R)		
Juneau	\$141.35		
Anchorage	\$182.02		
Fairbanks	\$181.48		
Glacier State	\$162.34		
Sitka	\$211.35		
Cordova	\$1,760.45		
	. ,		

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>Where facilities are available

# TARIFF F.C.C. NO. 3

21st Revised Page 260 Replaces 20th Revised Page 260

### **ACCESS SERVICE**

18. Rates and Charges (Cont'd)		
		Tariff
18.2 Switched Access Service (Cont'd)	M41.1	
18.2.2 <u>Local Transport</u> (Cont'd)	Monthly	Section
36 12 1 · · · · · · · · · · · · · · · · ·	<u>Rate</u>	Reference
- Multiplexing - per Arrangement		6.1.3(A)(5)
- DS3 to DS1*	<b>*</b>	
Ft. Wainwright/Eielson	\$180.01	
Nome	\$309.80 (R)	
Arctic Slope	\$484.11 (R)	
Ketchikan	\$577.49	
Matanuska-Susitna	\$314.49	
Seward	\$484.11 (R)	
Copper Valley	\$839.68 (R)	
Juneau	\$160.73	
Anchorage	\$216.02	
Fairbanks	\$214.08	
Glacier State	\$184.59	
Sitka	\$242.03	
Cordova	\$1606.33	
Cordova	φ1000.55	
- DS1 to Voice		
Ft. Wainwright/Eielson	\$69.50	
Nome	\$119.61 (R)	
	` '	
Arctic Slope	\$186.90 (R)	
Ketchikan	\$222.97	
Matanuska-Susitna	\$121.42	
Seward	\$186.90 (R)	
Copper Valley	\$324.20 (R)	
Juneau	\$62.05	
Anchorage	\$209.05	
Fairbanks	\$82.65	
Glacier State	\$71.27	
Sitka	\$93.44	
Cordova	\$620.15	

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>Where facilities are available

# TARIFF F.C.C. NO. 3

9th Revised Page 260.00 Replaces 8th Revised Page 260.00

# **ACCESS SERVICE**

Rates and Charges (Cont'd)  8.2 Switched Access Service (Cont'd)  18.2.2 Local Transport (Cont'd)  - Customer Premises Port, Per Port	Monthly <u>Rate</u>	Tariff Section Reference
- DS3*		
Ft. Wainwright/Eielson	N/A	
Nome	\$126.70 (R)	
Arctic Slope	\$197.99 (R)	
Ketchikan	\$344.18	
Matanuska-Susitna	\$128.62	
Seward	\$197.99 (R)	
Copper Valley	\$343.40 (R)	
Juneau	N/A	
Anchorage	N/A	
Fairbanks	N/A	
Glacier State	N/A	
Sitka	N/A	
Cordova	N/A	
- Nonrecurring Charge	\$694.29 (R)	
- DS1		
Ft. Wainwright/Eielson	N/A	
Nome	\$32.47 (R)	
Arctic Slope	\$50.73 (R)	
Ketchikan	\$88.22	
Matanuska-Susitna	\$32.96	
Seward	\$50.73 (R)	
Copper Valley	\$88.03 (R)	
Juneau	N/A	
Anchorage	N/A	
Fairbanks	N/A	
Glacier State	N/A	
Sitka	N/A	
Cordova	\$86.73	
- Nonrecurring Charge	\$694.29 (R)	

<sup>\*</sup>Where facilities are available

Issued: July 01, 2019 Effective: July 02, 2019

15th Revised Page 260.01 Replaces 14th Revised Page 260.01

### **ACCESS SERVICE**

18. Rates and Charges (Cont'd)

18.2 Switched Access Service (Cont'd)

18.2.2 <u>Local Transport</u> (Cont'd)

Monthly Section Rate Reference

- Add/Drop Multiplexing Central Office Port, Per Port

	DS3 Rate*	DS1 Rate
Ft. Wainwright/Eielson	N/A	N/A
Nome	\$64.96 (R)	\$25.99 (R)
Arctic Slope	\$101.53 (R)	\$40.61 (R)
Ketchikan	\$176.48	\$70.58
Matanuska-Susitna	\$65.95	\$26.38
Seward	\$101.53 (R)	\$40.61 (R)
Copper Valley	\$176.08 (R)	\$70.42 (R)
Juneau	N/A	N/A
Anchorage	N/A	N/A
Fairbanks	N/A	N/A
Glacier State	N/A	N/A
Sitka	N/A	N/A
Cordova	\$173.51	\$69.39

Issued: July 01, 2019 Effective: July 02, 2019

10th Revised Page 260.01.00 Replaces 9th Revised Page 260.01.00

6.1.3(A)(3)

### **ACCESS SERVICE**

18.2 Switched Access Service (Cont'd)

18.2.2	Local Transport (Cont'd)		Tariff
	```	Monthly	Section
		Rate	Reference

# - <u>Tandem Switched Transport</u>

## - <u>Tandem Switched Facility</u> Per Access Minutes per Mile

Ketchikan	\$0.000140
Arctic Slope	\$0.000437 (R)
Copper Valley	\$0.000437 (R)
Cordova	\$0.000835
Nome	\$0.000437 (R)
Matanuska-Susitna	\$0.000283
Seward	\$0.000437 (R)
Ft. Wainwright/Eielson	\$0.000155
Juneau	\$0.000173
Anchorage	\$0.000436
Fairbanks	\$0.000173
Glacier State	\$0.000124
Sitka	\$0.000173

<sup>\*</sup>Where facilities are available

# - <u>Tandem Switched Termination</u> Per Access Minutes per Termination

\$0.000731
\$0.002267 (R)
\$0.002267 (R)
\$0.004337
\$0.002267 (R)
\$0.001473
\$0.002267 (R)
\$0.000802
\$0.000897
\$0.001657
\$0.000897
\$0.000641
\$0.000897

Issued: July 01, 2019 Effective: July 02, 2019

6th Revised Page 260.01.01 Replaces 5th Revised Page 260.01.01

### **ACCESS SERVICE**

18.	Rates	and	Charges	(Cont'd)

18.2 Switched Access Service (Cont'd)

<u>viiched Access Service (Cont d)</u>		
8.2.2 Local Transport (Cont'd)		Tariff
` , , , , , , , , , , , , , , , , , , ,	Monthly	Section
	Rate	Reference
- Tandem Switching	<del></del>	
Per Access Minute Per Tandem		
Ketchikan	\$0.001842	
Arctic Slope	\$0.005718	(R)
Copper Valley	\$0.005718	(R)
Cordova	\$0.010939	. ,
Nome	\$0.005718	(R)
Matanuska-Susitna	\$0.003715	
Seward	\$0.005718	
Ft. Wainwright/Eielson	\$0.006423	` '
Juneau	\$0.004723	
Anchorage*	\$0.038894	
Fairbanks	\$0.002034	
Glacier State	\$0.005771	
Sitka	\$0.00771	

<sup>\*</sup>Customer may elect to make a term and volume commitment in which case the following rates will apply:

#### **Tandem Switching**

Per access minute per tandem

#### **Anchorage**

(	)ne	year	commit	ment
---	-----	------	--------	------

1,000,000 minutes per month	\$0.015000
2,000,000 minutes per month	\$0.012000
3,000,000 minutes per month	\$0.010000
Two year commitment	
1,000,000 minutes per month	\$0.010000
2,000,000 minutes per month	\$0.008000
3,000,000 minutes per month	\$0.006000
Three year commitment	
1,000,000 minutes per month	\$0.006000
2,000,000 minutes per month	\$0.004000
3,000,000 minutes per month	\$0.003500

Minutes will be billed at the committed discounted rate. If billed minutes do not reach the committed volume calculated on an annual basis, an amount equivalent to the minute deficit times the committed discounted rate will be charged at the end of each year. No additional discounts will be given if volumes are higher than the committed volume. Minutes from all Alaska study areas and all toll access jurisdictions may be counted towards the minimum volume commitment.

Issued: July 01, 2019 Effective: July 02, 2019

11th Revised Page 260.01.1 Replaces 10th Revised Page 260.01.1

18. Rates and Charges (Cont'd) 18.2 Switched Access Service (Cont'd) 18.2.2 Local Transport (Cont'd)  - Residual Interconnection Charge	Monthly <u>Rate</u>	Tariff Section Reference 6.1.3(A)(4)
Per Access Minute	\$0.000000	` / ` /
(A) Common Channel Signaling Network Connection		6.1.3(A)(8)
(1) Signaling Network Access Link		
- Signal Mileage Facility per mile Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$1.59 \$2.93 (R) \$4.57 (R) \$7.96 \$2.97 \$4.57 (R) \$7.94 (R) \$1.27 \$1.25 \$1.89 \$1.63 \$2.12 \$7.82	
- Signaling Mileage Termination per term. Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau	\$15.96 \$29.41 (R) \$45.94 (R) \$79.87 \$29.85 \$45.94 (R) \$79.69 (R) \$12.79	

Anchorage Fairbanks

Sitka

Cordova

Glacier State

Issued: July 01, 2019 Effective: July 02, 2019

\$12.66

\$18.98

\$16.37

\$21.31

\$78.53

12th Revised Page 260.02 Replaces 11th Revised Page 260.02

# **ACCESS SERVICE**

18. Rates and Cha	arges (Cont'd)
18.2 Switche	ed Access Service (Cont'd)
18.2.2	Local Transport (Cont'd)

2.2	Local Transport (Cont'd)		Tariff
	•	Monthly	Section
		Rate	Reference
(A)	Common Channel Signaling Network Connection	(cont'd)	6.1.3(A)(8)

(1) Signaling Network Access Link (cont'd)

- Signaling Entrance Facility per facility	
Ft. Wainwright/Eielson	\$39.17
Nome	\$56.31 (R)
Arctic Slope	\$88.00 (R)
Ketchikan	\$152.98
Matanuska-Susitna	\$51.16
Seward	\$88.00 (R)
Copper Valley	\$152.64 (R)
Juneau	\$27.30
Anchorage	\$43.55
Fairbanks	\$34.49
Glacier State	\$31.35
Sitka	\$41.11
Cordova	\$150.40
- Nonrecurring Charge	\$423.08 (R)
(2) STD Dout non nout	
(2) <u>STP Port per port</u>	Φ <b>27</b> ( <b>52</b>
Ft. Wainwright/Eielson	\$276.53

(2)	STP Port per port	
	Ft. Wainwright/Eielson	\$276.53
	Nome	\$290.20 (R)
	Arctic Slope	\$453.47 (R)
	Ketchikan	\$788.31
	Matanuska-Susitna	\$294.58
	Seward	\$453.47 (R)
	Copper Valley	\$786.54 (R)
	Juneau	\$192.73
	Anchorage	\$438.62
	Fairbanks	\$203.96
	Glacier State	\$170.28
	Sitka	\$230.59
	Cordova	\$830.63
		,

Issued: July 01, 2019 Effective: July 02, 2019

9th Revised Page 260.03 Replaces 8th Revised Page 260.03

# **ACCESS SERVICE**

	ACCESS SERVICE		
18. Rates and Charges (C 18.2 Switched Acces 18.2.2 Local		Monthly <u>Rate</u>	Tariff Section Reference
A N A K M Se C C C Ft Ju Fa G	rk Blocking per Block Call - FGD only nchorage ome retic Slope etchikan fatanuska-Susitna eward opper Valley ordova fatanushirbanks lacier State tka	\$0.0166 \$0.0167 \$0.0108 \$0.0166	6.7.6 (R) (R) (R) (R)
(B) <u>800/88</u>	8 Data Base Access Service Queries		6.8.4
Per Query	Basic: Ft. Wainwright/Eielson Juneau Anchorage Fairbanks Glacier State Sitka Matanuska - Susitna Cordova Ketchikan All Other Areas	\$0.007193 \$0.006055 \$0.007898 \$0.010634 \$0.002300 \$0.019394 \$0.003800 \$0.011065 \$0.003980 \$0.0058	5 3 4 ) 4 ) 54
	Vertical Feature: Ft. Wainwright/Eielson Juneau Anchorage Fairbanks Glacier State Sitka Matanuska - Susitna Cordova Ketchikan	\$0.007192 \$0.006055 \$0.007898 \$0.010634 \$0.002300 \$0.019394 \$0.0042 \$0.012230 \$0.004392	5 3 4 0 4

Issued: July 01, 2019 Effective: July 02, 2019

\$0.0064

All Other Areas

20th Revised Page 260.1 Replaces 19th Revised Page 260.1

### ACCESS SERVICE

### 18. Rates and Charges (Cont'd)

18.2 Switched Access Service (Cont'd)

Tariff 18.2.3 **End Office** Section Reference Rate 6.1.3(B)

#### (A) Local Switching

**Premium** - Local Switching Per Access Minutes Feature Groups A, B and D [including: (1) Feature Group B when utilized for the provision of MTS/WATS service and (2) Feature Groups A and B when utilized for the provision of terminating inward WATS and WATS-type services at an equal access WATS Serving Office.]

### Per Originating Access Minute

Ft. Wainwright/Eielson	\$0.006423
Matanuska-Susitna	\$0.009492
Juneau	\$0.004723
Copper Valley	\$0.038968 (R)
Cordova	\$0.0465893
Ketchikan	\$0.026800
Arctic Slope	\$0.048712 (R)
Nome	\$0.048712 (R)
Seward	\$0.048712 (R)
Anchorage	\$0.003735
Fairbanks	\$0.002034
Glacier State	\$0.005771
Sitka	\$0.007034

## Per Terminating Access Minute

1 Terminating 1 teeess will atte	
Ft. Wainwright/Eielson	\$0.00
Matanuska-Susitna	\$0.000700 (R)
Juneau	\$0.00
Copper Valley	\$0.000700 (R)
Cordova	\$0.000700 (R)
Ketchikan	\$0.000700 (R)
Arctic Slope	\$0.000700 (R)
Nome	\$0.000700 (R)
Seward	\$0.000700 (R)
Anchorage	\$0.00
Fairbanks	\$0.00
Glacier State	\$0.00
Sitka	\$0.00

Issued: July 01, 2019 Effective: July 02, 2019

19th Revised Page 261 Replaces 18th Revised Page 261

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

18.2 Switched Access Service (Cont'd)

	Tariff
18.2.3 End Office	Section
	<u>Rate</u> <u>Reference</u>
(B) <u>Information Surcharge</u>	6.1.3(B)(2)
Premium Per 100 Originating Access Minutes	
Matanuska-Susitna	\$0.0348
Copper Valley	\$0.0536 (R)
Cordova	\$0.1025006
Ketchikan	\$0.036849
Arctic Slope	\$0.0536 (R)
Nome	\$0.0536 (R)
Seward	\$0.0536 (R)
Fairbanks	\$0.0025872
Anchorage	\$0.024761
All Other Areas	N/A
Premium Per 100 Terminating Access Minutes	
Matanuska-Susitna	\$0.0000
Copper Valley	\$0.0000
Cordova	\$0.0000
Ketchikan	\$0.0000
Arctic Slope	\$0.0000
Nome	\$0.0000
Seward	\$0.0000
All Other Areas	N/A
All Ollici Alcas	11/11

Issued: July 01, 2019 Effective: July 02, 2019

#### TARIFF F.C.C. NO. 3

3rd Revised Page 261.01 Replaces 2nd Revised Page 261.01

# **ACCESS SERVICE**

18. Rates and Charges (Cont'd)

18.2 Switched Access Service (Cont'd)

18.2.4 <u>Directory Assistance Service</u>

Tariff Section

Rate

Reference

(A) Directory Assistance Service

9.4.2

A Directory Assistance Service Charge applies for each call to Directory Assistance Service.

Anchorage All Other Areas \$0.62 \$1.11 (I)

18.2.5 Directory Assistance Database Service

Directory Assistance Database Services are available in:

Anchorage Arctic Slope Copper Valley Cordova Ketchikan

Matanuska-Susitna

Nome Seward

Pricing for the Directory Assistance Database Service can be found in Section 9.5.

Issued: June 30, 2017 Effective: July 01, 2017

#### ACCESS SERVICE

## 18. Rates and Charges (Cont'd)

# 18.3 Special Access Service

Service Area-Wide Special Access (SAWSA) Offer

th in

 $\mathbf{M}$ 

Regulations concerning Service Area-Wide special Access (SAWSA) are set forth in Section 7.2.8. preceding.

# (A) <u>Term and Renewal Periods</u>

The SAWSA term (Term Period) is sixty (60) months commencing on the date the offer is accepted pursuant to Sections 7.2.8.3. At the end of the Term Period, the offer shall be renewable for one-year increments with thirty (30) days written notice from the customer (Renewal Period).

## (B) <u>Incentive Credits</u>

#### (1) Initial Service Credit

Upon the initial billing date under the SAWSA offer through December 31, 2009, the Initial Service Credit shall be calculated as eighty percent (80%) of the monthly recurring charge for Qualified Access Services.

#### (2) Monthly Service Credit

Starting January 1, 2010 and throughout the Term Period and any subsequent Renewal Period, the Customer will be eligible for a Monthly Service Credit, calculated as a ratio of the monthly recurring charge for Qualified Access Services, plus any amounts to transfer Qualified Access Services to Company, plus the first three months of recurring charges assessed for such Qualified Access Services. The ratio will be set from January 1, 2010 through December 31, 2010 at fifty percent (50%) and thereafter, according to the Customer's total access and non-access billings by Company for each calendar quarter, according to Table B.

M

M – Matter relocated from 9th Revised Page 242.0.

Issued: June 30, 2009 Effective: July 1, 2009

M

 $\mathbf{M}$ 

#### **ACCESS SERVICE**

## 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

Service Area-Wide Special Access (SAWSA) Offer (cont'd)

(2) Monthly Service Credit (cont'd)

#### **Table B**

Service Ranges Monthly Service Credit Percentage

$$\geq$$
 \$1,750,000 50%

$$<$$
\$1,750,000 but  $\ge$ \$1,500,000 40%

$$<$$
\$1,500,000 but  $\ge$ \$1,250,000 30%

< \$1,250,000 but  $\ge$  \$750,000 20%

 $< $750,000 \text{ and } \ge $0$ 

# (3) <u>Credit Expiration</u>

Credits may accrue for up to 12 months from the end of the month in which they are accrued, at which time unused credits shall expire.

M – Matter relocated from 9th Revised Page 242.0.

Issued: June 30, 2009 Effective: July 1, 2009

25th Revised Page 262 Replaces 24th Revised Page 262

# **ACCESS SERVICE**

18.	Rates	and	Charges	(Cont'd)	)

Rates	s and Charges (Cont'd)			
18.3	Special Access Service	Monthly <u>Rate</u>	Non- Recurring <u>Charge</u>	Tariff Section Reference
	18.3.1 <u>Surcharge for Special Access Se</u>	<u>rvice</u>		
	- Per Voice Grade Equivalent	\$25.00	\$0.00	7.3
	18.3.2 <u>Voice Grade Service</u> Regulations concerning Voice Grade Service set forth in 7.4 preceding.	vice are		7.4
	<ul> <li>(A) <u>Channel Termination per Term</u></li></ul>	\$21.31 \$60.29 (I)	\$197.52 \$450.00	
	Arctic Slope Ketchikan	\$98.57 (R) \$237.59 (R)	\$450.00	
	Matanuska-Susitna Seward Copper Valley	\$51.31 (I) \$71.63 (I) \$92.76 (I)	\$450.00 \$450.00 \$450.00	
	Juneau Anchorage	\$14.86 \$21.32	\$137.71 \$145.21	
	Fairbanks Glacier State	\$19.81 \$16.99	\$145.69 \$125.63	
	Sitka Cordova	\$22.27 \$202.90 (I)	\$164.71 \$292.75 (I)	
	- Four-Wire			
	Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State	\$96.47 (I) \$157.72 (R) \$380.16 (R) \$82.10 (I) \$114.62 (I)) \$148.43 (I) \$23.77 \$38.35 \$31.70 \$27.19	\$426.47 (R) \$450.00	
	Sitka Cordova	\$35.64 \$322.54 (I)	\$164.71 \$292.75 (I)	

Issued: July 01, 2019 Effective: July 02, 2019

### TARIFF F.C.C. NO. 3

14th Revised Page 262.01 Replaces 13th Revised Page 262.01

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

18.3 Special Access Service  18.3.2 Voice Grade Service (cont'd)	Monthly <u>Rate</u>	Non- Recurring <u>Charge</u>	Tariff Section Reference
Regulations concerning Voice Grade Service are set forth in 7.4 preceding.	:		7.4

## (B) Channel Mileage

(1)	Channel Mileage Facility per Mile	
	Ft. Wainwright/Eielson	\$1.51
	Nome	\$4.31 (I)
	Arctic Slope	\$7.05 (R)
	Ketchikan	\$16.98 (R)
	Matanuska-Susitna	\$3.65 (I)
	Seward	\$5.12 (I)
	Copper Valley	\$6.63 (I)
	Juneau	\$1.06
	Anchorage	\$0.87
	Fairbanks	\$1.40
	Glacier State	\$1.21
	Sitka	\$1.59
	Cordova	\$14.72 (I)
	· · ·	+ - · · · · <b>-</b> (-)

# (2) Channel Mileage Termination per Term

Ft. Wainwright/Eielson	\$15.19
Nome	\$43.17 (I)
Arctic Slope	\$70.58 (R)
Ketchikan	\$228.97 (R)
Matanuska-Susitna	\$36.73 (I)
Seward	\$51.29 (I)
Copper Valley	\$66.42 (I)
Juneau	\$10.59
Anchorage	\$8.81
Fairbanks	\$14.10
Glacier State	\$12.16
Sitka	\$15.94
Cordova	\$147.57 (I)

Issued: July 01, 2019 Effective: July 02, 2019

# TARIFF F.C.C. NO. 3

17th Revised Page 262.1 Replaces 16th Revised Page 262.1

# **ACCESS SERVICE**

	18.	Rates and	Charges (	Cont'd)
--	-----	-----------	-----------	---------

18.3 Special Access Service	Monthly Rate	Non- Recurring Charge	Tariff Section Reference
18.3.2 <u>Voice Grade Service (cont'd)</u>	<u>rtate</u>	<u>enarge</u>	<u>recreases</u>
(C) Optional Features and Functions			7.4.3
(1) Bridging, per port - Two-Wire Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$3.16 \$7.28 (I) \$11.90 (R) ICB (N) \$6.18 (I) \$8.65 (I) \$11.20 (I) \$2.20 \$2.72 \$2.93 \$2.53 \$3.31 ICB	)	
-Four-Wire Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$3.16 \$7.28 (I) \$11.90 (R) ICB (N) \$6.18 (I) \$8.65 (I) \$11.20 (I) \$2.20 \$4.61 \$2.93 \$2.53 \$3.31 ICB	)	

Issued: July 01, 2019 Effective: July 02, 2019

14th Revised 262.1.1 Replaces 13th Revised 262.1.1

# **ACCESS SERVICE**

18. <u>Rates and Charges (Cont'd)</u> 18.3 <u>Special Access Service (Cont'd)</u> 18.3.2 <u>Voice Grade Service (cont'd)</u>	Monthly	Non- Recurring	Tariff Section
(C) Optional Features and Functions (cont'd)	<u>Rate</u>	<u>Charge</u>	Reference
(2) C 11:1 T T 1:1			7.4.3
(2) Conditioning per Termination			
- C Type Ft. Wainwright/Eielson	\$3.50		
Nome	\$10.68 (I)		
Arctic Slope	\$17.46 (R)		
Ketchikan	\$44.41	,	
Matanuska-Susitna	\$9.10 (I)		
Seward	\$12.69 (I)		
Copper Valley	\$16.43 (I)		
Juneau	\$2.44		
Anchorage	\$4.95		
Fairbanks	\$3.25		
Glacier State	\$2.80		
Sitka	\$3.67		
Cordova	\$55.76		
Doto Comobility			
- Data Capability	\$2.41		
Ft. Wainwright/Eielson Nome	\$2.41 \$9.49 (I)		
Arctic Slope	\$15.51 (R)	1	
Ketchikan	\$13.31 (R) \$39.46		
Matanuska-Susitna	\$8.06 (I)		
Seward	\$11.28 (I)		
Copper Valley	\$11.28 (I) \$14.60 (I)		
Juneau	\$1.68		
Anchorage	\$4.95		
Fairbanks	\$2.23		
Glacier State	\$1.92		
Sitka	\$2.52		
Cordova	\$49.52		

Issued: July 01, 2019 Effective: July 02, 2019

17th Revised Page 262.2 Replaces 16th Revised Page 262.2

# **ACCESS SERVICE**

# 18. Rates and Charges (Cont'd)

		Non-	Tariff
18.3 Special Access Service	Monthly	Recurring	Section
•	Rate	Charge	Reference
18.3.2 <u>Voice Grade Service</u> (cont'd)			
(C) Optional Features and Functions (c	cont'd)		7.4.3
(2) Conditioning per Termination	(cont'd)		

- Telephoto Capability

тетерного Саравинту	
Ft. Wainwright/Eielson	N/A
Nome	\$10.08 (I)
Arctic Slope	\$16.48 (R)
Ketchikan	\$41.91
Matanuska-Susitna	\$8.59 (I)
Seward	\$11.97 (I)
Copper Valley	\$15.51 (I)
Juneau	N/A
Anchorage	N/A
Fairbanks	N/A
Glacier State	N/A
Sitka	N/A
Cordova	ICB

# (3) Improved Return Loss for Effective

Two-Wire or Four-Wire, per Termination

Ft. Wainwright/Eielson	\$6.22
Nome	\$15.27 (I)
Arctic Slope	\$24.96 (R)
Ketchikan	\$63.48
Matanuska-Susitna	\$12.99 (I)
Seward	\$18.14 (I)
Copper Valley	\$23.49 (I)
Juneau	\$4.33
Anchorage	\$4.95
Fairbanks	\$5.77
Glacier State	\$4.98
Sitka	\$6.53
Cordova	\$79.69

Issued: July 01, 2019 Effective: July 02, 2019

# **ACCESS SERVICE**

- 18. <u>Rates and Charges (Cont'd)</u> 18.3 <u>Special Access Service (Cont'd)</u>
  - 18.3.2 <u>Voice Grade Service</u> (Cont'd)
    - (C) Optional Features and Functions (Cont'd)

# Monthly Rate

(4)	Customer Specified Receiv	e Level, Per 2-Wire Transmission
` /	Ft. Wainwright/Eielson	\$4.28
	Nome	\$11.54 (I)
	Arctic Slope	\$18.86 (R)
	Ketchikan	\$47.92
	Matanuska-Susitna	\$9.83 (I)
	Seward	\$13.71 (I)
	Copper Valley	\$17.75 (I)
	Juneau	\$2.98
	Anchorage	N/A
	Fairbanks	\$3.97
	Glacier State	\$3.42
	Sitka	\$4.49
	Cordova	\$78.59

(5) Signaling Capability, Per Termination

Ft. Wainwright/Eielson	\$6.30
Nome	\$24.44 (I)
Arctic Slope	\$39.96 (R)
Ketchikan	\$101.64
Matanuska-Susitna	\$20.80 (I)
Seward	\$29.04 (I)
Copper Valley	\$37.61 (I)
Juneau	\$4.49
Anchorage	\$16.68
Fairbanks	\$5.85
Glacier State	\$5.04
Sitka	\$6.61
Cordova	\$127.58

Effective: July 02, 2019 Issued: July 01, 2019

24th Revised Page 263 Replaces 23rd Revised Page 263

#### **ACCESS SERVICE**

- 18. Rates and Charges (Cont'd)
  - 18.3 Special Access Service (Cont'd)
    - 18.3.2 <u>Voice Grade Service</u> (Cont'd)
      - (C) Optional Features and Functions (Cont'd)

#### Monthly Rate

(6) Selective Signaling Arrangement, Per Arrangement

Ft. Wainwright/Eielson	N/A
Nome	\$7.28 (I)
Arctic Slope	\$11.90 (R)
Ketchikan	\$30.27
Matanuska-Susitna	\$6.18 (I)
Seward	\$8.65 (I)
Copper Valley	\$11.20 (I)
Juneau	N/A
Anchorage	N/A
Fairbanks	N/A
Glacier State	N/A
Sitka	N/A
Cordova	\$37.98

Issued: July 01, 2019 Effective: July 02, 2019

17th Revised Page 263.1 Replaces 16th Revised Page 263.1

#### **ACCESS SERVICE**

- 18. Rates and Charges (Cont'd)
  - 18.3 Special Access Service (Cont'd)
    - 18.3.2 <u>Voice Grade Service</u> (Cont'd)
      - (C) Optional Features and Functions (Cont'd)

#### 18.3.3 Program Audio Service

Regulations concerning Program Audio Service are set forth in 7.5 preceding.

_				•	Tariff
	(A) Channel Termination	Monthly	Daily*	Nonrecurring	Reference
	per Termination	Rate	Rate	Monthly/Daily	<u>Section</u>
	- 200 to 3500 Hz		·		
	Ft. Wainwright/Eielson	\$22.59	N/A	\$197.52	7.5
	Nome	\$63.91 (I)	\$6.39 (I)	\$450.00	7.5
	Arctic Slope	\$104.48 (R)	\$10.45 (R	)\$450.00	7.5
	Ketchikan	\$265.74	\$26.57	\$450.00	7.5
	Matanuska-Susitna	\$54.39 (I)	\$5.43 (I)	\$450.00	7.5
	Seward	\$75.93 (I)	\$7.59 (I)	\$450.00	7.5
	Copper Valley	\$98.33 (I)	\$9.83 (I)	\$450.00	7.5
	Juneau	\$15.74	N/A	\$137.71	7.5
	Anchorage	\$18.54	N/A	\$273.66	7.5
	Fairbanks	\$21.00	N/A	\$145.69	7.5
	Glacier State	\$18.12	N/A	\$125.63	7.5
	Sitka	\$23.61	N/A \$16	54.71	7.5
	Cordova	\$333.57	\$33.36	\$450.00	7.5
	- 100 to 5000 Hz				
	Ft. Wainwright/Eielson	\$39.34	N/A	\$197.52	7.5
	Nome	\$111.28 (I)	\$11.13 (I)		7.5
	Arctic Slope	\$181.92 (R)			7.5
	Ketchikan	\$462.70	\$46.27	\$450.00	7.5
	Matanuska-Susitna	\$94.70 (I)	\$9.47 (I)		7.5
	Seward	\$132.21 (I)			7.5
	Copper Valley	\$171.21 (I)	\$17.12 (I)		7.5
	Juneau	\$27.42	N/A	\$137.71	7.5
	Anchorage	\$27.00	N/A	\$273.66	7.5
	Fairbanks	\$36.57	N/A	\$145.69	7.5
	Glacier State	\$31.54	N/A	\$125.63	7.5
	Sitka	\$41.36	N/A	\$164.71	7.5
	Cordova	\$580.84	\$58.08	\$450.00	7.5

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

Issued: July 01, 2019 Effective: July 02, 2019

#### 18. Rates and Charges (Cont'd)

18.3 <u>Special Access Service</u> (Cont'd) 18.3.3 <u>Program Audio Service</u> (Cont'd)

Regulations concerning Program Audio Service are set forth in 7.5 preceding.

	2 2			1 C	Tariff
(A)	Channel Termination	Monthly	Daily*	Nonrecurring	
` /	per Termination (cont'd)	Rate	Rate	Monthly/Daily	
	,				
	- 50 to 8000 Hz				
	Ft. Wainwright/Eielson	\$39.34	N/A	\$197.52	7.5
	Nome	\$111.28 (I)	\$11.13 (I)		7.5
	Arctic Slope	\$181.92 (R)			7.5
	Ketchikan	\$462.70	\$46.27	\$450.00	7.5
	Matanuska-Susitna	\$94.70 (I)	\$9.47 (I)		7.5
	Seward	\$132.21 (I)	\$13.22 (I)	\$450.00	7.5
	Copper Valley	\$171.21 (I)	\$17.12 (I)	\$450.00	7.5
	Juneau	\$27.42	N/A	\$137.71	7.5
	Anchorage	\$27.00	N/A	\$273.66	7.5
	Fairbanks	\$36.57	N/A	\$145.69	7.5
	Glacier State	\$31.54	N/A	\$125.63	7.5
	Sitka	\$41.36	N/A	\$164.71	7.5
	Cordova	\$580.84	\$58.08	\$450.00	7.5
	- 50 to 15000 Hz				
	Ft. Wainwright/Eielson	\$39.34	N/A	\$197.52	7.5
	Nome				7.5 7.5
		\$111.28 (I)	\$11.13 (I)		7.5 7.5
	Arctic Slope Ketchikan	\$181.92 (R)	\$18.19 (R	, .	7.5 7.5
		\$462.70	\$46.27	\$450.00	
	Matanuska-Susitna	\$94.70 (I)	\$9.47 (I)		7.5
	Seward	\$132.21 (I)	\$13.22 (I)		7.5
	Copper Valley	\$171.21 (I)	\$17.12 (I)		7.5
	Juneau	\$27.42	N/A	\$137.71	7.5
	Anchorage	\$27.00	N/A	\$273.66	7.5
	Fairbanks	\$36.57	N/A	\$145.69	7.5
	Glacier State	\$31.36	N/A	\$125.63	7.5
	Sitka	\$41.36	N/A	\$164.71	7.5
	Cordova	\$580.84	\$58.08	\$450.00	7.5

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

Issued: July 01, 2019 Effective: July 02, 2019

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)
18.3.3 Program Audio Service (cont'd)

	nannel Mileage Channel Mileage Faci	Monthly Rate  lity per Mile	Daily* <u>Rate</u>
- 2	Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$1.51 \$4.31 (I) \$7.05 (R) \$17.92 \$3.65 (I) \$5.12 (I) \$6.63 (I) \$1.06 \$0.87 \$1.40 \$1.21 \$1.59 \$22.48	\$0.71 (R) \$1.79 \$0.37 (I) \$0.51 (I)
- 1	00 to 5000 Hz Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$3.02 \$8.59 (I) \$14.04 (R) \$35.72 \$7.31 (I) \$10.21 (I) \$13.22 (I) \$2.11 \$1.75 \$2.81 \$2.42 \$3.17 \$44.82	\$1.40 (R) \$3.57 \$0.73 (I) \$1.02 (I)

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

#### 18. Rates and Charges (Cont'd)

- 18.3 Special Access Service (Cont'd)
  - 18.3.3 Program Audio Service (cont'd)
    - (B) <u>Channel Mileage</u> (Cont'd) Monthly Daily\* Rate Rate

#### (1) Channel Mileage Facility per Mile

- 50 to 8000 Hz		
Ft. Wainwright/Eielson	\$4.54	N/A
Nome	\$12.89 (I)	\$1.29 (I)
Arctic Slope	\$21.08 (R)	\$2.11 (R)
Ketchikan	\$53.61	\$5.36
Matanuska-Susitna	\$10.98 (I)	\$1.09 (I)
Seward	\$15.32 (I)	\$1.53 (I)
Copper Valley	\$19.84 (I)	\$1.98 (I)
Juneau	\$3.17	N/A
Anchorage	\$2.54	N/A
Fairbanks	\$4.21	N/A
Glacier State	\$3.63	N/A
Sitka	\$4.76	N/A
Cordova	\$67.30	\$6.73
- 50 to 15000 Hz		
Ft. Wainwright/Eielson	\$6.05	N/A
Nome	\$17.19 (I)	\$1.72 (I)
Arctic Slope	\$28.10 (R)	\$2.81 (R)
Ketchikan	\$71.46	\$7.15
Matanuska-Susitna	\$14.64 (I)	\$1.46 (I)
Seward	\$20.42 (I)	\$2.04 (I)
Copper Valley	\$26.44 (I)	\$2.64 (I)
Juneau	\$4.22	N/A
Anchorage	\$3.49	N/A
Fairbanks	\$5.62	N/A
Glacier State	\$4.84	N/A
Sitka	\$6.35	N/A
Cordova	\$89.70	\$8.97

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

Issued: July 01, 2019 Effective: July 02, 2019

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.3 <u>Program Audio Service</u> (cont'd)

(B)	Cha	nnel Mi	ileage	(cont'd)	Monthly	Daily*
` ′					<u>Rate</u> <sup>1</sup>	<u>Rate</u>
	(0)	$\sim$ 1	1 3 5 1			

(2) Channel Mileage Termination per Termination

- 200 to 3500 Hz

- 4	200 to 3300 Hz		
	Ft. Wainwright/Eielson	\$15.19	N/A
	Nome	\$43.17 (I)	\$4.32 (I)
	Arctic Slope	\$70.58 (R)	\$7.06 (R)
	Ketchikan	\$179.51	\$17.95
	Matanuska-Susitna	\$36.73 (I)	\$3.68 (I)
	Seward	\$51.29 (I)	\$5.13 (I)
	Copper Valley	\$66.42 (I)	\$6.64 (I)
	Juneau	\$10.59	N/A
	Anchorage	\$8.81	N/A
	Fairbanks	\$14.10	N/A
	Glacier State	\$12.16	N/A
	Sitka	\$15.94	N/A
	Cordova	\$225.32	\$22.53

#### - 100 to 5000 Hz

Ft. Wainwright/Eielson	\$49.99	N/A
Nome	\$86.31 (I)	\$8.63 (I)
Arctic Slope	\$141.11 (R)	\$14.11 (R)
Ketchikan	\$358.90	\$35.89
Matanuska-Susitna	\$73.45 (I)	\$7.35 (I)
Seward	\$102.55 (I)	\$10.26 (I)
Copper Valley	\$132.80 (I)	\$13.28 (I)
Juneau	\$4.22	N/A
Anchorage	\$3.49	N/A
Fairbanks	\$5.62	N/A
Glacier State	\$4.84	N/A
Sitka	\$6.35	N/A
Cordova	\$450.54	\$45.05

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

Issued: July 01, 2019 Effective: July 02, 2019

14th Revised Page 263.3.1 Replaces 13th Revised Page 263.3.1

#### **ACCESS SERVICE**

#### 18. Rates and Charges (Cont'd)

- 18.3 Special Access Service (Cont'd)
  - 18.3.3 Program Audio Service (cont'd)
    - (B) Channel Mileage (cont'd) Monthly Daily\*
      - (2) Channel Mileage <u>Rate</u> <u>Rate</u>

Termination per Termination (cont'd)

#### - 50 to 8000 Hz

Ft. Wainwright/Eielson	\$74.98	N/A
Nome	\$129.48 (I)	\$12.95 (I)
Arctic Slope	\$211.68 (R)	\$21.17 (R)
Ketchikan	\$538.41	\$53.84
Matanuska-Susitna	\$110.19 (I)	\$11.03 (I)
Seward	\$153.84 (I)	\$15.38 (I)
Copper Valley	\$199.22 (I)	\$19.92 (I)
Juneau	\$4.22	N/A
Anchorage	\$3.49	N/A
Fairbanks	\$5.62	N/A
Glacier State	\$4.84	N/A
Sitka	\$6.35	N/A
Cordova	\$675.86	\$67.59

#### - 50 to 15000 Hz

30 to 13000 11Z		
Ft. Wainwright/Eielson	\$99.98	N/A
Nome	\$172.62 (I)	\$17.26 (I)
Arctic Slope	\$282.21 (R)	\$28.22 (R)
Ketchikan	\$717.80	\$71.78
Matanuska-Susitna	\$146.91 (I)	\$14.68 (I)
Seward	\$205.09 (I)	\$20.51 (I)
Copper Valley	\$265.60 (I)	\$26.56 (I)
Juneau	\$4.22	N/A
Anchorage	\$3.49	N/A
Fairbanks	\$5.62	N/A
Glacier State	\$4.84	N/A
Sitka	\$6.35	N/A
Cordova	\$901.04	\$90.10

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

Issued: July 01, 2019 Effective: July 02, 2019

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

### 18.3.3 Program Audio Service (cont'd)

(B) Optional Features	Monthly	Daily*
and Functions	Rate	Rate

#### (1) Bridging Distribution Amplifier Per Port

Ft. Wainwright/Eielson	N/A	N/A
Nome	\$22.31 (I)	\$2.23 (I)
Arctic Slope	\$36.47 (R)	\$3.65 (R)
Ketchikan	\$92.76	\$9.28
Matanuska-Susitna	\$18.99 (I)	\$1.90 (I)
Seward	\$26.50 (I)	\$2.65 (I)
Copper Valley	\$34.32 (I)	\$3.43 (I)
Juneau	N/A	N/A
Anchorage	N/A	N/A
Fairbanks	N/A	N/A
Glacier State	N/A	N/A
Sitka	N/A	N/A
Cordova	\$116.43	\$11.64

# (2) Gain Conditioning Per Service

Ft. Wainwright/Eielson	N/A	N/A
Nome	\$15.58 (I)	\$1.56 (I)
Arctic Slope	\$25.47 (R)	\$2.55 (R)
Ketchikan	\$64.78	\$6.48
Matanuska-Susitna	\$13.26 (I)	\$1.33 (I)
Seward	\$18.51 (I)	\$1.85 (I)
Copper Valley	\$23.97 (I)	\$2.40 (I)
Juneau	N/A	N/A
Anchorage	N/A	N/A
Fairbanks	N/A	N/A
Glacier State	N/A	N/A
Sitka	N/A	N/A
Cordova	\$81.31	\$8.13

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

Issued: July 01, 2019 Effective: July 02, 2019

11th Revised page 263.5 Replaces 10th Revised page 263.5

#### **ACCESS SERVICE**

18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.3 Program Audio Service (cont'd)

(B) Optional Features and Functions (cont'd)	Monthly <u>Rate</u>	Daily* <u>Rate</u>
(3) Stereo Per Service		
Ft. Wainwright/Eielson	N/A	N/A
Nome	\$27.58 (I)	\$2.76 (I)
Arctic Slope	\$45.10 (R)	\$4.51 (R)
Ketchikan	\$114.70	\$11.47
Matanuska-Susitna	\$23.48 (I)	\$2.35 (I)
Seward	\$32.77 (I)	\$3.28 (I)
Copper Valley	\$42.44 (I)	\$4.24 (I)
Juneau	N/A	N/A
Anchorage	N/A	N/A
Fairbanks	N/A	N/A
Glacier State	N/A	N/A
Sitka	N/A	N/A
Cordova	\$143.97	\$14.40

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>No-Demand-Rates available upon request. Daily rates will be topped and maximum rates derived as set forth in 7.2.2.(B) preceding.

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

#### 18.3.4 Video Services

Regulations concerning Video Service are set forth in 7.6 preceding.

### (A) Channel Termination per Termination

	Monthly	Daily	Non Recurring
	Rate	Rate	<u>Charge</u>
- TV 1 or 2			_
Ft. Wainwright/Eiels	son N/A	N/A	N/A
Nome	\$660.25 (I)	\$363.14 (	I) \$330.00
Arctic Slope	\$1,079.42 (R)	\$593.68 (	R) \$330.00
Ketchikan	\$2,745.46	\$1,510.00	\$330.00
Matanuska-Susitna	\$561.91 (I)	\$309.06 (	I) \$330.00
Seward	\$784.45 (I)	\$431.45 (	I) \$330.00
Copper Valley	\$1,015.88 (I)	\$558.73 (	I) \$330.00
Juneau	N/A	N/A	N/A
Anchorage	N/A	N/A	N/A
Fairbanks	N/A	N/A	N/A
Glacier State	N/A	N/A	N/A
Sitka	N/A	N/A	N/A
Cordova	\$3,446.37	\$1,895.50	\$330.00

#### - 4TV-5

Ft. Wainwright/Eiels	son N/A	N/A	N/A
Nome	\$660.25 (I)	\$363.14 (I)	\$330.00
Arctic Slope	\$1,079.42 (R)	\$593.68 (R)	\$330.00
Ketchikan	\$2,745.46	\$1,510.00	\$330.00
Matanuska-Susitna	\$561.91 (I)	\$309.06 (I)	\$330.00
Seward	\$784.45 (I)	\$431.45 (I)	
Copper Valley	\$1,015.88 (I)	\$558.73 (I)	\$330.00
Juneau	N/A	N/A	N/A
Anchorage	N/A	N/A	N/A
Fairbanks	N/A	N/A	N/A
Glacier State	N/A	N/A	N/A
Sitka	N/A	N/A	N/A
Cordova	\$3,446.37	\$1,895.50	\$330.00

Issued: July 01, 2019 Effective: July 02, 2019

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

#### 18.3.4 <u>Video Services</u>

Regulations concerning Video Service are set forth in 7.6 preceding.

### (A) Channel Termination per Termination

	Monthly	Daily	Non Recurring
	<u>Rate</u>	<u>Rate</u>	<u>Charge</u>
- 6TV-5			
Ft. Wainwright/Eiels	on N/A	N/A	N/A
Nome	\$660.25 (I)	\$363.14	(I) \$330.00
Arctic Slope	\$1,079.42 (R)	\$593.68	(R) \$330.00
Ketchikan	\$2,745.46	\$1,510.00	\$330.00
Matanuska-Susitna	\$561.91 (I)	\$309.06	(I) \$330.00
Seward	\$784.45 (I)	\$431.45	(I) \$330.00
Copper Valley	\$1,015.88 (I)	\$558.73	(I) \$330.00
Juneau	N/A	N/A	N/A
Anchorage	N/A	N/A	N/A
Fairbanks	N/A	N/A	N/A
Glacier State	N/A	N/A	N/A
Sitka	N/A	N/A	N/A
Cordova	\$3,446.37	\$1,896.50	\$330.00

#### - TV-15

Ft. Wainwright/Eiels	son N/A	N/A	N/A
Nome	\$660.25 (I)	\$363.14 (	I) \$330.00
Arctic Slope	\$1,079.42 (R)	\$593.68 (	R) \$330.00
Ketchikan	\$2,745.46	\$1,510.00	\$330.00
Matanuska-Susitna	s \$561.91 (I)	\$309.06 (	I) \$330.00
Seward	\$784.45 (I)	\$431.45 (	I) \$330.00
Copper Valley	\$1,015.88 (I)	\$558.73 (	I) \$330.00
Juneau	N/A	N/A	N/A
Anchorage	N/A	N/A	N/A
Fairbanks	N/A	N/A	N/A
Glacier State	N/A	N/A	N/A
Sitka	N/A	N/A	N/A
Cordova	\$3,446.37	\$1,895.50	\$330.00

Issued: July 01, 2019 Effective: July 02, 2019

17th Revised Page 264.1 Replaces 16th Revised Page 264.1

#### **ACCESS SERVICE**

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

## 18.3.4 <u>Video Services</u> (Cont'd)

(B) <u>Channel Mileage</u>	Monthly	Daily
	Rate	Rate
<ul><li>(1) Channel Mileage</li><li>Facility per Mile</li></ul>		· <del></del>
racinty per wine		

Ft. Wainwright/Eielson	\$197.81	N/A
Nome	\$561.97 (I)	\$309.08 (I)
Arctic Slope	\$918.74 (R)	\$505.31(R)
Ketchikan	\$2,336.77	\$1,285.22
Matanuska-Susitna	\$478.27 (I)	\$263.05(I)
Seward	\$667.67 (I)	\$367.22 (I)
Copper Valley	\$864.65 (I)	\$475.56 (I)
Juneau	\$137.90 N/A	<b>L</b>
Anchorage	\$17.77	N/A
Fairbanks	\$183.63	N/A
Glacier State	\$158.34	N/A
Sitka	\$207.60	N/A
Cordova	\$2,933.35	\$1,613.34

# (2) Channel Mileage Term. per Termination

Ft. Wainwright/Eielson	\$210.75	N/A
Nome	\$598.75 (I)	\$329.31 (I)
Arctic Slope	\$978.87 (R)	\$538.38 (R)
Ketchikan	\$2,489.72	\$1,369.35
Matanuska-Susitna	\$509.56 (I)	\$280.26 (I)
Seward	\$711.38 (I)	\$391.26 (I)
Copper Valley	\$921.25 (I)	\$506.69 (I)
Juneau	\$146.93	N/A
Anchorage	\$73.79	N/A
Fairbanks	\$195.65	N/A
Glacier State	\$168.70	N/A
Sitka	\$221.19	N/A
Cordova	\$3,125.36	\$1,718.95

Issued: July 01, 2019 Effective: July 02, 2019

Replaces 16th Revised Page 264.2

#### **ACCESS SERVICE**

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

### 18.3.5 <u>Digital Data Service</u>

Regulations concerning Digital Data Service are set forth in 7.7 preceding.	Monthly <u>Rate</u>	<u>NRC</u>	Reference Section
(A) Channel Termination per Term Available speeds are: - 2.4 Kbps - 4.8 Kbps - 9.6 Kbps - 19.2 Kbps - 56.0 Kbps (T/M)	<u>nination</u>		7.7
Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$39.34 \$111.28 (I) \$181.92 (R) \$438.50 (R) \$94.70 (I) \$132.21 (I) \$171.21 (I) \$27.42 \$48.34 \$36.57 \$31.54 \$41.35 \$376.21 (I)	\$214.54 \$390.00 \$390.00 \$369.60 (R) \$390.00 \$390.00 \$149.57 \$203.85 \$158.25 \$136.45 \$178.90 \$253.50 (I)	

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*\*64.0</sup> Kbps service is offered to utility customers subject to the availability of facilities and subject to utility engineering and network constraints.

#### 18. Rates and Charges (Cont'd)

(T/M)

18.3 Special Access Service (Cont'd)

18.3.5 <u>Digital Data Service</u> (Cont'd)			
Regulations concerning Digital Data Service are set forth in 7.7 preceding.	Monthly <u>Rate</u>	<u>NRC</u>	Reference Section
(A) Channel Termination per Term	nination_		7.7
- 64.0 Kbps**			
Ft. Wainwright/Eielson	\$39.34	\$214.54	
Nome	\$111.28 (I)	\$390.00	
Arctic Slope	\$181.92 (R)	\$390.00	
Ketchikan	\$438.50 (R)	\$369.60 (R)	)
Matanuska-Susitna	\$94.70 (I)	\$390.00	
Seward	\$132.21 (I)	\$390.00	
Copper Valley	\$171.21 (I)	\$390.00	
Juneau	\$27.42	\$149.57	
Anchorage	\$48.34	\$203.85	
Fairbanks	\$36.57	\$158.25	
Glacier State	\$31.54	\$136.45	
Sitka	\$41.35	\$178.90	
Cordova	\$387.44 (I)	\$253.50 (I)	

(T/M)

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*\*64.0</sup> Kbps service is offered to utility customers subject to the availability of facilities and subject to utility engineering and network constraints.

25th Revised Page 265 Replaces 24th Revised Page 265

#### **ACCESS SERVICE**

18. Rates and Charges (Cont'o
-------------------------------

18.3 Special Access Service (Cont'd)
18.3.5 Digital Data Service (Cont'd)

(B)	<u>Digital Data Service</u> (Cont'd) <u>Channel Mileage</u> (1) Channel Mileage Facility per Mile	Monthly <u>Rate</u>	Reference Section 7.7
			,
	Available speeds are:		
	- 2.4 Kbps - 4.8 Kbps		
	- 9.6 Kbps		
	Ft. Wainwright/Eielson	\$1.44	
	Nome	\$4.09 (I)	
	Arctic Slope	\$6.69 (R)	
	Ketchikan	\$22.82 (R)	
	Matanuska-Susitna	\$3.48 (I)	
	Seward	\$4.86 (I)	
	Copper Valley	\$6.30 (I)	
	Juneau	\$1.00	
	Anchorage	\$0.87	
	Fairbanks	\$1.34	
	Glacier State	\$1.15	
	Sitka	\$1.51	
	Cordova	\$19.80 (I)	
	- 19.2 Kbps		
	Ft. Wainwright/Eielson	\$1.44	
	Nome	\$4.09 (I)	
	Arctic Slope	\$6.69 (R)	
	Ketchikan	\$22.82 (R)	
	Matanuska-Susitna	\$3.48 (I)	
	Seward	\$4.86 (I)	
	Copper Valley	\$6.30 (I)	
	Juneau	\$1.00	
	Anchorage	\$0.87	
	Fairbanks	\$1.34	
	Glacier State	\$1.15	
	Sitka	\$1.51	
	Cordova	\$19.80 (I)	

<sup>\*\* 64.0</sup> Kbps service is offered to Utility customers subject to the availability of facilities and to Utility engineering and network constraints.

Effective: July 02, 2019 Issued: July 01, 2019

14th Revised Page 265.01 Replaces 13th Revised Page 265.01

#### **ACCESS SERVICE**

18.	Rates	and	Charges	(Cont'd)

18.3 Special Access Service (Cont'd)

18.3.5	Digital Data Service	(Cont'd)	)
10.5.5	Digital Data Scr vice	(Cont a	,

eciai.	Access service (Cont a)		
.3.5	<u>Digital Data Service</u> (Cont'd)		
(B)		Monthly	Reference
` /	`	Rate	Section
	(1) Channel Mileage Facility per Mile		7.7
	Available speeds are:		
	- 56.0 Kbps		
	Ft. Wainwright/Eielson	\$2.04	
	Nome	\$5.79 (I)	
	Arctic Slope	\$9.47 (R)	
	Ketchikan	\$22.82 (R)	
	Matanuska-Susitna	\$4.94 (I)	
	Seward	\$6.88 (I)	
	Copper Valley	\$8.91 (I)	
	Juneau	\$1.42	
	Anchorage	\$1.75	
	Fairbanks	\$1.89	
	Glacier State	\$1.63	
	Sitka	\$2.14	
	Cordova	\$19.80 (I)	
	- 64.0 Kbps**		
	Ft. Wainwright/Eielson	\$2.04	
	Nome	\$2.04 \$5.79 (I)	
		\$9.47 (R)	
	Arctic Slope		
	Ketchikan	\$22.82 (R)	
	Matanuska-Susitna	\$4.94 (I)	
	Seward	\$6.88 (I)	
	Copper Valley	\$8.91 (I)	
	Juneau	\$1.42	
	Anchorage	\$1.75	
	Fairbanks	\$1.89	
	Glacier State	\$1.63	
	Sitka	\$2.14	
	Cordova	\$19.80 (I)	

<sup>\*\* 64.0</sup> Kbps service is offered to Utility customers subject to the availability of facilities and to Utility engineering and network constraints.

Issued: July 01, 2019 Effective: July 02, 2019

17th Revised Page 265.1 Replaces 16th Revised Page 265.1

#### **ACCESS SERVICE**

18.3 Special Access Service (Cont'd)

18.3.5	<u>Digital Data Service</u> (	(Cont'd)
--------	-------------------------------	----------

ecial <i>i</i>	Access Service (Cont'd)		
3.5	<u>Digital Data Service</u> (Cont'd)		
(B)	<u>Channel Mileage</u> (cont'd)	Monthly	Reference
		<u>Rate</u>	<u>Section</u>
	(2) Channel Mileage Terminat	tion per Termination	7.7
	Available speeds are:	•	
	- 2.4 Kbps		
	- 4.8 Kbps		
	- 9.6 Kbps		
	Ft. Wainwright/Eielson	\$14.43	
	Nome	\$41.00 (I)	
	Arctic Slope	\$67.04 (R)	
	Ketchikan	\$228.97 (R)	
	Matanuska-Susitna	\$34.91 (I)	
	Seward	\$48.72 (I)	
	Copper Valley	\$63.09 (I)	
	Juneau	\$10.06	
	Anchorage	\$8.81	
	Fairbanks	\$13.39	
	Glacier State	\$11.55	
	Sitka	\$15.14	
	Cordova	\$198.62 (I)	
	- 19.2 Kbps		
	Ft. Wainwright/Eielson	\$14.43	
	Nome	\$41.00 (I)	
	Arctic Slope	\$67.04 (R)	
	Ketchikan	\$228.97 (R)	
	Matanuska-Susitna	\$34.91 (I)	
	Seward	\$48.72 (I)	
	Copper Valley	\$63.09 (I)	
	Juneau	\$10.06	
	Anchorage	\$8.81	
	Fairbanks	\$13.39	
	Glacier State	\$11.55	
	Sitka	\$15.14	
	Cordova	\$198.62 (I)	
	= = = = = = = = = = = = = = = = = = = =	(-/	

<sup>\*\* 64.0</sup> Kbps service is offered to Utility customers subject to the availability of facilities and to Utility engineering and network constraints.

Issued: July 01, 2019 Effective: July 02, 2019

11th Revised Page 265.1.1 Replaces 10th Revised Page 265.1.1

### **ACCESS SERVICE**

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

occiai i	recess betvice (Cont a)		
3.3.5	<u>Digital Data Service</u> (Cont'd)		
(B)	<u>Channel Mileage</u> (cont'd)	Monthly	Reference
		<u>Rate</u>	<u>Section</u>
	(2) Channel Mileage Terminat	tion per Termination	7.7
	Available speeds are:		
	- 56.0 Kbps		
	Ft. Wainwright/Eielson	\$20.45	
	Nome	\$58.10 (I)	
	Arctic Slope	\$94.99 (R)	
	Ketchikan	\$228.97 (R)	
	Matanuska-Susitna	\$49.45 (I)	
	Seward	\$69.03 (I)	
	Copper Valley	\$89.40 (I)	
	Juneau	\$14.26	
	Anchorage	\$17.63	
	Fairbanks	\$18.99	
	Glacier State	\$16.37	
	Sitka	\$21.46	
	Cordova	\$198.62 (I)	
	- 64.0 Kbps**		
	Ft. Wainwright/Eielson	\$20.45	
	Nome	\$58.10 (I)	
	Arctic Slope	\$94.99 (R)	
	Ketchikan	\$228.97 (R)	
	Matanuska-Susitna	\$49.45 (I)	
	Seward	\$69.03 (I)	
	Copper Valley	\$89.40 (I)	
	Juneau	\$14.26	
	Anchorage	\$17.63	
	Fairbanks	\$18.99	
	Glacier State	\$16.37	
	Sitka	\$21.46	
	Cordova	\$198.62 (I)	
		* *	

<sup>\*\* 64.0</sup> Kbps service is offered to Utility customers subject to the availability of facilities and to Utility engineering and network constraints.

Issued: July 01, 2019 Effective: July 02, 2019

14th Revised Page 265.2 Replaces 13th Revised Page 265.2

#### **ACCESS SERVICE**

18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.5 <u>Digital Data Service</u> (Cont'd)

(C)	Optional Features and Functions	Monthly	Reference
		<u>Rate</u>	<u>Section</u>
	(1) Bridging Per Port		7.7.3
	Ft. Wainwright/Eielson	\$3.82	
	Nome	\$9.80 (I)	
	Arctic Slope	\$16.01 (R)	
	Ketchikan	\$40.73	
	Matanuska-Susitna	\$8.33 (I)	
	Seward	\$11.64 (I)	
	Copper Valley	\$15.07 (I)	
	Juneau	\$2.66	
	Anchorage	\$5.02	
	Fairbanks	\$3.55	
	Glacier State	\$3.06	
	Sitka	\$4.01	
	Cordova	\$51.12	

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*\* 64.0</sup> Kbps service is offered to Utility customers subject to the availability of facilities and to Utility engineering and network constraints.

34th Revised Page 266 Replaces 33rd Revised Page 266

### **ACCESS SERVICE**

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service</u> Regulations concerning High Capacity Service are set forth in 7.8.1 proceeding.	Monthly <u>Rate</u>	<u>NRC</u>	Reference Section
<ul><li>(A) <u>Channel Termination per Termination</u></li><li>DS1, 1.544 Mbps</li><li>Ft. Wainwright/Eielson</li></ul>	\$119.17	\$229.73	7.8
Nome	\$277.45 (I)	\$330.00	
Arctic Slope	\$453.59 (R)	\$330.00	
Ketchikan	\$1,093.37 (R)	\$312.74 (F	(5
Matanuska-Susitna	\$236.11 (I)	\$330.00	,
Seward	\$329.64 (I)	\$330.00	
Copper Valley	\$426.89 (I)	\$330.00	
Juneau	\$82.96	\$160.16	
Anchorage	\$102.38	\$330.91	
Fairbanks	\$105.29	\$169.45	
Glacier State	\$94.09	\$146.11	
Sitka	\$115.63	\$191.57	
Cordova	\$924.07 (I)	\$226.05 (I	)
- DS1C, 3.152 Mbps			
Nome	ICB	ICB	
Arctic Slope	ICB	ICB	
Ketchikan	ICB	ICB	
Matanuska-Susitna	ICB	ICB	
Seward	ICB	ICB	
Copper Valley	ICB	ICB	
Anchorage	ICB	ICB	
- DS2, 6.312 Mbps			
Nome	ICB	ICB	
Arctic Slope	ICB	ICB	
Ketchikan	ICB	ICB	
Matanuska-Susitna	ICB	ICB	
Seward	ICB	ICB	
Copper Valley	ICB	ICB	
Anchorage	ICB	ICB	

Issued: July 01, 2019 Effective: July 02, 2019

12th Revised Page 266.001 Replaces 11th Revised Page 266.001

#### **ACCESS SERVICE**

18.	Rates	and (	Charges	(Cont'd)	
	18.3	Speci	al Acces	s Service	(Cont'd)

10.5	Special Ticeess Service (Cont a)			
	18.3.6	<u>High Capacity Service</u> (cont'd)		
	D 1 - 4!	and a superior of the Company	N / 41-1	

Regulations concerning High Capacity Monthly Reference Service are set forth in 7.8.1 proceeding.

(A) Channel Termination per Termination (cont'd)

Reference Section 7.8

- DS3, 44.736 Mbps*		
Ft. Wainwright/Eielson	\$1,236.00	\$268.63
Nome	\$2,287.42 (I)	\$445.00
Arctic Slope	\$3,739.61 (R)	\$445.00
Ketchikan	\$9,014.11 (R)	\$421.73 (R)
Matanuska-Susitna	\$1,946.73 (I)	\$445.00
Seward	\$2,717.68 (I)	\$445.00
Copper Valley	\$3,519.48 (I)	\$445.00
Juneau	\$739.90	\$187.28
Anchorage	\$1,515.17	\$660.41
Fairbanks	\$949.51	\$198.14
Glacier State	\$829.42	\$170.85
Sitka	\$1,064.41	\$224.01
Cordova	\$7,618.30 (I)	\$403.06 (I)
- Facility of 3 DS3s		
Anchorage	\$905.61	N/A
All Other Areas	N/A	N/A
- DS4, 274.176 Mbps		
Nome	ICB	ICB
Arctic Slope	ICB	ICB
Ketchikan	ICB	ICB
Matanuska-Susitna	ICB	ICB
Seward	ICB	ICB
Copper Valley	ICB	ICB
Anchorage	ICB	ICB

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>Where facilities are available

#### TARIFF F.C.C. NO. 3

24th Revised Page 266.01 Replaces 23rd Revised Page 266.01

#### **ACCESS SERVICE**

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service</u> (cont'd)

Regulations concerning High Capacity
Service are set forth in 7.8.1 proceeding.

Rate

#### (B) Channel Mileage

(1) Channel Mileage Facility per mile

- 1.544 Mbps
--------------

Ft. Wainwright/Eielson	\$6.05
Nome	\$17.17 (I)
Arctic Slope	\$28.07 (R)
Ketchikan	\$67.67 (R)
Matanuska-Susitna	\$14.62 (I)
Seward	\$20.40 (I)
Copper Valley	\$26.42 (I)
Juneau	\$4.16
Anchorage	\$7.22
Fairbanks	\$4.97
Glacier State	\$4.73
Sitka	\$6.39
Cordova	\$55.14 (I)

#### - 3.152 Mbps

Nome	ICB
Arctic Slope	ICB
Ketchikan	ICB
Matanuska-Susitna	ICB
Seward	ICB
Copper Valley	ICB
Anchorage	ICB

#### - 6.312 Mbps

Nome	ICB
Arctic Slope	ICB
Ketchikan	ICB
Matanuska-Susitna	ICB
Seward	ICB
Copper Valley	ICB
Anchorage	ICB

Issued: July 01, 2019 Effective: July 02, 2019

11th Revised Page 266.02 Replaces 10th Revised Page 266.02

#### **ACCESS SERVICE**

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service</u> (cont'd)

Regulations concerning High Capacity Monthly Service are set forth in 7.8.1 proceeding.

Rate

#### (B) Channel Mileage (cont'd)

(1) Channel Mileage Facility per mile(cont'd)

- 44.736 Mbps*	
Ft. Wainwright/Eielson	\$52.80
Nome	\$149.52 (I)
Arctic Slope	\$244.44 (R)
Ketchikan	\$589.22 (R)
Matanuska-Susitna	\$127.26 (I)
Seward	\$177.64 (I)
Copper Valley	\$230.05 (I)
Juneau	\$36.54
Anchorage	\$165.54
Fairbanks	\$43.32
Glacier State	\$41.25
Sitka	\$55.65
Cordova	\$480.09 (I)

#### - 274.176 Mbps

Nome	ICB
Arctic Slope	ICB
Ketchikan	ICB
Matanuska-Susitna	ICB
Seward	ICB
Copper Valley	ICB
Anchorage	ICB

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>Where facilities are available

27th Revised Page 266.1 Replaces 26th Revised Page 266.1

#### **ACCESS SERVICE**

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service</u> (cont'd)

Regulations concerning High Capacity Service are set forth in 7.8.1 proceeding.

#### (2) Channel Mileage Termination per Term.

- 1.544 Mbps

Ft. Wainwright/Eielson	\$31.44
Nome	\$89.06 (I)
Arctic Slope	\$145.60 (R)
Ketchikan	\$350.95 (R)
Matanuska-Susitna	\$75.79 (I)
Seward	\$105.81 (I)
Copper Valley	\$137.03 (I)
Juneau	\$21.58
Anchorage	\$14.04
Fairbanks	\$25.80
Glacier State	\$24.57
Sitka	\$33.15
Cordova	\$285.96 (I)

- 3.152 Mbps

Nome	ICB
Arctic Slope	ICB
Ketchikan	ICB
Matanuska-Susitna	ICB
Seward	ICB
Copper Valley	ICB
Anchorage	ICB

- 6.312 Mbps

Nome	ICB
Arctic Slope	ICB
Ketchikan	ICB
Matanuska-Susitna	ICB
Seward	ICB
Copper Valley	ICB
Anchorage	ICB

Issued: July 01, 2019 Effective: July 02, 2019

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service</u> (cont'd)

Regulations concerning High Capacity Service are set forth in 7.8.1 proceeding.

(2) Channel Mileage Termination per Term (cont'd)

- 44./36 Mbps*	
Ft. Wainwright/Eielson	\$201.94
Nome	\$571.85 (I)
Arctic Slope	\$934.90 (I)
Ketchikan	\$2,253.51 (R)
Matanuska-Susitna	\$486.68 (I)
Seward	\$679.42 (I)
Copper Valley	\$879.86 (I)
Juneau	\$139.74
Anchorage	\$322.24
Fairbanks	\$165.69
Glacier State	\$157.77
Sitka	\$212.86
Cordova	\$1,836.16 (I)

- 274.176 Mbps	
Nome	
Arctic Slope	
Ketchikan	

Arctic Slope ICB
Ketchikan ICB
Matanuska-Susitna ICB
Seward ICB
Copper Valley ICB
Anchorage ICB

**ICB** 

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*</sup>Where facilities are available

24th Revised Page 267 Replaces 23rd Revised Page 267

#### **ACCESS SERVICE**

### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service (Cont'd)</u>

(C)	Term Discounts Available in: Arctic Slope, Copper Valley, Ketchikan, Nome, Matanuska-Susitna, Seward & Con DS1 and DS3* services - 36 Months - 60 Months	Percentage rdova 10% 20%	Monthly
(D)	Optional Features and Functions		Rate
	(1) Multiplexing, per arrangement DS4 to DS1 Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Anchorage		ICB ICB ICB ICB ICB ICB
	DS3 to DS1* Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova		\$230.62 \$530.01 (I) \$866.50 (R) \$673.48 (R) \$451.07 (I) \$629.71 (I) \$815.49 (I) \$160.78 \$300.88 \$214.09 \$184.60 \$242.04 \$512.76 (I)

<sup>\*</sup>Where facilities are available

Issued: July 01, 2019 Effective: July 02, 2019

11th Revised Page 267.001 Replaces 10th Revised Page 267.001

### **ACCESS SERVICE**

18.	Rates	and Cha	arges	(Cont	<u>t'd)</u>		
	18.3	Special	Acces	s Ser	vice (Co	ont'd)	
		100	TT' 1		•		

18.3.6 <u>High Capacity Service</u> (Cont'd)

(D)	Optional Features and Functions (1) Multiplexing, per arrangement (cont'd)	Monthly <u>Rate</u>
	DS2 to DS1 Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Anchorage	ICB ICB ICB ICB ICB ICB ICB
	DS1C to DS1 Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Anchorage	ICB ICB ICB ICB ICB ICB
	DS1 to Voice* Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka Cordova	\$89.04 \$218.74 (I) \$357.61 (R) \$260.02 (R) \$186.17 (I) \$259.88 (I) \$336.56 (I) \$62.07 \$291.18 \$82.66 \$71.27 \$93.44 \$218.80 (I)

<sup>\*</sup> A channel of this DS1 to the Hub can be used for Digital Data service.

Issued: July 01, 2019 Effective: July 02, 2019

#### TARIFF F.C.C. NO. 3

14th Revised Page 267.00 Replaces 13th Revised Page 267.00

\$151.79

\$199.01

ACCESS SERVICE	
18. Rates and Charges (Cont'd)	
18.3 Special Access Service (Cont'd)	
18.3.6 High Capacity Service (Cont'd)	Monthly
(D) Optional Features and Functions (cont'd)	Rate
(1) Multiplexing, per arrangement (cont'd)	
DS1 to DS0	
Ft. Wainwright/Eielson	\$89.04
Nome	\$218.74 (I)
Arctic Slope	\$357.61 (R)
Ketchikan	\$260.02 (R)
Matanuska-Susitna	\$186.17 (I)
Seward	\$259.88 (I)
Copper Valley	\$336.56 (I)
Juneau	\$62.07
Anchorage	\$295.09
Fairbanks	\$82.66
Glacier State	\$71.27
Sitka	\$93.44
Cordova	\$218.80 (I)
DS0 to Subrates	
- Up to twenty (20) 2.4 Kbps services	
Ft. Wainwright/Eielson	\$289.63
Nome	\$522.96 (I)
Arctic Slope	\$854.96 (R)
Ketchikan	\$2,174.56
Matanuska-Susitna	\$445.07 (I)
Seward	\$621.32 (I)
Copper Valley	\$804.63 (I)
Juneau	\$132.20
Anchorage	\$404.48
Fairbanks	\$176.03
~1 . ~	<b>4.7.</b>

Glacier State

Sitka

Issued: July 01, 2019 Effective: July 02, 2019

17th Revised Page 267.01 Replaces 16th Revised Page 267.01

\$119.92

\$91.46

### **ACCESS SERVICE**

18. Rates and Charges (Cont'd)  18.3 Special Access Service (Cont'd)  18.3.6 High Capacity Service (Cont'd)  (D) Optional Features and Functions (cont'd)  (1) Multiplexing, per arrangement (cont'd)  DS0 to Subrates (cont'd)	Monthly <u>Rate</u>
- Up to ten (10) 4.8 Kbps services Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks Glacier State Sitka	\$128.84 \$355.36 (I) \$580.96 (R) \$1,477.65 \$302.43(I) \$422.20 (I) \$546.76 (I) \$89.83 \$220.87 \$119.61 \$103.14 \$135.23
- Up to five (5) 9.6 Kbps services Ft. Wainwright/Eielson Nome Arctic Slope Ketchikan Matanuska-Susitna Seward Copper Valley Juneau Anchorage Fairbanks	\$114.26 \$315.11 (I) \$515.17 (R) \$1,310.30 \$268.18 (I) \$374.39 (I) \$484.84 (I) \$79.66 \$129.08 \$106.07

Glacier State

Sitka

Issued: July 01, 2019 Effective: July 02, 2019

#### TARIFF F.C.C. NO. 3

14th Revised Page 267.02 Replaces 13th Revised Page 267.02

#### **ACCESS SERVICE**

18.	Rates	and	Char	ges (	Cont Cont	'd)
		-		_	_	_

8.	Rates and Charges (Cont d)	
	18.3 <u>Special Access Service</u> (Cont'd)	
	18.3.6 <u>High Capacity Service</u> (Cont'd)	Monthly
	(D) Optional Features and Functions (cont'd)	Rate
	(2) Automatic Loop Transfer per arrangement**	
	Ft. Wainwright/Eielson	\$76.82
	Nome	\$176.54 (I)
	Arctic Slope	\$288.63 (R)
	Ketchikan	\$734.11
	Matanuska-Susitna	\$150.25 (I)
	Seward	\$209.75 (I)
	Copper Valley	\$271.64 (I)
	Juneau	\$53.56
	Anchorage	\$21.85
	Fairbanks	\$71.31
	Glacier State	\$61.49
	Sitka	\$80.62
	Cordova	\$921.53
	(3) Clear Channel Capability Per 1.544 Mbps transmission path	None
	1 Ct 1.544 Wops transmission path	

Issued: July 01, 2019 Effective: July 02, 2019

<sup>\*\*</sup> An additional Channel Termination charge will apply whenever the spare line is provided as a leg to the customer designated premises.

#### GCI COMMUNICATION CORP.

#### TARIFF F.C.C. NO. 3

9th Revised Page 267.1 Replaces 8th Revised Page 267.1

#### **ACCESS SERVICE**

#### 18. Rates and Charges (Cont'd)

18.3 Special Access Service (Cont'd)

18.3.6 <u>High Capacity Service</u>(Cont'd)

(D) Optional Features and Functions (cont'd)	Monthly
	Rate
(4) Port Charges	

DS1 Line Port  Per DS1 (1.544 Mbrs) sharpel service	¢22.51
- Per DS1 (1.544 Mbps) channel service	\$23.51
ISDN Line Port	
- ISDN BRI Line Port, per arrangement	\$2.23
- ISDN PRI Line Port, per arrangement	\$23.51

### 18.4 Other Services

18.4.1 <u>Access Ordering</u>	Tariff Section
(A) Access Order Charge	<u>Charge</u> <u>Referenced</u>
Per Order:	5.4.1
Greatland	\$29.48
Juneau	\$20.55
Anchorage	\$29.59
Fairbanks	\$21.74
Glacier State	\$18.75
Sitka	\$24.58
Cordova	\$92.22 (I)
Ketchikan	\$60.27 (N)
All Other Areas	\$86.00 (I) (T)

Issued: July 01, 2019 Effective: July 02, 2019

## Replaces 1st Page 267.2

### **ACCESS SERVICE**

18.	Rates	and	Charges	(Cont'd)	
10.	raics	anu	Charges	(Cont u)	

Glacier State

Ketchikan

All Other Areas

Sitka Cordova

18.4 Other Services

(Cont'd)

18.4.1	Access	Ordering (	(cont'd)

, .∠	4.1 <u>Access Ordering (cont'd)</u>		Tariff Section
	(B) Service Date Change Charge	Charge	Referenced
	A Service Date Change Charge will apply, on a per order	occurrence	
	basis, for each service date changed. The Access Order C	Charge	
	as specified in 18.4.1(A) preceding does not apply.		5.4.3
	Greatland	\$13.37	
	Juneau	\$9.32	
	Anchorage	\$13.76	
	Fairbanks	\$9.86	
	Glacier State	\$8.51	
	Sitka	\$11.15	
	Cordova	\$63.14 (N)	
	Ketchikan	\$61.28 (N)	
	All Other Areas	\$60.00	
	(C) <u>Design Change Charge</u> The Design Change Charge will apply on a per order per occurrence basis for each order requiring design change.		5.4.3
	Greatland	\$13.37	
	Juneau	\$9.32	
	Anchorage	\$13.76	
	Fairbanks	\$9.86	
	Glacier State	\$8.51	
	Sitka	\$11.15	
	Cordova	\$88.39 (N)	
	Ketchikan	\$85.80 (N)	
	All Other Areas	\$84.00	
	(D) <u>Miscellaneous Service Order Charge Per</u> Occurrence:		5.4.2
	Greatland	\$13.37	
	Juneau	\$9.32	
	Anchorage	\$13.76	
	Fairbanks	\$9.86	
		¢0.51	

Issued: July 01, 2019 Effective: July 02, 2019

By: Cynthia L. Hall Tariffs & Licenses Manager GCI Communication Corp. 2550 Denali Street, Suite 1000 Anchorage, Alaska 99503

\$8.51 \$11.15

\$129.43 (N) \$125.63 (N)

\$123.00

### TARIFF F.C.C. NO. 3

N

8th Revised Page 268 Replaces 7th Revised Page 268

#### **ACCESS SERVICE**

### 18. <u>Rates and Charges (Cont'd)</u> 18.4 <u>Other Services (Cont'd)</u>

<u>other services</u> (cont u)	Each Half	Tariff
18.4.2 Additional Engineering Periods	Hour or Fraction	Section
	Thereof	Referenced
(A) Basic Time per engineer normally		
scheduled working hours		
Anchorage Area	\$41.69	13.1
Service Area 1 *	\$31.03	
Service Area 2 **	\$27.19	
(B) Overtime per engineer outside of		
normally scheduled working hours		
Anchorage Area	\$62.54	13.1
Service Area 1 *	\$46.55	
Service Area 2 **	\$40.79	
(C) <u>Premium Time outside of scheduled</u>		
work day, per engineer		
Anchorage Area	\$83.38	13.1
Service Area 1 *	\$62.06	
Service Area 2 **	\$54.38	
18.4.3 <u>Additional Labor</u>		
(A) <u>Installation or Repair</u>		
D ' W'		
- Basic Time	<b>44.07</b>	10.0
Anchorage Area	\$41.35	13.2
Service Area 1 *	\$31.03	
Service Area 2 **	\$21.93	
- Overtime, outside of normally scheduled workin	· ·	13.2.1 &
hours on a scheduled work day per technician	ıg	13.2.1 &
Anchorage Area	\$62.02	13.2.2
Service Area 1 *	\$62.02 \$47.57	
Service Area 1 ** Service Area 2 **	\$32.90	
Service Area 2	\$32.90	
- Premium Time, outside of scheduled work		13.2.1 &
day per technician		13.2.2
Anchorage Area	\$82.70	
Service Area 1 *	\$63.42	
Service Area 2 **	\$43.86	
~ ·	+	

M – Matter relocated to Original Page 267.2.

Issued: September 30, 2010 Effective: October 1, 2010

<sup>\*</sup> Service Area 1 includes: Arctic Slope, Copper Valley, **Cordova**, Ketchikan, Nome, Matanuska-Susitna, and Seward.

<sup>\*\*</sup> Service Area 2 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.

7th Revised Page 269 Replaces 6th Revised Page 269

#### **ACCESS SERVICE**

18.	Rates	and Charges	(Cont'd)
	18.4	Other Service	es (Cont'd)

18.4.3 Additional Labor (Cont'd)	Each Half	Tariff
· · · · · · · · · · · · · · · · · · ·	Hour or Fraction	Section
(R) Stand by	Thereof	Referenced

1.3	Additional Labor (Cont'd)	Each Half Hour or Fraction	Tariff Section
(B)	Stand by	Thereof	Referenced
	- Basic Time, normally scheduled working hours, per technician Anchorage Area Service Area 1 * Service Area 2 **	\$42.38 \$21.18	13.2.3
	Service Area 2 ***	\$21.67	
	- Overtime, outside of normally scheduled wo hours on a scheduled work day per technicia		
	Anchorage Area	\$63.58***	13.2.3
	Service Area 1 *	\$31.77***	13.2.3
	Service Area 2 **	\$32.51***	
	- Premium Time, outside of scheduled work		
	day per technician		
	Anchorage Area	\$84.77***	13.2.3
	Service Area 1 *	\$42.36***	
	Service Area 2 **	\$43.34***	
(C)	Maintenance and Testing		
	- Basic Time, normally scheduled working		
	hours, per technician		13.2.3
	Anchorage Area	\$42.44	
	Service Area 1 *	\$31.71	
	Service Area 2 **	\$21.93	
	- Overtime, outside of normally scheduled wo		
	hours on a scheduled work day per technicia		13.2.3
	Anchorage Area	\$63.66	

M – Matter relocated to Original Page 269.1.

Service Ārea 1 \*

Service Area 2 \*\*

\$47.57\*\*\*

\$32.90\*\*\*

N

Effective: October 1, 2010 Issued: September 30, 2010

<sup>\*</sup> Service Area 1 includes: Arctic Slope, Copper Valley, Cordova, Ketchikan, Nome, Matanuska-Susitna,

<sup>\*\*</sup> Service Area 2 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.

<sup>\*\*\*</sup>A call out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

1st Revised Page 269.1 Replaces Original Page 269.1

#### **ACCESS SERVICE**

18.	Rates and	d Charges	(Cont'd)

18.4 Other Services (Cont'd)
------------------------------

	Additional Labor (Cont'd)	Each Half	Tariff
(C)	Maintenance and Testing (cont'd)	Hour or Fraction Thereof	Section Referenced
	- Premium Time, outside of scheduled work		13.2.3
	day per technician Anchorage Area	\$84.88	13.2.3
	Service Area 1 *	\$63.42***	
	Service Area 2 **	\$43.86***	

Additional Labor Periods  Testing and Maintenance with other Telephone Companies, or Other Labor	Each Half Installation and Repair Technician	Hour or Fracti CO Maint. <u>Technician</u>	on Thereof Tariff Section Reference
- Basic Time per technician normally scheduled working hours Anchorage Area Service Area 1 * Service Area 2 **	\$41.35 \$31.71 \$21.93	\$48.44 \$34.66 \$23.81	13.2.4
- Overtime per technician outside of normally scheduled working hours on a scheduled work day Anchorage Area Service Area 1 * Service Area 2 **	\$62.02 \$47.57 \$32.90	\$48.44 \$51.99 \$35.72	13.2.4 & 13.2.5
- Premium Time per technician outside of scheduled work day Anchorage Area Service Area 1 * Service Area 2 **	\$82.70 \$63.42 \$43.86	\$84.88 \$69.32 \$47.62	13.2.4 & 13.2.5

<sup>\*</sup> Service Area 1 includes: Arctic Slope, Copper Valley, **Cordova**, Ketchikan, Nome, Matanuska- Nusitna, and Seward.

#### M – Matter relocated from 5th Revised Page 269.

Issued: September 30, 2010 Effective: October 1, 2010

<sup>\*\*</sup> Service Area 2 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.

<sup>\*\*\*</sup>A call out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

(T)

3rd Revised Page 270 Replaces 2nd Revised Page 270

#### **ACCESS SERVICE**

18.	Rates	and Charges	(Cont'd)
	18.4	Other Service	es (Cont'd)

Other Services (Cont a)			
18.4.4 <u>Miscellaneous Service</u>	Each Half Hour or Fraction Thereof	Tariff Section Referenced	
(A) Additional Cooperative Acceptance			
Testing - Switched Access			
	See the rates for		
Testing Period - Basic Time, Overtime*, and	Add'l Labor as set		
Premium Time*	forth in 18.4.3(C).	13.3.1(A)(1)	
	1 1		
(B) Additional Automatic Testing - Switched			
T D' (D' (CC ') 1'	Per Test Per		
To First Point of Switching	<u>Transmission Path</u>		
Gain Slope Test		13.3.1(A)(2)	
Anchorage	\$2.89	13.3.1(11)(2)	(T)
Rate Band 1 <sup>1</sup>	ICB		(1)
Rate Band 2 <sup>2</sup>	\$2.89		(T)
rate balla 2	Ψ2.09		(T)
C-Notched Noise Test		13.3.1(A)(2)	
Anchorage	\$2.89	, , , ,	<b>(T)</b>
Rate Band 1 <sup>1</sup>	ICB		(T)
Rate Band 2 <sup>2</sup>	\$2.89		
			(T)
1004 Hz Loss**		13.3.1(A)(2)	
Anchorage 1	\$2.89		(T)
Rate Band 1	ICB		
Rate Band 2 <sup>2</sup>	\$2.89		(T)
C Massaga Naisa**		12 2 1(A)(2)	` /
C-Message Noise**	\$2.89	13.3.1(A)(2)	<b>(T)</b>
Anchorage <sub>1</sub> Rate Band 1	\$2.89 ICB		(T)
Rate Band 1 Rate Band 2 <sup>2</sup>	\$2.89		
Nate Danu 2	φ4.09		(T)
			` ′

<sup>\*</sup>A call out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

Issued: June 27, 2011 Effective: July 1, 2011

<sup>\*\* 1004</sup> Hz Loss, C-Message Noise and Balance are non-chargeable routine tests; however, they may be requested on an as needed or more than routine schedule basis, in which case the charges herein

<sup>&</sup>lt;sup>1</sup>Rate Band 1 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.

<sup>(</sup>T) <sup>2</sup> Rate Band 2 includes: Arctic Slope, Copper Valley, Cordova, Ketchikan, Nome, Matanuska-Susitna, and Seward.

1st Revised Page 270.1 Replaces Original Page 270.1

#### **ACCESS SERVICE**

18. Rates and Charges (Cont's
-------------------------------

18.4 Other Services (Cont'd)

18.4.4 <u>Miscellaneous Service</u> Each Half Hour or Fraction
(B) Additional Automatic Testing - Switched Access Thereof Referenced

Per Test Per

To First Point of Switching (cont'd) <u>Transmission Path</u>

Balance (return loss)\*\*

Anchorage \$2.89 (T)

Rate Band 1<sup>1</sup> ICB |

Rate Band 2<sup>2</sup> \$2.89 (T)

(C) Additional Manual Testing - Switched Access

Gain-Slope, C-Notched and See the rates for Add'1 13.3.1(A)(3)

Balance Labor as set forth in 18.4.3(C) preceding.

(D) Additional Cooperative Acceptance Testing - Special Access

Basic Time, Overtime\* and See the rates for Add'1 13.3.1(B)(1)

Premium Time\* Labor as set forth in 18.4.3(C) preceding.

<sup>1</sup> Rate Band 1 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.

<sup>2</sup> Rate Band 2 includes: Arctic Slope, Copper Valley, Cordova, Ketchikan, Nome, Matanuska-Susitna, and Seward.

(T)

Issued: June 27, 2011 Effective: July 1, 2011

<sup>\*</sup>A call out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

<sup>\*\* 1004</sup> Hz Loss, C-Message Noise and Balance are non-chargeable routine tests; however, they may be requested on an as needed or more than routine schedule basis, in which case the charges herein apply.

(T)

3rd Revision Page 271 Replaces 2nd Revision Page 271

#### **ACCESS SERVICE**

8.	Rates and Charges (Cont'd)			
	18.4 Other Services (Cont'd)		Tariff	
	18.4.4 <u>Miscellaneous Service</u> (Cont'd)		Section	
	`	Charges	Referenced	
	(F) Maintenance of Service Periods	<del></del> _		
	Basic Time, Overtime* and	See the rates for Add'l	13.3.2	
	Premium Time*	labor as set forth in		
		18.4.3(C) preceding.		
	(G) Telecommunications Service Priority	g.		
	Per service arranged		13.3.3	
	Anchorage	\$54.63		(T)
	Rate Band 1 <sup>1</sup>	ICB		
	Rate Band 2 <sup>2</sup>	\$54.63		(T)
		42		(1)
	(H) Billing Name and Address Information	Per BNA		
	1. Per request incidence, first billed nu	·		
	Anchorage	\$41.06		(T)
	Rate Band 1 <sup>1</sup>	ICB		
	Rate Band 2 <sup>2</sup>	\$50.94		(TE)
	2. Every billed number thereafter			(T)
	Anchorage	\$0.087		
	Rate Band 1 <sup>1</sup>	ICB		(T)
	Rate Band 2 <sup>2</sup>	\$0.33		
				(T)
	(I) <u>Presubscription</u>			
	Per Telephone Exchange Service line or trun		13.4	
	Anchorage	\$5.50		(T)
	Rate Band 2 <sup>2</sup>	\$5.00		(T)
	Greatland	\$4.29		
	Juneau	\$6.13		
	Fairbanks	\$5.71		
	Glacier State	\$5.68		
	Sitka	\$5.54		

<sup>\*</sup>A call out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

Issued: June 27, 2011 Effective: July 1, 2011

<sup>\*\*</sup>This charge is billed to the end user who is the subscriber to the Telephone Exchange Service. In the event an end user is incorrectly presubscribed due to misassignment on the part of the Company, no charge shall apply. In the event an end user is incorrectly presubscribed due to misassignment on the part of the IC, and the IC is unable to document such an assignment, the Company will apply the charge to the IC responsible for the misassignment of the end user and assign the end user to an IC of the end user's choice.

<sup>&</sup>lt;sup>1</sup> Rate Band 1 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.

<sup>&</sup>lt;sup>2</sup> Rate Band 2 includes: Arctic Slope, Copper Valley, Cordova, Ketchikan, Nome, Matanuska-Susitna, and Seward. (T)

(T)

4th Revised Page 272 Replaces 3rd Revised Page 272

## **ACCESS SERVICE**

18. <u>Rates and Cha</u> 18.4 <u>Other Se</u> 18.4.4	ervices (Cont'd)  Miscellaneous Service (Cont'd)	Nonrecurring Charges	Tariff Section Referenced	
(J)	<u>Unauthorized PIC Change</u>			
	- Residence/Business per Telephone Exchange Service line or trunk Anchorage Rate Band 1 <sup>1</sup> Rate Band 2 <sup>2</sup>	\$35.65 N/A \$35.65	13.6	(T)   (T)
	<ul> <li>Public and/or Semipublic pay telephone per Telephone Exchange Service line or trunk Anchorage Rate Band 1<sup>1</sup> Rate Band 2<sup>2</sup></li> </ul>	\$57.57 N/A \$57.57	13.6	(T)   (T)
(K)	<ul> <li>International Blocking Service</li> <li>per exchange service or trunk and/or per Feature Group A Switched Access Line Anchorage         Rate Band 1<sup>1</sup>         Rate Band 2<sup>2</sup> </li> </ul>	\$9.77 ICB \$11.20	13.7.1	(T)   (T)
	<ul> <li>Pay-Per-Call Toll Restore</li> <li>Per exchange service or trunk and/or per Feature Group A Switched Access Line</li> <li>Local Number Portability Query Service ("LNF</li> </ul>	<del></del>	13.7.2	
	- LNPQS Default Query Charge, Per Query  Reserved For Future Use  cludes: Fairbanks, Ft. Wainwright/Eielson, Glaci	\$0.002450 er State, Juneau, a	13.8.1	
<ul> <li>Rate Band 1 includes: Fairbanks, Ft. Wainwright/Eielson, Glacier State, Juneau, and Sitka.</li> <li>Rate Band 2 includes: Arctic Slope, Copper Valley, Cordova, Ketchikan, Nome, Matanuska-Susitna, and Seward.</li> </ul>				

Issued: June 27, 2011 Effective: July 1, 2011

1st Revised Page 273 Replaces Original Page 273

Termination

#### **ACCESS SERVICE**

## 18. Rates and Charges (Cont'd) 18.4 Other Services (Cont'd) T/M

#### 18.4.5 Special Federal Government Access Services

T/M M

M

(A)	Voice Grade Secure Communications	<u>Rates</u>	<u>NRCs</u>	Charges
	Type I, each T-3 Conditioning Additional Conditioning	ICB rates	and charge	s apply
	per service termination	ICB rates	and charge	s apply
	Type II, each G-1 Conditioning	ICB rates	and charge	s apply
	Type III, each G-2 Conditioning Additional Conditioning	ICB rates	and charge	s apply
	per service termination	ICB rates	and charge	s apply
	Type IV, each G-3 Conditioning Additional Conditioning	ICB rates	and charge	s apply
	per service termination	ICB rates	and charge	s apply

Monthly

## (B) Wideband Digital Special Access Service

Type I, each	ICB rates and charges apply
Type II, each	ICB rates and charges apply
Type III, each	ICB rates and charges apply

#### (C) Diversity and Avoidance Combined

For each service provided in accordance with 11.1.1 and 11.1.2 preceding, combined, the rates and charges will be developed on an individual case basis.

#### (D) Cable Only Facilities

For each service provided in accordance with 11.1.4 preceding, the rates and charges will be developed on an individual case basis.

- M Matter relocated from Original Page 290.
- M Matter relocated from 1st Revised Page 307.
- M Matter relocated from Original Page 325.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 274 Replaces 1st Revised Page 274

#### **ACCESS SERVICE**

18. Rates and Charges (Cont'd)				Tariff	T/M
18.5 <u>Special Construction</u>				Section Reference	T/M M
Special Construction charges are develor and are filed as follows:  Case Number: Customer Name: Description: Charge/Liability: Effective Date: Expiration Date:	ped on an indi	vidual case ba	sis	15.1	M
18.6 <u>Ultranet Service Chargees</u>	Monthly <u>Rates</u>	<u>NRC</u>	Early <u>Termination</u>	7.10 on	T M
Ultranet Access Service: Ultranet Access (per Access Link)	\$30.00	\$150.00	\$100.00		
Access Link (per business line)	Local service on Company APUC No. 4	's Tariff			
Ultranet VLAN Identifier Change Charge (per change)	N/A	\$50.00			
<u>Ultranet Backbone Service:</u> Ultranet Feeder Node (per node)	\$7,000.00	\$1,500.00	\$5,000.00		
Ultranet Backbone Access Port Charges (per port)	\$500.00	\$500.00			
Ultranet Backbone Change	N/A	\$50.00			
The shortfall liability for Customernine months from the start of the training that falls short of the commitment.					M M

- M Matter relocated from 1st Revised Page 291.
- M Matter relocated from 1st Revised Page 308.
- M Matter relocated from Original Page 326.

Issued: March 30, 2007 Effective: April 1, 2007

TARIFF F.C.C. NO. 3

24th Revised Page 275 Replaces 23rd Revised Page 275

## **ACCESS SERVICE**

18. Rates and Charges (Cont'd)

18.7 Reserved For Future Use

(D)

(D)

Issued: June 27, 2011 Effective: July 1, 2011

## TARIFF F.C.C. NO. 3 6th Revised Page 276 Replaces 5th Revised Page 276

## **ACCESS SERVICE**

RESERY	VED FO	R FUTI	JRE USE

M

M – Matter relocated to 6th Revised Page 259 and Original Page 259.1.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 6th Revised Page 277 Replaces 5th Revised Page 277

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 6th Revised Page 260 and Original Page 259.2.

Issued: March 30, 2007 Effective: April 1, 2007

TARIFF F.C.C. NO. 3
9th Revised Page 278
Replaces 8th Revised Page 278

## **ACCESS SERVICE**

RESERVE	ED FOR	FUTURE	USE

M

M – Matter relocated to 9th Revised Page 261 and Original Page 260.1.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 6th Revised Page 262.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 263.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 5th Revised Page 281 Replaces 4th Revised Page 281

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 264.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 5th Revised Page 282 Replaces 4th Revised Page 282

## **ACCESS SERVICE**

RESERVED	$E \cap B$	FILLI	IRE :	HZE

M

M – Matter relocated to 5th Revised Page 265.

Issued: March 30, 2007 Effective: April 1, 2007

# TARIFF F.C.C. NO. 3 7th Revised Page 283 Replaces 6th Revised Page 283

## **ACCESS SERVICE**

RESERVED	FOR FU	JTURE I	JSE

M

M – Matter relocated to 7th Revised Page 266 and Original Page 266.01.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 1st Revised Page 266.1.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 6th Revised Page 284 Replaces 5th Revised Page 284

## **ACCESS SERVICE**

RESERVED	FOR FU	TURE USE

M

M – Matter relocated to 6th Revised Page 267.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 284.1 Replaces 1st Revised Page 284.1

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 267.1.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 5th Revised Page 285 Replaces 4th Revised Page 285

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 268.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 4th Revised Page 286 Replaces 3rd Revised Page 286

## **ACCESS SERVICE**

RESERVED	FOR FU	TURE USE

M

M – Matter relocated to 4th Revised Page 269.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 1st Revised Page 270.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 1st Revised Page 271.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 272.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	ED.	FOR	FUT	URE	USE
	-	$\mathbf{L}$	101		-

M

M – Matter relocated to 1st Revised Page 273.

Issued: March 30, 2007 Effective: April 1, 2007

TARIFF F.C.C. NO. 3 2nd Revised Page 291 Replaces 1st Revised Page 291

## **ACCESS SERVICE**

M

M – Matter relocated to 2nd Revised Page 274.

Issued: March 30, 2007 Effective: April 1, 2007

12th Revised Page 292 Replaces 11th Revised Page 292

## **ACCESS SERVICE**

n	TC	LD.	m	$\mathbf{EOD}$	FUTU	$\mathbf{D}\mathbf{D}$	TICE
ĸ	$\Gamma_{\alpha}$	C.K	V C.I.	LUK	$\Gamma \cup I \cup I$	JKC	USE

 $\mathbf{M}$ 

M – Matter relocated to 13th Revised Page 258.

Issued: March 30, 2007 Effective: April 1, 2007

5th Revised Page 293 Replaces 4th Revised Page 293

## **ACCESS SERVICE**

R	ESER	VED	FOR	FUTI	JRE.	USE

M

M – Matter relocated to 6th Revised Page 259 and Original Page 259.1.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3

5th Revised Page 294 Replaces 4th Revised Page 294

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 6th Revised Page 260 and Original Page 259.2.

Issued: March 30, 2007 Effective: April 1, 2007

## TARIFF F.C.C. NO. 3 5th Revised Page 295

Replaces 4th Revised Page 295

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M – Matter relocated to 9th Revised Page 261 and Original Page 260.1.

Issued: March 30, 2007

Effective: April 1, 2007

M

6th Revised Page 296 Replaces 5th Revised Page 296

## **ACCESS SERVICE**

RESERVE		EI ITI	IDE 1	ICE
KEDEK VEI	) F( )K		IR C.	1.5E.

M

M – Matter relocated to 6th Revised Page 262.

Issued: March 30, 2007 Effective: April 1, 2007

4th Revised Page 297 Replaces 3rd Revised Page 297

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 263.

Issued: March 30, 2007 Effective: April 1, 2007

5th Revised Page 298 Replaces 4th Revised Page 298

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 264.

Issued: March 30, 2007 Effective: April 1, 2007

5th Revised Page 299 Replaces 4th Revised Page 299

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 265.

Issued: March 30, 2007 Effective: April 1, 2007

5th Revised Page 300 Replaces 4th Revised Page 300

## **ACCESS SERVICE**

RESERV	VED FOR	FUTURE USE	

M

M – Matter relocated to 7th Revised Page 266, 1st Revised Page 266.01.

Issued: March 30, 2007 Effective: April 1, 2007

6th Revised Page 301 Replaces 5th Revised Page 301

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 6th Revised Page 267.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 301.1 Replaces 1st Revised Page 301.1

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 267.1.

Issued: March 30, 2007 Effective: April 1, 2007

5th Revised Page 302 Replaces 4th Revised Page 302

## **ACCESS SERVICE**

RESERVED	FOR	FITT	IDE	HZE

M

M – Matter relocated to 5th Revised Page 268.

Issued: March 30, 2007 Effective: April 1, 2007

4th Revised Page 303 Replaces 3rd Revised Page 303

# **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 4th Revised Page 269.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 304 Replaces 1st Revised Page 304

# **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 1st Revised Page 270.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 305 Replaces 1st Revised Page 305

# **ACCESS SERVICE**

RESERV	VED FOR	FUTURE USE	

M

M – Matter relocated to 1st Revised Page 271.

Issued: March 30, 2007 Effective: April 1, 2007

# TARIFF F.C.C. NO. 3 3rd Revised Page 306

Replaces 2nd Revised Page 306

# **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 272.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 307 Replaces 1st Revised Page 307

# **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 1st Revised Page 273.

Issued: March 30, 2007 Effective: April 1, 2007

2nd Revised Page 308 Replaces 1st Revised Page 308

# **ACCESS SERVICE**

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 274.

Issued: March 30, 2007 Effective: April 1, 2007

## GCI COMMUNICATION CORP.

# TARIFF F.C.C. NO. 3 1st Revised Page 309 Replaces Original Page 309

# **ACCESS SERVICE**

RESERVED FOR FUTUR	FUSE

M

M – Matter relocated to 13th Revised Page 258.

Issued: March 30, 2007 Effective: April 1, 2007

### GCI COMMUNICATION CORP.

TARIFF F.C.C. NO. 3 1st Revised Page 310 Replaces Original Page 310

# **ACCESS SERVICE**

RESERVED	LOD.	FITT	IDE.	IICE
	, , , , , , ,	1.() 1.(		しいわしょ

M

M – Matter relocated to 6th Revised Page 259 and Original Page 259.1.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR	R FUTURE USE

M

M – Matter relocated to 6th Revised Page 260 and Original Page 259.2.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	/ED	FOR	FUTI	JRE	USE

M

M – Matter relocated to 9th Revised Page 261 and Original Page 260.1.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 6th Revised Page 262.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	/ED	FOR	FUTI	JRE	USE

M

M – Matter relocated to 5th Revised Page 263.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 5th Revised Page 264.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	/ED	FOR	FUTI	JRE	USE

M

M – Matter relocated to 5th Revised Page 265.

Issued: March 30, 2007 Effective: April 1, 2007

## GCI COMMUNICATION CORP.

## TARIFF F.C.C. NO. 3 2nd Revised Page 317 Replaces 1st Revised Page 317

## **ACCESS SERVICE**

RESERVED FOR FUTURE USE		M
M – Matter relocated to 7th Revised Page 266 Original Page 266.01 and 1st Revised Page 2	266.1.	
Issued: March 30, 2007	Effective: April	1, 2007

## GCI COMMUNICATION CORP.

TARIFF F.C.C. NO. 3 1st Revised Page 318 Replaces Original Page 318

# **ACCESS SERVICE**

RESERVE	D FOR FI	UTURE USE	,

M

M – Matter relocated to 6th Revised Page 267.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 267.1.

Issued: March 30, 2007 Effective: April 1, 2007

M

M – Matter relocated to 5th Revised Page 268.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	/ED	FOR	FUTI	JRE	USE

M

M – Matter relocated to 4th Revised Page 269.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

 $\mathbf{M}$ 

M – Matter relocated to 1st Revised Page 270.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 1st Revised Page 271.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	/ED	FOR	FUTI	JRE	USE

M

M – Matter relocated to 2nd Revised Page 272.

Issued: March 30, 2007 Effective: April 1, 2007

RESERV	/ED	FOR	FUTI	URE	USE

M

M – Matter relocated to 1st Revised Page 273.

Issued: March 30, 2007 Effective: April 1, 2007

RESERVED FOR FUTURE USE

M

M – Matter relocated to 2nd Revised Page 274.

Issued: March 30, 2007 Effective: April 1, 2007